

Ν	NFPA HAZARD RATING			RD RATING	U.S. TRANS	SPORT SUMMARY
	0	Least				
	1	Slight	1	Health		Regulated in bulk
	2	Moderate	2	Flammability	FLAMMABLE	packaging (119 gallons);
	3	High	0	Reactivity	3	see Section 14 for additional information.
	4	Severe			\checkmark	

SECTION 1: IDENTIFICATION		
Product Name:	Droplex Xtra®	
EPA Registration #:	Exempt	
Product ID/Unity #:	163548	
Common Name:	Agricultural adjuva	nt
Chemical Description:	Deposition aid, car	hopy penetrating agent, drift control agent, nonionic surfactant and antifoaming
	agent	
Recommended Uses:		oduct label for full directions for use.
Restrictions for Use: See product label f		or any restrictions on use.
Manufactured For:		MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24hrs)
WINFIELD SOLUTIONS, LLC		
P. O. Box 64589		Non-Emergency Business Inquiries: 1-855-494-6343
St. Paul, MN 55164-0589		Mon – Fri 8am – 5pm (Central Standard Time)
FOR EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CALL:		

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: HAZARDS IDENTIFICATION
EMERGENCY OVERVIEW: Tan clear to slightly hazy liquid with a mild odor. Flammable liquid. May be harmful if inhaled.
POTENTIAL HEALTH EFFECTS:
Eyes: May cause mild eye irritation.
Skin: Not anticipated to cause skin irritation with short-term exposure. Long term exposure may result in redness.
Inhalation: May cause irritation of the upper respiratory tract and lungs.
Ingestion: May cause irritation of the digestive tract.
Preexisting Conditions: Preexisting respiratory conditions may be aggravated by exposure to mist.
Chronic Health Effects: Repeated exposure may cause damage to the central nervous system, kidneys and/or liver.
Carcinogenicity NTP: Not listed IARC: Not listed OSHA: Not listed
OSHA HCS 2012 CLASSIFICATION: Flammable Liquid Category 3; Specific Target Organ Toxicant – Repeated Exposure
Category 2
SIGNAL WORD: WARNING
HAZARD STATEMENTS:
Flammable liquid and vapor.
May cause damage to central nervous system,
kidneys and/or liver through prolonged or repeated
exposure.
Percent of product with unknown toxicity: 0%
PRECAUTIONARY STATEMENTS:
Prevention: Do not breathe mist or spray. Keep away from heat, sparks, open flames, hot surfaces No Smoking.

	Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof
	electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against
	static discharge. Wear protective gloves, eye protection and face protection (See Section 8).
	Continued on next page
Response:	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case
-	of fire: Use alcohol-resistant foam, universal foam, water spray or water fog to extinguish.
	Get medical attention if you feel unwell.
Storage:	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredient	% (wt)	CAS Reg. #	
Ethoxylated nonylphenol, branched	28.5 – 29.5%	68412-54-4 or 127087-87-0	
Isopropyl alcohol	4.5 - 5.5%	67-63-0	
Poly(ethylene) oxide	<1.0%	25322-68-3	
Benzenesulfonic acid, dodecyl-, calcium salt	<0.8%	26264-06-2	
Propanol, 2-methyl-	<0.25%	78-83-1	
*Ingredients not specifically listed are non-hazardous and are 1910.1200(i).	considered to be confidential bu	siness information under 29 CFR	

See Section 8 for exposure limits.

	SECTION 4: FIRST AID MEASURES
Inhalation:	Remove person from contaminated area to fresh air and assist breathing as needed. Seek medical attention if irritation occurs.
Ingestion:	Seek medical attention or call a poison control center for treatment advice. Do not induce vomiting unless instructed to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eyes:	Flush eyes with clean water for at least 15 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.
Skin:	Remove contaminated clothing and wash before re-using. Flush skin with water and then wash with soap and water. Seek medical attention if irritation persists.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Alcohol-resistant foam, universal foam, water spray or water fog Unsuitable Extinguishing Media: Water jet – burning material will float

Special Fire Fighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and full bunker gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Avoid breathing vapors; keep upwind.

Hazardous Combustion Products: Toxic gases may be formed in a fire situation. Carbon monoxide and other asphyxiates may form as well.

Unusual Fire and Explosion Hazards: Closed containers may explode from vapor expansion in high heat. Product may burn under fire conditions. Containers adjacent to fire may be cooled by a stream of water.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

Environmental Precautions: Product is slightly toxic to aquatic organisms. Do not allow spilled product to enter sewers or waterways.

Methods for Containment: Contain spilled liquid by diking area with sand or earth. DO NOT use combustible materials such as sawdust.

Methods for Clean-up: Cover contained spill with an inert absorbent material such as sand, vermiculite or other appropriate material. Vacuum, scoop or sweep up material and place in a container for disposal. Do not place spilled material back in original container. Eliminate all ignition sources.

Other Information: None known

SECTION 7: HANDLING AND STORAGE

Handling: Ensure adequate ventilation. Immediately clean up spills that occur during handling. Keep containers closed when not in use. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics. Product thickens when cold.

Storage: Store in cool, dry areas away from children, feed and food products and sources of heat or flame. Protect from freezing. Protect package from physical damage.

Minimum Storage Temperature: 32°F

Other Precautions: Consult Federal, state and local laws and regulations pertaining to storage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
Exposure Guidelines			
Component:	OSHA PEL	ACGIH TLV	NIOSH REL
Isopropyl alcohol	980 mg/m3 (400 ppm) TWA	200 ppm TWA 400 ppm STEL	980 mg/m3 (400 ppm) TWA
Poly(ethylene) oxide	10 mg/m3 TWA		
Propanol, 2-methyl- (CAS # 78-83-1)	50 ppm (TWA)	50 ppm (TWA)	
Respiratory Protection: Inhalation of this product may cause irritation of the respiratory tract. When handling this product in areas which are not ventilated or where exposure limits are exceeded, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against organic vapors.			
Engineering Controls: Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.			
Protective Gloves: Wear chemical resistant gloves to prevent skin contact. Eye Protection: To avoid contact with eyes, wear chemical goggles or full face shield and safety glasses. Contact lenses are not protective eye devices.			

Other Protective Clothing or Equipment: Wear long-sleeve shirt, long pants and shoes plus socks to prevent skin contact. Work/Hygienic Practices: Never eat, drink, nor use tobacco in work areas. Practice good hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Physical State:	Liquid	Specific Gravity (H ₂ O=1):	0.94 (typical)
Vapor Pressure (mm Hg):	Not determined	Density (Ibs/gallon):	7.82 – 7.85 lbs/gallons
Vapor Density (Air=1):	Not determined	Freezing Point:	10°F
Solubility in Water (wt	Emulsifies	Boiling Point/Range:	Not determined
%):			
Viscosity:	5 to 10 centistokes at 77°F.	pH (1% in water):	5.0 – 7.0
Appearance and odor:	Tan clear to hazy liquid with	Flash Point:	114°F
	mild odor		

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Flammable liquid

Chemical Stability: This product is stable at ambient temperature and pressure, under normal storage and handling conditions.

Possibility of Hazardous Reactions: Will not occur

Conditions to Avoid: Avoid excessive heat, ignition sources, sparks, fires and freezing temperatures Incompatible Materials: Strong oxidizing agents, strong reducing agents Hazardous Decomposition Products: Oxides of sulfur, nitrogen, and other chemicals may be formed in a fire situation. Carbon monoxide and other asphyxiates may form as well.

SECTION 11: TOXICOLOGICAL INFORMATION		
ACUTE TOXICITY		
Eye Effects:	May cause mild eye irritation.	
Skin Effects:	LD50 >5,050 mg/kg (albino rabbits). Non-irritant (based upon animal testing)	
Acute Inhalation Effects:	LC50 > 2.16 mg/L (albino rats); No mortality was observed during the study and based upon component data the product is not anticipated to toxic by inhalation.	
Acute Oral Effects:	LD50 > 5,000 mg/kg (albino rats)	
Specific Target Organ	Central nervous system, kidneys, liver	
Toxicity:		
CHRONIC TOXICITY		
Chronic Effects:	Repeated exposure may cause damage to the central nervous system, kidneys and/or liver.	
Carcinogenicity:	No component is known to have a carcinogenic effect.	
Mutagenicity:	No component is known to have a mutagenic effect.	
Teratogenicity:	No component is known to have a teratogenic effect.	
Reproductive Toxicity:	No component is known to have an effect on the reproductive system.	
POTENTIAL HEALTH EFFECTS:		
Eyes: May cause mild eye irritation.		
Skin: Not anticipated to cause skin irritation with short-term exposure. Long term exposure may result in redness.		
Inhalation: May cause irritation of the upper respiratory tract and lungs.		
Ingestion: May cause irritation of the digestive tract.		

SECTION 12: ECOLOGICAL INFORMATION			
ENVIRONMENTAL SUMMARY: This pr	oduct is slightly toxicity to aquatic organisms.		
ECOTOXICITY DATA:			
Fish Acute and Prolonged Toxicity:	Pimephales promelas (Fathead Minnow) – NOEC = 10 mg/L; LC50 = 15.17 mg/L Oncorhynchus mykiss (Rainbow Trout) – NOEC = 12.5 mg/L; LC50 = 18.75 mg/L		
Aquatic Invertebrate Acute Toxicity:	Daphnia magna – NOEC = 12.5 mg/L; EC50 = 35.5 mg/L		
Aquatic Plant Toxicity:	Not determined		
Bird Acute and Prolonged Toxicity:	Not determined		
Honeybee Toxicity:	Not determined		
ENVIRONMENTAL EFFECTS:			
Soil Absorption/Mobility:	Not determined		
Persistence and degradability:	Not determined		
Bioaccumulative Potential:	Not determined		
Other adverse effects:	Not determined		

SECTION 13: DISPOSAL CONSIDERATIONS

Waste: Dispose of in accordance with applicable Federal, state and local laws and regulations. **Container:** Triple rinse and recycle the container or dispose of in accordance with Federal, state and local laws and regulations.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste. If product is disposed of as purchased – D001.

	SECTION 14: TRANSPORT INFORMATION
DOT: (Ground)	This product is not regulated by the U.S. Department of Transportation in quantities less than 119 gallons. For quantities of 119 gallons or greater: UN1993, Flammable liquid, n.o.s. (Isopropanol), 3, PG III
IMDG:	UN1993, Flammable liquid n.o.s. (Isopropanol), 3, PG III

(Sea)	
IATA: (Air)	UN1993, Flammable liquid n.o.s. (Isopropanol), 3, PG III
TDG: (Canada)	UN1993, Flammable liquid n.o.s. (Isopropanol), 3, PG III

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: All components are listed on the TSCA inventory. SARA Title III Information: Section 302 - Extremely hazardous None listed substances: Section 311/312 Hazard Delayed (Chronic), Fire _ Categories: Section 313 – The following chemicals are subject to the reporting requirements of Section 313 of Title III, Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372: Isopropyl alcohol (CAS# 67-63-0) **CERCLA** - This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA): None listed California Proposition 65: WARNING: This product contains a chemical known to the state of California to cause cancer and/or reproductive harm. U.S. State Worker and Community Right-To-Know (RTK) Information (CT, IL, MA, MN, NH, NJ, PA, RI): **Chemical Name** CAS # State(s) CT, IL, MA, MN, NJ, PA, RI

Isopropyl alcohol67-63-0Poly(ethylene) oxide25322-68-3

Canadian Domestic Substances List: Not determined

WHMIS Classification: This product is not approved for use in Canada. WHMIS classification is not determined.

SECTION 16: OTHER

ΜN

Disclaimer: The information presented herein is based on available data from reliable sources and is correct to the best of WinField Solutions' knowledge. WinField Solutions, LLC makes no warranty, express nor implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: March 4, 2016 Sections Revised: N/A Supersedes document dated: N/A