SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PREFLIGHT

| DISTRIBUTOR: ADDRESS: | Winfield Solutions, LLC P.O. Box 64589 St. Paul. MN 55164-0589 | | |
|----------------------------|--|---|--|
| NON-EMERGENCY TELEPHONE | | Mon - Fri 8am - 5pm (Central Standard Time) | |

EMERGENCY CHEMTREC PHONE: US & Canada: 1-800-424-9300 MEDICAL EMERGENCY TELEPHONE NUMBER: 1-877-424-7452 (24 hrs)

CHEMICAL NAME: Proprietary mixture CHEMICAL FAMILY: Wintergreen fragrance with emulsifiers, defoamer CHEMICAL FORMULA: Mixture

PRODUCT USE: masking agent with tank mix defoamer

SECTION 1 NOTES: None

SECTION 2: HAZARDS

GHS Ratings:

Toxicity Categories Eye damage/ irritation Skin corrosion/irritation

Category 2A Category 2



Signal Word: WARNING

GHS HAZARDS

H319 Causes serious eye irritation. H315 causes skin irritation

GHS PRECAUTIONS

P102 Keep out of reach of children. P103 Read label before use. P233 Keep container tightly closed. P234 Keep only in original container. P261 Avoid breathing vapors or spray. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, eye protection P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell. P302+352 IF ON SKIN: Wash with plenty of soap and water. P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing cautiously. P337+313 If eye irritation persists: Get medical advice or attention. P362 Take off contaminated clothing and wash it before reuse.

SECTION 3: INFORMATION ON COMPONENTS

| INGREDIENT | CAS NO. | <u>% WT</u> |
|-----------------------------------|----------|-------------|
| Trade secret Methyl salicylate | 119-36-8 | 30.51% |

NOTE: Product does NOT contain any pesticides or pest control agents.

SECTION 3 NOTES: Specific chemical identities and or exact percentage (concentration) of composition may have been withheld as a trade secret.

| CARCINOGENI | CITY | | | | | | |
|-------------|------|-----------|------|----|-----------|----|-----------|
| OSHA: | No | ACGIH: No | NTP: | No | IARC: | No | OTHER: No |
| | | | | PA | GE 1 OF 5 | | |

SECTION 4: FIRST AID MEASURES

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. If eye irritation persists: Get medical advice or attention.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water for several minutes.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

SECTION 4 NOTES: None

| SECTION 5: FIRE FIGHTIN | IG MEASURES | | | | |
|--|--|---|--------------------|--------|----------|
| NFPA HAZARD CLASSIFI HEALTH: 1 | CATION FLAMMABILITY: | 1 | REACTIVITY: | 0 | OTHER: - |
| IN CASE OF FIRE: | | Foam, D | Dry Chemical, CO2, | Water. | |
| SPECIAL FIRE FIGHTING PROCEDURES: | | Use alcohol-type or universal-type foams on larger fires. Smaller fires should be extinguished with carbon dioxide or dry chemical. Do not use water or foam directly on the fire. Use self-contained breathing apparatus with fighting any fire in an enclosed area. | | | |
| UNUSUAL FIRE AND EXPLOSION HAZARDS: None known | | | | | |
| HAZARDOUS DECOMPOSITION PRODUCTS: Under fire conditions will form oxides of carbon. | | | | | |
| SECTION 5 NOTES: | | None | | | |
| SECTION 6: ACCIDENTAL RELEASE MEASURES ACCIDENTAL RELEASE MEASURES: Surround and absorb all spills. Material should be collected and disposed in proper manner. Dike the area to prevent spill from spreading. Soak up spill with a suitable absorbent such as clay, sawdust or kitty litter. Sweep up absorbed material and place in a chemical waste container for disposal. Wear suitable protective equipment. SECTION 6 NOTES: None | | | | | |
| SECTION 7: HANDLING A | ND STORAGE | | | | |
| HANDLING | Keep out of reach of children. Read label before use. Do not eat, drink or smoke when using this product. Avoid breathing vapors or spray. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection. | | | | |
| STORAGE: | Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. STORE BETWEEN 40° AND 90° F . | | | | |
| SECTION 7 NOTES: | None | | | | |

PREFLIGHT

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values. HMIS=B

| VENTILATION: | Normal room ventilation (mechanical) or outdoor use should be satisfactory. | |
|------------------------------|---|--|
| RESPIRATORY PROTECTION: | Not necessary unless ventilation is inadequate. Then use OSHA or NIOSH approved respirator, as appropriate. | |
| EYE PROTECTION: | Safety glasses with side shields. | |
| SKIN PROTECTION: | Chemical gloves, long-sleeved shirts and pants. | |
| OTHER PROTECTIVE CLOTHING OR | EQUIPMENT: Eye wash and safety shower should be easily accessible. | |
| WORK HYGIENIC PRACTICES: | Wash thoroughly with soap and water after handling product and before eating, drinking, or using tobacco products. Clean affected clothing, shoes, and protective equipment before reuse. | |
| EXPOSURE GUIDELINES: | If exposed, see section 4 for acute exposure first aid. | |
| SECTION 8 NOTES: | None | |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| APPEARANCE: ODOR: | Clear to slight pink tint Wintergreen | FLAMMABLE LIMITS IN AIR, UPPE (% BY VOLUME) LOWE | R: Unknown R: Unknown |
|--------------------------------|--|---|-------------------------------|
| ORDER THRESHOLD; | Not known | VAPOR PRESSURE (mmHg): | @ F: Unknown |
| PHYSICAL STATE: | Liquid | | C: Unknown |
| pH AS SUPPLIED: pH (Other): | Not applicable | VAPOR DENSITY (AIR = 1): | @ F: Unknown C: Unknown |
| INITIAL BOILING POINT: | F: Unknown C: Unknown | RELATIVE DENSITY: | 1.086 to 1.093 |
| BOILING POINT RANGE: | F: Unknown C: Unknown | EVAPORATION RATE: BASIS (butyl acetate=1): | Unknown |
| MELTING POINT: | F: Unknown C: Unknown | SOLUBILITY IN WATER: | Dispersible |
| FREEZING POINT: | F: Unknown C: Unknown | PARTITION COEFFICIENT: (n-octar | nol/water): Unknown |
| FLASH POINT: | F : >200 C : >93 | AUTO-IGNITION TEMPERATURE: DECOMPOSITION TEMPERATURE | Unknown : Unknown |
| METHOD USED: | PMCC | VISCOSITY: | @ Not determined F: Unknown |
| FLAMMABILITY (solid, gas): | Can burn | | C: Unknown |

SECTION 9 NOTES: VALUES ARE NOT PRODUCT SPECIFICATIONS.

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

PREFLIGHT

| SECTION 10: STABILITY AND R | |
|-----------------------------|---|
| | |
| STABILITY: Stable | |
| CONDITIONS TO AVOID (STABI | LITY): None known. |
| INCOMPATIBILITY (MATERIAL T | O AVOID): Strong oxidizers, strong acids. |
| HAZARDOUS DECOMPOSITION | OR BY-PRODUCTS: During combustion, oxides of carbon. |
| HAZARDOUS POLYMERIZATION | V: Will not occur |
| CONDITIONS TO AVOID (POLYM | IERIZATION): None known |
| SECTION 10 NOTES: | None |
| SECTION 11: TOXICOLOGICAL | NEORMATION |
| | |
| | N: |
| MIXTURE TOXICITY | |
| COMPONENT TOXICITY | Not available |
| SECTION 11 NOTES: | None |
| SECTION 12: ECOLOGICAL INFO | ORMATION |
| ECOLOGICAL INFORMATION: | None |
| ECOTOXICITY: | Not available |
| BIOACCUMULATIVE POTENTIA | L: Not available |
| MOBILITY IN SOIL: | Not available |
| OTHER ADVERSE EFFECTS: | Not available |
| SECTION 12 NOTES: | None |
| | |
| CECTION 42. DISDOCAL CONSU | |
| SECTION 13: DISPOSAL CONSI | DERATIONS |
| WASTE DISPOSAL METHOD: | DERATIONS Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations. |
| | Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international |
| WASTE DISPOSAL METHOD: | Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or |

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

DOT Shipping Description: Not Regulated

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60) Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): Mixture not listed or excluded from listing.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Not Regulated

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): Not Regulated

311/312 HAZARD CATEGORIES:

313 REPORTABLE INGREDIENTS: None

WARNING! This product contains a detectable amount of ethylene oxide, which is known to the State of California to cause cancer and/or reproductive toxicity.

None

Ethoxylated products may contain residual amounts of ethylene oxide (EO) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

INTERNATIONAL REGULATIONS: None

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: None

DISCLAIMER:

The recommendation for safe handling and protection procedures is believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is released as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without a license. All data is offered for consideration, investigation and verification purposes only.