

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURE APPROVAL

Whelen Engineering Company, Incorporated  
SA615EA

<u>Part Name and Number</u>	<u>Design Data and Approval Means</u>	<u>Eligible On</u>
Anti-Collision Strobe Light System. Model HD, HR or HS (14 or 28 Volt)	Whelen "Engineering & Assembly Drawings for Model H Series Aviation & Anti-Collision Strobe Light System" dated 4/20/70. STC SA615EA Amended 11/7/72	<p>Aero Commander *100, 100-180, 111, 112, 500, 500-A, 500-B, 500-S, 500-U, 520, 560, 560-A, 560-E, 560-F, 680, 680-E, -F, 720, 680FL, 680FL(P), 680T, V, W, 681, 690, 685</p> <p>American Aviation *AA-1, *AA-1A, AA-5</p> <p>Beech 23, A23, A23A, A23-19, -24, 19A, B19, M19A, B23, C23, A24, A24R, 35, A35, B35, C35, D35, E35, F35, G35, 35R, H35, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 35-33, 35-A33, 35-B33, 35-C33, 35-C33A, 36, A36, E33, E33A, E33C, F33, F33A, F33C, 50(1-23A), B50(L-23B), C50, D50(L-23E), D50A, D50B, D50C, D50E, E50 (L-23D, RL-230), F50, G50, H50, J50, 95-55, 95-A55, 95-B55, (T42A), 95-B55D, 95-C55, 95, B95, B95A, D95A, E95, D55, D55A, E55, E55A, 56TC, A56TC, 58, 65(L23F), A65, A65-8200, 65-80, 65-A80, 65-A80-8800, 65-B80, 65-88, B90, C90, 65-90, 65-A90, 65-A90-1 (U-21A, RU-21A, RU-21D), 65-A90-2 (RU-21B), 65-A90-3 (RU-21C),</p>

Part Name  
and Number

Anti-Collision Strobe  
Light System. Model  
ED, ER or ES (14 or  
28 Volt)

Design Data and  
Approval Means

Whelen "Engineering &  
Assembly Drawings for  
Model H Series Aviation  
& Anti-Collision Strobe  
Light System" dated  
4/20/70. STC SA615EA  
Amended 11/7/72

Eligible On

Beech 70, 60, A60,  
99, 99A, 100

Bellanca 14-19-3A,  
17-30, 17-30A, 17-31A,  
17-31ATC, 7EC, 7ECA,  
7FC, 7GC, 7GCA, 7GCA,  
7GCB, 7GCB, 7GCBC,  
7HC, 7JC, 7KCB

Bell \*\*\*206A, 206B,  
47B, B3, D, DL, E, G,  
G-2, H-1, 47G-2A,  
-2A-1, -3, -3B, -3B-1  
-3B-27, -4, -4A, -5,  
-5A, 47J, K, J-2, J-2

Britten Norman BN-2,  
-2A, -2A-2, -2A-6,  
-2A-8, BN-2A, MK. III

Cessna 150, 150A, B,  
C, D, E, F, G, H, J,  
K, L, A150K, A150L,  
172, 172A, B, C, D,  
E, F, G, H, I, K, L,  
M, 175, 175A, B, C,  
P172D, 177, 177A, B,  
177RG, 180, 180A, B,  
C, D, E, F, G, H, 182,  
182A, B, C, D, E, F,  
G, H, J, K, L, M, N,  
P, 185, 185A, B, C,  
D, E, A185E, 188,  
188A, B, A188, A188A,  
A188B, 206, P206, P206,  
B, C, D, E, TU206A,  
B, C, D, E, F, TP206,  
B, C, D, E, U206, U206,  
B, C, D, E, F, 207,  
207A, T207, T207A, 210,  
210A, 210B, 210C, 210D,  
210E, 210F, T-210F,  
210G, T-210G, 210H,  
T-210H, 210J, T210J,  
210K, (205) 210-5,  
(205A) 210-5A, T210K,  
210L, T210L, 310, 310,  
B, C, D, E, F, G, H,  
I, J, 310J-1, E310J,  
310K, L, N, P, T310F,  
310G, T310G, \*320, A

Part Name  
and NumberDesign Data and  
Approval MeansEligible On

Anti-Collision Strobe  
Light System. Model  
ND, NR or HS (14 or  
28 volt)

Whelen "Engineering &  
Assembly Drawings for  
Model H Series Aviation  
& Anti-Collision Strobe  
Light System" dated  
4/20/70. STC SA615EA  
Amended 11/7/72

B, C, D, E, 320F, 320  
340, \*336, 337, 337A,  
B, C, D, E, F, T337D,  
E, F, G, \*401, 401A,  
B, 402, 402A; B, 411,  
411A, 421, 421A, 414,  
421B

DeHavilland of Canada  
DHC-2 MK. I, MK. II,  
MK. III, DEC-3, DEC-6  
Models 1, 100, 110,  
200, 210, 300

Fairchild Hiller  
FH-1100.

Helio H250, H-295,  
H-391, H-391B, H-395,  
H-395A.

Hughes 269A, 269A-1,  
269B, 269C, 369, A,  
E, HM, HS, HE.

Piper \*\*PA-11, \*\*PA-1  
\*\*PA-14, \*\*PA-15,  
\*\*PA-16, \*\*PA-17,  
\*\*PA-18 Series, PA-19  
\*\*PA-20, \*\*PA-22 Seri  
\*\*PA-25 Series, PA-23  
PA-23-160, \*PA-23-235  
\*PA-23-250, \*PA-E23-2  
PA-24, -24-250, -24-2  
-24-400, PA-28-140,  
PA-28-150, PA-28-160,  
PA-28-S-180, PA-28R-1  
PA-28-180, PA-28-235,  
PA-28-S-160, PA-28R-2  
PA-30, PA-39, PA-31,  
PA-31-300, PA-31F,  
PA-32-260, -300, -328