

FEDERAL AVIATION ADMINISTRATION – PARTS MANUFACTURER APPROVAL

Whelen Engineering Company, Inc.
51 Winthrop Road
Chester, CT. 06412-0684

PMA NO. PQ0610NE
SUPPLEMENT NO. 2 Amdt 1 Rev 1
DATE 6/18/2012

Part Name	Part Number	Approved Replacement Part Number	Approval Basis and Approved Design Data	Make Eligibility	Model Eligibility
Strobe Light Head Assembly A430 Series	01-0770031-00 01-0770031-01 01-0770031-02	Modification Part	STC SA800EA <u>Dwg No:</u> 70031 <u>Rev:</u> L <u>Date:</u> 5/18/95 or later FAA-approved revisions	See attached eligibility list pages 1 to 4	See attached eligibility list pages 1 to 4
Strobe Light Assembly A450	01-0770032-00	Modification Part	STC SA800EA <u>Dwg No:</u> 70032 <u>Rev:</u> G <u>Date:</u> 7/21/00 or later FAA-approved revisions	See attached eligibility list pages 1 to 4	See attached eligibility list pages 1 to 4
Strobe Light Assembly A470A Series	01-0770019-18 01-0770019-19 01-0770019-20 01-0770019-21 01-0770019-22 01-0770019-23 01-0770019-27	Modification Part	STC SA800EA <u>Dwg No:</u> 70019 <u>Rev:</u> AA <u>Date:</u> 1/13/03 or later FAA-approved revisions	See attached eligibility list pages 1 to 4	See attached eligibility list pages 1 to 4
Strobe Light Assembly A470 Series	01-0770019-05 01-0770019-03 01-0770019-07 01-0770019-15 01-0770019-13	Modification Part	STC SA800EA <u>Dwg No:</u> 70019 <u>Rev:</u> AA <u>Date:</u> 1/13/03 or later FAA-approved revisions	See attached eligibility list pages 1 to 4	See attached eligibility list pages 1 to 4
Strobe Light Assembly SA Series	01-0770030-01	Modification Part	STC SA800EA <u>Dwg No:</u> 70030 <u>Rev:</u> AA <u>Date:</u> 7/6/06 or later FAA-approved revisions	See attached eligibility list pages 1 to 4	See attached eligibility list pages 1 to 4

----- (END OF LISTING) -----

NOTE: Minor design changes (reference 14 CFR part 21 § 21.93 and 21.95) must be submitted in a manner as determined by the ACO. Major design changes (reference 14 CFR part 21 § 21.93 and 21.97) to drawings and specifications are to be handled in the same manner as that for an original FAA-PMA.

Robert G. Mann Jr.
Manager, ACO ANE-150

Ken McGrath
Acting Manager, NE-MIDO-41

PMA SUPPLEMENT NO. 2 Amendment 1 Eligibility List

**For Whelen Engineering P/N 01-0770019-03, -05, -07, -13, -15, and -18 thru -23, -27,
P/N 01-0770030-01, P/N 01-0770031-00, -01 and-02, P/N 01-0770032-00**

A/C MANUFACTURER	MODEL	TYPE CERTIFICATE
Aero Commander	*100, 100-180	1A21
	111	A11SO
	112	A12SO
	500, 500A, 500B, 500-S, 500-U, 520, 560, 560A, 560E	6A1
	560F, 680, 680E, -F, 720, 680FL, 680FL(P), 680T, V, W, 681, 690, 685	2A4
American Aviation	*AA-1, * AA-1A	A11EA
	AA-5	A16EA
Beech	23, A23, A23A, A23-19, -24, -19A, BI9, M19A, B23, C23, A24, A24R	A1CE
	35, A35, B35, C35, D35, E35, F35, G35, 35R	A-777
	H35, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 35-33, 35-A33, 35-B33, 35-C33, 35-C33A, 36, A36, A36TC, B36TC, G36, E33, E33A, E33C, F33, F33A, F33C	3A15
	50(L-23A), B50(L-23B), C50, D50(L-23E), D50A, D50B, D50C, D50E, E50(L-23D, RL-23D), F50, G50, H50, J50	5A4
	95-55, 95-A55, 95-B55, 95-B55B(T-42A), 95-B55D, 95C55, 95, B95, B95A, D95A, E95, D55, D55A, E55, E55A, 56TC, A56TC, 58	3A16
	65(L23F), A65, A65-8200, 65-80, 65-A80, 65-A80-8800, 65-B80, 65-88, B90, C90, 65-90, 65-A90, 65-A90-1, (U-21A, RU-21A, RU-21D), 65-A90-2, (RU-21B), 65-A90-3, (RU-21C), 70	3A20
	60, A60	A12CE
	99, 99A, 100	A14CE
Bellanca	14-19-3A, 17-30, 17-30A, 17-31A, 17-31ATC	1A3
	7EC, 7ECA, 7FC, 7GC, 7GCA, 7GCAA, 7GCB, 7GCBA, 7GCBC, 7HC, 7JC, 7KCAB	A-759

A/C MANUFACTURER	MODEL	TYPE CERTIFICATE
Bell	206A, 206B, 206L, 206L-1, 206L-3, 206L-4, 407	H2SW
	47B, B3, D, D1, E, C, C-2, H-1	H-1
	47G-2A, -2A-1, -3, -3B, -3B1, -3B-27, -4, -4A, -5, -5A	2H3
	47J, K, J-2, J-2A	2H1
Britten Norman	BN-2, -2A, -2A-2, -2A-6, -2A-8	A17EU
	BN-2A, MK.111	A29EU
Cessna	120, 140	A-768
	140A	5A2
	150, 150A, B, C, D, E, F, G, H, J, K, L, M, A150K, A150L, A150M, 152, A152	3A19
	170, 170A, 170B	A-799
	172, 172A, B, C, D, E, F, G, H, I, K, L, M, N, P	3A12
	175,175A, B, D, P172D, 172RG	3A17
	177, 177A, B	A13CE
	177RG	A20CE
	180, 180A, B, C, D, E, F, G, H, J, K	5A6
	182, 182A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, T182, R182, TR182	3A13
	185, 185A, B, C, D, E, A185E, A185F	3A24
	188, 188A, B, A188, A188A, 188B, T188C	A9CE
	190, 195, 195A, B	A-790
	206, P206, P206A, B, C, D, E, TU206A, B, C, D, E, F, G, TP206A, B, C, D, E, U206, U206A, B, C, D, E, F, G	A4CE
207, 207A, T207, T207A	A16CE	
210, 210A, 210B, 210C, 210D, 210E, 210F, T210F, 210G, T210G, 210H, T210H, 210J, T210J, 210K, 210-5(205), 210-5A(205A), T210K, 210L, T210L, T210M, T210N, 210N, P210N	3A21	

A/C MANUFACTURER	MODEL	TYPE CERTIFICATE
Cessna (Cont'd)	310, 310A, B, C, D, E, F, G, H, I, J, 310J-1, E310J, 310K, L, N, P, T310P, 310Q, T310Q	3A10
	*320, A, B, C, D, E, F, 320-1, 340, 340A	3A25
	*336	A2CE
	337, 337A, B, C, D, T337D, 337E, T337E, 337F, T337F, T337G	A6CE
	*401, 401A, B, 402A, B, 411, 411A, 421, 421A, 414, 421B	A7CE
DeHavilland of Canada	DHC-2, MK.I, MK.II, MK.III	A-806
	DHC-3	A-815
	DHC-6, Models 1, 100, 110, 200, 210, 300	A9EA
Fairchild Hiller	FH-1100	H2WE
Grumman	G-164, G-164A, G-164B	1A16
Helio	H-250, H-295, H-391, H-391B, H-395, H395A	1A8
Hughes	269A, 269A-1, 269B, 269C, 369D, 369E, 369F, 369FF, 500N, 600N	4H12
Piper	**PA-11	A-691
	**PA-12	A-780
	**PA-14	A-797
	**PA-15	A-800
	**PA-16	1A1
	**PA-17	A-805
	**PA-18 Series, PA-19	1A2
	**PA-20	1A4
	**PA-22 Series	1A6
Piper (Cont'd)	**PA-25 Series	2A8
	PA-23, PA-23-160, * PA-23-235,* PA-23-250,* PA-E23-	1A10

A/C MANUFACTURER	MODEL	TYPE CERTIFICATE
	250	
Piper (Cont'd)	PA-24, -24-250, 24-260, -24-400	1A15
	PA-28-140, -28-150, -28-151, -28-160, -28-161, -28-180, -28-235, -28S-160, -28R-180, - 28S-180, -28-181, 28R-200, -28R-201, -28R-201T, -28RT-201, -28RT-201T, -28 -201T, -28-236	2A13
	PA-30, PA-39	A1EA
	PA-31P	A8EA
	PA-31, PA-31-300, 325, 350	A20SO
	PA-32-260, PA-32-300, -32S-300	A3SO
Mooney	M20B, C, D, E, F, G	2A3
Mitsubishi	MU-2B, MU-2B-10, -15, -20, -30	A2PC
Univair (Stinson)	108, 108-1, -2, -3, -5	A-767

NOTES TO ELIGIBILITY LIST:

*1. Aircraft as marked require specific attention to proper balancing of rudder. Refer to the Manufacture's Service Manual for balancing instructions.

**2. Installations on these aircraft require prior or concurrent installation of STC SA4-977.

-----End Of Listing-----