





Use & Care Guide



- In order to clean the bathtub, please only use a soft cotton cloth or soft sponge.



- Never use acidic, alkali, or any products to clean the bathtub that state on their label that they are not suitable for use on Acrylic, ABS, Polystyrene or Plastic.



- To clean inside the bathtub, fill it with warm water and add a couple of squirts of dish liquid. Allow it to sit for 30 minutes. Let the bathtub drain and wipe away any residue. You can also use cleaning products in aerosol cans or solvents, including acetone for a deep clean.




- In order to remove light marks or scratches, apply toothpaste to the area and scrub with a soft cloth or sponge.




- If deep cleaning is necessary, rinse or soak the tub in warm water for 30 minutes and add a bit of liquid soap or dish soap to the water. Rinse and dry with a soft towel.



- It is advised to clean the surface of the bath regularly in order to remove any insoluble products. Warm soapy water should be used and afterwards the bath should be wiped. **Do not let cleaners soak in.**




- It is advised to always run some cold water before turning on the hot tap, with hot water temperatures not exceeding 65 Celsius.



- If deep scratches or burns appear, please use sandpaper with at least 1500 grit. Dampen the sandpaper slightly with water and then proceed to rub the sandpaper in a circular motion around the affected area, ensuring that you rub slightly wider than the affected area.

Continue doing so until the scratch is no longer visible. In order to bring the affected area back to its shiny form, please use a soft cloth and a small amount of polish to buff the rubbed area. Continue doing so until the affected area is restored to its original shine.



- The surface of the bathtub has good resistance properties to acids, but should not come into contact with alkalis or organic solvents, such as caustic soda, some multi-surface cleaners, bathroom cleaners, bleaches, harsh solvents, burning cigarettes, strong chemicals such as dry-cleaning fluids, paint strippers, acetone, citrus based chemicals, and nail/varnish removers.



- Please read all instructions carefully before proceeding with installation.



- Due to the complexity of the installation procedure, a professional plumber is required.

