thunderous explosive loud



pure sound





thunderous explosive loud

JENSEN[®] engineers are fanatics! For over 41 years they have pushed the boundaries of sonic performance and speaker design to create the pure power of the ZR range of hi-fi and home theatre packages. There's even a 10 year warranty. Listen to what the experts are hearing and experience the pure power of ZR!

ZR-2005 All-in-one 5.1 Speaker Package with Mounting Brackets

This is extreme sound guaranteed to put the 'wow' factor back into home theatre. Take one monster ZR-81 160 watt powered subwoofer and combine it with five high powered ZR-0.5 modules. Because they're magnetically shielded, they can be mounted anywhere – on the monitor, on the

wall, on the ceiling, and JENSEN's omnidirectional brackets can be swivelled to optimise sound direction. You can even add a single ZR-0.5 to make a 6.1 system. A perfect sound solution guaranteed to put the 'hallelujah' into any chorus.



ZR 2005

ZR-0.5 Single Speakers

'You talkin' to me?' You'll know who's talking through these speakers when they hit you at 112 db! JENSEN's magnetic shielding and omni-directional brackets mean that you can direct your sound wherever you want it. And if all that sounds incredible, just look at the enclosures

 they're teensy. All that technology packed into a compact, fully paintable

silver casing that's been designed by JENSEN® engineers to be well and truly heard, but not seen.



ZR-11 and ZR-21 Bookshelf Speakers

JENSEN® engineers have incorporated a high efficiency polycell silk dome tweeter featuring a 25 mm ferro-cooled voice coil and a huge 142gm (5 ounce) magnet. The midwoofer is a solid, low mass, high efficiency masterpiece (130mm in the ZR-11 and twin 100mm in the ZR-21). Both use keyhole wall-mount brackets for easy installation and feature tweeter circuit protection. High-powered and low distortion.



ZR-31 and ZR-41 Floor Standing Speakers

Pick a CD. Any CD. Now listen to it through these ZR floor standing speakers and hear the difference. Engineered for crystal clear hi-fi or front staging home theatre systems, the ZR-31 and ZR-41 are plasma compatible. Internal bracing, massive crossovers and solid enclosures provide strength as well as good looks and butyl rubber surrounds on the drivers

ensure that moist, humid conditions don't dampen your sound, no matter what you're listening to.









JENSEN® Monster Woofers

Make the earth move for you with massive magnets and colossal 35mm voice coils make for bigger than big bass legends. Thumping, booming reverberation never felt so good.

ZR-51 Flagship Floor Standing Speakers

The flagship ZR-51's stand tall & elegantly on spike tips or rubber pads. But don't be fooled; from the sweet, effortless transients of Hi-Fi to the awesome grunt of Hi-Octane Home Theatre, these speakers will astound you! Their 27kg baced enclosures, triple 6.5" long throw drivers, silk dome tweeters with massive magnets and a crossover network featuring circuitry protection are just the thing to let you turn it up - and we suggest you do!



ZR-51



ZR-61 and ZR-71 Centre Channels

Delivering 'in your face' sound, the ZR-61 and ZR-71 centre channels can be positioned close to the monitor to provide seamless, smooth dialogue

plus all the attacking action packed centre staging effects of Hollywood sound right in your lounge room. Full magnetic shielding equates to no video distortion. With Jensen's new silk dome tweeter complete with 21,000

screaming hertz, a dual midwoofer and quad midwoofer

models, you can finally experience the power, the glory and the beautiful subtleties of authentic cinema sound.

ZR-81 and ZR-91 Subwoofers

Crank it up - this is sound you can feel! It's big, deep, booming bass. DVDs and CDs are jam packed with it, and

true audiophiles need it to shake their walls and raise their roof. Each glass topped ZR subwoofer is fully loaded with monster subwoofers ready to explode with up to 250 watts of pure audio dynamite through on-board, extreme high current amplifiers. High performance, high volume JENSEN[®] subwoofers are powered up to reproduce bass so deep, you just want to dig it.

ZR-71

ZR-81

Want to know more? Go to www.bdimports.com.au



ZR-91





Crossover Protection

The heartbeat of every JENSEN® speaker. This electronic nerve centre effortlessly splits, smooths and divides audio signals to the tweeters, midwoofers and woofers. Tweeter circuit protection is



available on all models and protects your system just in case you like to crank it up a little - and we suggest you do.





Wild Cherry • Graphite Black • Titanium Silver Black & Silver are premium quality, High Gloss Designer finishes with a subtle metal fleck All models (except ZR 0.5 and ZR 2005) available in 3 colours. ZR 0.5 fully paintable.

ZR	Sp	eci	fica	atic	one	5				
	ZB-0.5	ZB-1 1	ZR-21	ZR-31	ZB-41	ZB-51	ZB-61	ZB-71	ZB-81	ZB-91
Description	4" 2 Way Mini Surround/ Satellite/ Theatre System w/brackets	5″ 2 Way Surround/ Bookshelf System	Hi-Powered 4" Bi-Pole Surround / Bookshelf System	Twin 5" 2 Way Floor System	Triple 5" 3 Way Floor System	Triple 6.5" 3 Way Floor System.	Twin 4" 2 Way Centre Speaker	Quad 4" 3 Way Centre Speaker	Single Monster 10" driver with 160 Watt RMS amplifier	Twin Monster 10" drivers with 250 Watt RMS amplifier. Front controls.
Special Features	Paintable enclosure	Single keyhole wall brackets	Twin keyhole wall brackets	Super Slim enclosure	Super Slim enclosure incl. Spikes	Triple 6.5" Drivers. Super Slim enclosure incl. Spikes	Slim & Compact	Long & Slim. Flared outer drivers by 6 degrees for wide sound dispersion	Blue LED. Glass Top	Killer sub ! Glass Top, Blue LED's
D'appolito Alignment	n/a	n/a	n/a	n/a	yes	yes	yes	yes	n/a	n/a
Power Handling	100 Watts	100 Watts	140 Watts	155 Watts	185 Watts	235 Watts	110 Watts	170 Watts	Onboard 160 Watt Amplifier	Onboard 250 Watt Amplifier
Sensitivity © 1 w/m	91db	89db	90db	89db	90db	91db	89db	90db	113db	120db
Nominal Impedance	8 Ohms	8 Ohms	8 Ohms	8 Ohms	8 Ohms	6 Ohms	8 Ohms	8 Ohms	n/a	n/a
Frequency Resp.	70Hz-20 Khz	60 Hz-21Khz	60Hz-21Khz	30Hz-21Khz	28Hz-21Khz	25Hz-21Khz	65Hz-21Khz	55Hz-21Khz	20Hz-200Hz	20Hz-200Hz
High Frequency Driver	Soft Dome 19mm tweeter	Silk Dome 25mm tweeter w/ 5oz magnet	2 x Silk Dome 25mm tweeters w/ 5oz magnet	Silk Dome 25mm tweeter w/ 9oz magnet	Silk Dome 25mm tweeter w/ 9oz magnet	Silk Dome 25mm tweeter w/ 9oz magnet	Silk Dome 25mm tweeter w/ 9oz magnet	Silk Dome 25mm tweeter w/ 9oz magnet	n/a	n/a
Low Frequency Driver	4" H/Duty Driver	5" H/Duty Driver	2 x 4" H/Duty Drivers	2 x 5" H/Duty Drivers	3 x 5" H/Duty Drivers	3 x 6.5" H/Duty long throw Woofers	2 x 4" H/Duty Mid Woofers	4 x 4" H/Duty Mid Woofers	n/a	n/a
Subwoofer Driver	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	Monster 10" Long Throw, Hi-excursion driver	2 x Monster 10" Long Throw, Hi-excursion drivers
Enclosure Type	Bass Reflex	Bass Reflex	Sealed	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex
Tweeter Protection	yes	yes	yes	yes	yes	yes	yes	yes	n/a	n/a
Magnetically Shielded	yes	no	no	yes	yes	yes	yes	yes	no	no
Dimensions H.W.D	223x148x150	350x174x175	300x280x195	800x180x320	1020x180x320 incl. Spikes	1150x215x390 incl. spikes	141x495x175	141x719x255	520x340x435 incl. feet	695x340x435 incl. feet
Gross Weight	3 Kgs	5 Kgs	7 Kgs	15 Kgs	19 Kgs	27 Kgs	7 Kgs	12 Kgs	20 Kgs	32 Kgs
Colours	Silver (paintable)	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black	Wild Cherry Titanium Silver Graphite Black
Warranty	10 Years must register	10 Years must register	10 Years must register	10 Years must register	10 Years must register	10 Years must register	10 Years must register	10 Years must register	10 Years (amp 1 year) must register	10 Years (amp 1 year) must register

ZR Series is distributed by BD Imports Pty Ltd Australia under licence from Audiovox Corporation, New York, USA. For more information please write, fax or click to: BD Imports Pty Ltd 7 Redland Drive, Mitcham Victoria 3121 Australia Phone: +61 (0)3 9873 8448 Fax: +61 (0)3 9873 8558 Email: info@bdimports.com.au or visit www.bdimports.com.au Continuous refinement in materials and processes may result in change of specifications or design without notice.

