

# EL-141-1B/1BW LED Swivel Downlight 3 Watt

## SPECIFICATION SHEET



### SPECIFICATIONS

300 Lumens **Brightness:** Power (Watts): 3 watt Input Voltage: 700 mA

**LED CCT:** 3000K or 5000K options

IP Rating:

**Environment:** Indoor Use - Dry Location

**Beam Angle:** 15 - 40° **LED Density:** 1 LED/fixture

**Cut-out:** 1.63 in / 41.28 mm Diameter Gimbal size: 2 in / 50.8 mm Diameter Depth: 1.38 in / 35.05 mm

Finish: Satin Nickel Manufacturer: Elumalight Rating: UL, ETL Listed

± 30,000 - 50,000 hours Avg. Lifetime:

Required: The LED 3 Watt Swivel requires 700mA LED

Power Supply, optional power cord. The 700mA Connection block is also required if connecting more than one fixture in an

area and Close Loop if not using all ports in connection block. Sold separately.

JOB NAME:

LOCATION:

QUOTE/REF#:

#### DESCRIPTION

The 3 Watt LED Swivel Downlight is one of our most powerful and efficient recessed fixtures. It is a fully recessed LED light that adds brightness, focused illumination to any space. Equivalent to a 50 Watt MR16 Halogen light without the heat and UV effects.

The EL-141 fits into walls, ceilings, cabinetry, under countertops, bars, display cases, home entertainment centers, and retail window displays.

The LED Swivel fixture is made of cast aluminum and features an adjustable gimbal design for directed lighting with 15° swivels. Includes high-tension mounting clips and 19" power cord with plug for easy "Plug and Play" install.

Connect up to six light fixtures using our connection block, fasten lead from connection block into a power supply for easy set-up.

The LED recessed gimbal light can fit into tight spaces. It is adjustable as a spotlight and can swivel to the beam directions desired. Available in 3000K Warm White or 5000K Cool White LED CCT options.

#### **KEY FEATURES**

- Maintenance-free
- Solid-State Construction
- No IR or UV radiation
- Suitable for flat ceiling or under-cabinet installations
- Easy to mounting and install with tension spring clamps
- LEDs Chipsets are high intensity, ultra-bright, and energy-efficient
- No RF interference
- Long lifespan: Up to 50,000 hours

#### **APPLICATIONS**

- Decorative Lighting for Tradeshows, Exhibition, Retail Displays
- Architectural lighting for corridors, canopies, archways,
- **Downlighting or Uplighting Recessed Applications**
- Under-cabinet, Under-Counter, or accent lighting









