

EL-KT137 LED Swivel 2 Downlights Kit 8.4 Watt

SPECIFICATION SHEET

JOB NAME:

LOCATION:

QUOTE/REF#:



The 2 Lights LED Swivel Kit is one of our most powerful and efficient recessed fixtures yet. It is equivalent to a 90-watt MR-16 Halogen light but without the heat and uv effects. The LED Swivel Kit is a fully recessed LED light that adds brightness, focused illumination to any space.

The EL-KT137 fits into walls, ceilings, cabinetry, under countertops, bars, display cases, home entertainment centers, and retail window displays. The LED Swivel fixture is made of cast aluminum and features an adjustable gimbal design with a 38° axial swivel for directed lighting. Available in Black, White, Satin Nickel, and Bronze trim finish options.

The LED recessed gimbal lights can fit into tight spaces for easy installation. It is adjustable as a spotlight and can swivel to the beam directions desired.

KEY FEATURES

- Maintenance-free
- Solid-State Construction
- No IR or UV radiation
- Suitable for flat ceiling or under-cabinet installations
- Easy to mounting and install with tension spring clamps
- LEDs Chipsets are high intensity, ultra-bright, and energy-efficient
- No RF interference
- Long lifespan: Up to 50,000 hours

APPLICATIONS

- Decorative Lighting for Tradeshows, Exhibition, Retail Displays
- Architectural lighting for corridors, canopies, archways,
- Downlighting or Uplighting Recessed Applications
- Under-cabinet, Under-Counter, or accent lighting

STEP 1 DEZIGNS SPEC SHEET | P1



SPECIFICATIONS

Brightness:	850 Lumens per fixture
Power (Watts):	8.4 watt per fixture
Input Voltage:	350 mA
LED CCT:	3000K or 5000K
IP Rating:	IP20
Environment:	Indoor Use - Dry Location
Beam Angle:	15 - 40°
LED Density:	7 LEDs/fixture
Cut-out:	2.81 in / 71.37 mm Diameter
Diameter:	3.06 in / 77.72 mm
Gimbal Depth:	1.63 in / 41.4 mm
Finish:	Black, White, Satin Nickel, Bronze
Manufacturer:	Elumalight
Rating:	UL, ETL Listed
Avg. Lifetime:	± 30,000 - 50,000 hours
Included:	2x Swivel Fixtures 1x 2 Ports Connection Block 1x 12 Watt/350mA LED Driver.