

SPECIFICATION SHEET

JOB NAME:

LOCATION:

QUOTE/REF#:



SPECIFICATIONS

Brightness:	1300-1500 Lumens
Power (Watts):	32 Watt
Input Voltage:	24V DC
LED Colors:	RGBW - Red, Green, Blue, Cool White
IP Rating:	IP20
Environment:	Indoor Use - Dry Location
Beam Angle:	50°
Length:	19 in long
Module Width:	1.25 in / 32 mm wide
Module Height:	0.86 in / 22 mm thick
Mounting:	Screw through pre-drilled holes on each module
Manufacturer:	Elumalight
Rating:	UL Listed
Avg. Lifetime:	± 30,000 - 50,000 hours
Warranty:	3 years limited
Remarks	*Not to exceed 80% of LED Driver Capacity. Not recommended to be surface mounted directly onto wooden surfaces.
Included:	RGBW LED LumaStrip, 2x Mounting T-Nuts, 1 RGBW Power Feed
* Required:	Requires 24V DC LED Driver and RGBW Controller. Sold Separately

DESCRIPTION

The 19 inches long 24V DC RGBW LED LumaStrip Light is designed to provide the superior-quality lighting outputs with vibrant colors. They are great for large retail displays and graphic lightboxes. We have designed the RGBW LED LumaStrip Light that gives you the best performance and versatility.

Color Changing RGBW LED LumaStrip Lights are energy efficient, frameless, and low profile. Each RGBW LumaStrip Lights can be linked together with supplied connectors for continuous run. By simply placing these fixtures on the interior of any extrusion, LumaStrip will effectively showcase your graphic or product evenly illuminating the entire display.

Each of LED RGBW LumaStrip Light Modules utilizes a diffuser lens around the LED chipset to distribute colorful lights evenly at a beam angle up to 50°. This allows it to illuminate shallow light boxes with virtually no hot spots.

KEY FEATURES

- No hotspots & uniform illumination
- Maintenance-free & Cost-effective light source
- RGBW LED Chipsets are colorful, ultra-bright, and energy-efficient
- No RF interference
- Easy Installation
- Up to 50,000 hours Lifespan

APPLICATIONS

- Retail Display
- SEG Graphic Display Light Boxes
- Back-lit Graphics
- Custom DIY projects

