


## Lutron Diva Dimmer and Switch Model Numbers




# Incandescent / Halogen

## LED+ Dimmer

Product Description	Capacity	Model Number
		
single pole / 3-way (clamshell packaging)	120 V / 600 W Inc/hal	<b>DVCL-153PH</b>
Single pole/ 3-way (Gloss, boxed packaging)	120 V / 600 W Inc/hal	<b>DVCL-153P</b>
Single pole/ 3-way (Satin, boxed packaging)	120 V / 600 W Inc/hal	<b>DVSCCL-153P</b>
Single pole/ 3-way (Gloss, boxed packaging)	120 V / 600 W Inc/hal	<b>DVCL-253P</b>
Single pole/ 3-way (Satin, boxed packaging)	120 V / 600 W Inc/hal	<b>DVSCCL-253P</b>

## Preset Dimmer with Locator Light


Product Description	Capacity	Model Number
		
3-way (gloss finish)	120 V / 1000 W	<b>DV-103P</b>
3-way for Canada (gloss finish)	120 V / 1000 W	<b>DV-103P-CSA</b>
3-way for Mexico (gloss finish/ clamshell packaging)	120 V / 1000 W	<b>DV-103PH-S</b>
3-way for Mexico (gloss finish)	120 V / 1000 W	<b>DV-103P-S</b>
Single pole (gloss finish)	120 V / 1000 W	<b>DV-10P</b>
Single pole for Canada (gloss finish)	120 V / 1000 W	<b>DV-10P-CSA</b>
Single pole for Mexico (gloss finish/ clamshell packaging)	120 V / 1000 W	<b>DV-10PH-S</b>
Single pole for Mexico (gloss finish)	120 V / 1000 W	<b>DV-10P-S</b>
3-way (satin finish)	120 V / 1000 W	<b>DVSC-103P</b>
3-way for Mexico (satin finish)	120 V / 1000 W	<b>DVSC-103P-L</b>
Single pole (satin finish)	120 V / 1000 W	<b>DVSC-10P</b>
Single pole for Mexico (satin finish)	120 V / 1000 W	<b>DVSC-10P-L</b>

## Reverse Phase Dimmer

Product Description	Capacity	Model Number
		
Single pole / 3-way (Gloss, boxed packaging)	120V / 500 W Inc/hal	DVRP-253P
Single pole / 3-way (Satin Colors, boxed packaging)	120V / 500 W Inc/hal	DVSCR-253P


## Ceiling Fan / LED / CFL / Incandescent / Halogen Light

### Quiet 3-speed Fan Control / Light Switch

Product Description	Capacity	Model Number
		
Single Pole for Canada	120 V / 120W LED or CFL; 240W incandescent or halogen / 1.5 A Fan	DVFSQ-LF-C
Single Pole	120 V / 120W LED or CFL; 240W incandescent or halogen / 1.5 A Fan	DVFSQ-LF

## Magnetic Low Voltage

### Preset Dimmer with Locator Light


Product Description	Capacity	Model Number
		

3-way (gloss finish)	120 V / 1000 VA (800 W)	<b>DVLV-103P</b>
3-way for Canada (gloss finish)	120 V / 1000 VA (800 W)	<b>DVLV-103P-CSA</b>
3-way for Mexico (gloss finish/ clamshell packaging)	120 V / 1000 VA (800 W)	<b>DVLV-103PH-S</b>
3-way for Mexico (gloss finish)	120 V / 1000 VA (800 W)	<b>DVLV-103P-S</b>
Single pole (gloss finish)	120 V / 1000 VA (800 W)	<b>DVLV-10P</b>
Single pole for Canada (gloss finish)	120 V / 1000 VA (800 W)	<b>DVLV-10P-CSA</b>
Single pole for Mexico (gloss finish/ clamshell packaging)	120 V / 1000 VA (800 W)	<b>DVLV-10PH-S</b>
Single pole for Mexico (gloss finish)	120 V / 1000 VA (800 W)	<b>DVLV-10P-S</b>
Dimmers with locator light	120 V / 600 VA (450 W)	<b>DVLV-600P</b>
3-way (gloss finish)	120 V / 600 VA (450 W)	<b>DVLV-603P</b>
3-way for Canada (gloss finish)	120 V / 600 VA (450 W)	<b>DVLV-603P-CSA</b>
3-way for Mexico (gloss finish/ clamshell packaging)	120 V / 600 VA (450 W)	<b>DVLV-603PH-S</b>
3-way for Mexico (gloss finish)	120 V / 600 VA (450 W)	<b>DVLV-603P-S</b>
3-way (satin finish)	120 V / 1000 VA (800 W)	<b>DVSCLV-103P</b>
3-way for Mexico (satin finish)	120 V / 1000 VA (800 W)	<b>DVSCLV-103P-L</b>
Single pole (satin finish)	120 V / 1000 VA (800 W)	<b>DVSCLV-10P</b>
Single pole for Mexico (satin finish)	120 V / 1000 VA (800 W)	<b>DVSCLV-10P-L</b>
Single pole (satin finish)	120 V / 600 VA (450 W)	<b>DVSCLV-600P</b>
3-way (satin finish)	120 V / 600 VA (450 W)	<b>DVSCLV-603P</b>


3-way for Mexico (satin finish)	120 V / 600 VA (450 W)	DVSCLV-603P-L
---------------------------------	------------------------	---------------

## Electronic Low Voltage

### Preset Dimmer with Locator Light


Product Description	Capacity	Model Number
		
Single pole (gloss finish)	120 V / 300 W	DVELV-300P
Single pole for Mexico (gloss finish)	120 V / 300 W	DVELV-300P-S
3-way (gloss finish)	120 V / 300 W	DVELV-303P
3-way for Mexico (gloss finish)	120 V / 300 W	DVELV-303P-S
Single pole (satin finish)	120 V / 300 W	DVSCELV-300P
Single pole for Mexico (satin finish)	120 V / 300 W	DVSCELV-300P-L
Dimmers with locator light	120 V / 300 W	DVSCELV-303P
Dimmers with locator light	120 V / 300 W	DVSCELV-303P-L

## Reverse Phase Dimmer

Product Description	Capacity	Model Number
		
Single pole / 3-way (Gloss, boxed packaging)	120V / 500 W ELV	<b>DVRP-253P</b>
Single pole / 3-way (Satin Colors, boxed packaging)	120V / 500 W ELV	<b>DVSCR-253P</b>


## Dimmable Compact Fluorescent (CFL)

### Reverse Phase Dimmer

Product Description	Capacity	Model Number
		
Single pole / 3-way (Gloss, boxed packaging)	120V / 250 W CFL	<b>DVRP-253P</b>
Single pole / 3-way (Satin Colors, boxed packaging)	120V / 250 W CFL	<b>DVSCR-253P</b>

# Fluorescent 3-wire


## Preset Dimmer with Locator Light

Product Description	Capacity	Model Number
		
Single pole/ 3-way for Mexico (gloss finish)	120 V / 8 A	DVF-103P-S
Single pole/ 3-way for Mexico (satin finish)	120 V / 8 A	DVSCF-103P-L
Single pole/ 3-way (gloss finish)	120 V / 8 A	DVF-103P
Single pole/ 3-way (gloss finish)	120 V / 8 A	DVF-103P
Single pole/ 3-way (gloss finish)	277 V / 6 A	DVF-103P-277
Single pole/ 3-way (gloss finish)	277 V / 6 A	DVF-103P-277
Single pole/ 3-way (satin finish)	120 V / 8 A	DVSCF-103P
Single pole/ 3-way (satin finish)	120 V / 8 A	DVSCF-103P
Single pole/ 3-way (satin finish)	277 V / 6 A	DVSCF-103P-277
Single pole/ 3-way (satin finish)	277 V / 6 A	DVSCF-103P-277




# Fluorescent 0-10 VDC

## 0-10 V Dimmer


Product Description	Capacity	Model Number
		
Diva 0-10 V Control (satin finish), single pole, Preset, 30 mA sink, 16 A load (needs Power Pack PP-DV)	120 V - 277 V 30 mA / 16 A	<b>DVSCTV</b>
Diva 0-10 V Control (gloss finish), single pole, Preset, 30 mA sink, 16 A load (needs Power Pack PP-DV)	120 V - 277 V 30 mA / 16 A	<b>DVTV</b>
Diva 0-10 V Control (gloss finish), single pole/3-way, Preset, 50 mA sink, 8 A load	120 V – 277 V 50 mA/8 A	<b>DVSTV</b>
Diva 0-10 V Control (satin finish), single pole/3-way, Preset, 50mA sink, 8 A load	120 V – 27 7V 50 mA/8 A	<b>DVSCSTV</b>

## Dimmable Light Emitting Diodes (LED)

### LED+ Dimmer


Product Description	Capacity	Model Number
		
single pole / 3-way (clamshell packaging)	120 V / 150 W LED	DVCL-153PH
Single pole/ 3-way (Gloss, boxed packaging)	120 V / 150 W LED	DVCL-153P
Single pole/ 3-way (Satin, boxed packaging)	120 V / 150 W LED	DVSCCL-153P
Single pole/ 3-way (Satin, boxed packaging)	120 V / 250 W LED	DVSCCL-253P
Single pole/ 3-way (Gloss, boxed packaging)	120 V / 250 W LED	DVCL-253P

### Reverse Phase Dimmer

Product Description	Capacity	Model Number
		
Single pole / 3-way (Gloss, boxed packaging)	120V / 250 W LED	DVRP-253P
Single pole / 3-way (Satin Colors, boxed packaging)	120V / 250 W LED	DVSCR-253P


# Hi-lume LED 3-wire

## Preset Dimmer with Locator Light

Product Description	Capacity	Model Number
		
Single pole/ 3-way (gloss finish)	120 V / 8 A	<b>DVF-103P</b>
Single pole/ 3-way (gloss finish)	120 V / 8 A	<b>DVF-103P</b>
Single pole/ 3-way (gloss finish)	277 V / 6 A	<b>DVF-103P-277</b>
Single pole/ 3-way (gloss finish)	277 V / 6 A	<b>DVF-103P-277</b>
Single pole/ 3-way (satin finish)	120 V / 8 A	<b>DVSCF-103P</b>
Single pole/ 3-way (satin finish)	120 V / 8 A	<b>DVSCF-103P</b>
Single pole/ 3-way (satin finish)	277 V / 6 A	<b>DVSCF-103P-277</b>
Single pole/ 3-way (satin finish)	277 V / 6 A	<b>DVSCF-103P-277</b>


## Fluorescent Tu-Wire

### Preset Dimmer with Locator Light

Product Description	Capacity	Model Number
		
Single pole/ 3-way (gloss finish)	120 V / 5 A	DVFTU-5A3P
Single pole/ 3-way (satin finish)	120 V / 5 A	DVSCFTU-5A3P
Single pole/ 3-way for Mexico (satin finish)	120 V / 5 A	DVSCFTU-5A3P-L


## LED 0-10 VDC

### 0-10 V Dimmer


Product Description	Capacity	Model Number
		
Diva 0-10 V Control (satin finish), single pole, Preset, 30 mA sink, 16 A load (needs Power Pack PP-DV)	120 V – 277 V 30 mA/16 A	DVSCTV
Diva 0-10 V Control (gloss finish), single pole, Preset, 30mA sink, 16 A load (needs Power Pack PP-DV)	120 V – 277 V 30 mA/16 A	DVTV
Diva 0-10 V Control (gloss finish), single pole/3-way, Preset, 50 mA sink, 8 A load	120 V – 277 V 50 mA/8 A	DVSTV
Diva 0-10 V Control (satin finish), single pole/3-way, Preset, 50 mA sink, 8 A load	120 V – 277 V 50 mA/8 A	DVSCSTV

# Hi-lume LED 2-wire Forward Phase

## LED+ Dimmer

Product Description	Capacity	Model Number
		
Single pole / 3-way (Satin, boxed packaging), Max 8 drivers	120 V / 350 W	<b>DVSCCL 253P</b>
Single pole / 3-way (Gloss, boxed packaging), Max 8 drivers	120 V / 350 W	<b>DVCL 253P</b>

## General Purpose Switch

Product Description	Capacity	Model Number
		
Single pole (satin finish)	120/277V / 15A	SC-1PS
Single pole (satin finish)	120/277V / 15A	SC-1PSNL
3-way (satin finish)	120/277V / 15A	SC-3PSNL
4-way (satin finish)	120/277V / 15A	SC-4PSNL
Single pole (gloss finish)	120/277V / 15A	CA 1PSNL
3-way (gloss finish)	120/277V / 15A	CA-3PSNL
4-way (gloss finish)	120/277V / 15A	CA-4PSNL
3-way (satin finish)	120/277V / 15A	SC-3PS
4-way (satin finish)	120/277V / 15A	SC-4PS
Single pole (gloss finish)	120/277V / 15A	CA-1PS
3-way (gloss finish)	120/277V / 15A	CA-3PS
4-way (gloss finish)	120/277V / 15A	CA-4PS

†250W C•L Dimmers are the only C•L dimmers that control the Hi-lume LED 2-wire Forward Phase LTE LED drivers for 2-wire forward phase control.