

3 Hour Tour live Resin Badder

Sample ID: 1911CSALA0690.5885

Strain: 3 Hour Tour
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: 10 units
Batch Size: 1058 units

Produced: 11/22/2019
Collected: 11/22/2019
Received: 11/22/2019
Completed: 11/29/2019
Batch#: 112219-B003
METRC ID: 1A4060300003AB1000008618

Distributor
Pure CA LLC / Moxie
Lic. # C11-0000292-LIC
2990 Martin Luther King Jr. Blvd, Lynwood, CA, 90262

Producer
Pure CA LLC
Lic. # CDPH-10001194
2990 Martin Luther King Jr. Blvd, Lynwood, CA, 90262



Summary		Pass
88.62% Total Cannabinoids	Pass Pesticides	Pass Residual Solvents
Pass Microbials	Pass Mycotoxins	Pass Heavy Metals

Cannabinoids

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results	Pass
	%	%	%	mg/g	
THCa	0.00002	0.0001	87.10	871.00	
CBGa	0.00002	0.0001	0.64	6.35	
Δ9-THC	0.00004	0.0001	0.48	4.77	
CBG	0.00004	0.0001	0.35	3.51	
CBDa	0.00002	0.0001	0.05	0.53	
CBC	0.00001	0.0001	ND	ND	
CBD	0.00004	0.0001	ND	ND	
CBDV	0.00001	0.0001	ND	ND	
CBN	0.00002	0.0001	ND	ND	
THCV	0.00004	0.0001	ND	ND	
Δ8-THC	0.00004	0.0001	ND	ND	
Total			88.62	886.16	

Pass

Terpenes

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results	Complete
	%	%	%	mg/g	
β-Myrcene	0.00012	0.0013	2.06	20.64	
δ-Limonene	0.00016	0.0013	0.80	8.00	
β-Caryophyllene	0.00017	0.0013	0.78	7.79	
Linalool	0.00015	0.0013	0.36	3.61	
α-Humulene	0.00057	0.0013	0.24	2.38	
trans-Nerolidol	0.00058	0.0013	0.18	1.78	
β-Pinene	0.00034	0.0013	0.14	1.41	
α-Pinene	0.00015	0.0013	0.10	0.98	
α-Bisabolol	0.00015	0.0013	0.09	0.90	
Camphene	0.00072	0.0013	ND	ND	
Caryophyllene Oxide	0.00017	0.0013	ND	ND	
Eucalyptol	0.00017	0.0013	ND	ND	
Geraniol	0.00013	0.0013	ND	ND	
Guaiol	0.00018	0.0013	ND	ND	
Isopulegol	0.00011	0.0013	ND	ND	
Ocimene	0.00013	0.0013	ND	ND	
p-Cymene	0.0001	0.0013	ND	ND	
Terpinolene	0.00016	0.0013	ND	ND	
α-Terpinene	0.00012	0.0013	ND	ND	
γ-Terpinene	0.00012	0.0013	ND	ND	
δ-3-Carene	0.0004	0.0013	ND	ND	
Total			4.75	47.49	

76.86%

Total THC

0.05%

Total CBD

Date Tested: 11/26/2019

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Notes

Source Metrc ID: 1A4060300000321000005084

Date Tested: 11/28/2019

NT Moisture Moisture Analyzer SOP-103	NT Water Activity Water Activity Meter SOP-102	Pass Foreign Matter Visual Inspection SOP-600 Date Tested: 11/25/2019
--	---	---



ISO / IEC 17025:2017 ACCREDITED LABORATORY
Accreditation No. 73653

Mallory Speakman
Laboratory Director - LA
11/29/2019

Anya Engen
Quality Review
11/29/2019

Musa Aman
COA Review
11/29/2019

3 Hour Tour live Resin Badder

Sample ID: 1911CSALA0690.5885

 Strain: 3 Hour Tour
 Matrix: Concentrates & Extracts
 Type: Live Resin
 Sample Size: 10 units
 Batch Size: 1058 units

 Produced: 11/22/2019
 Collected: 11/22/2019
 Received: 11/22/2019
 Completed: 11/29/2019
 Batch#: 112219-B003
 METRC ID: 1A4060300003AB1000008618

 Distributor
Pure CA LLC / Moxie
 Lic. # C11-0000292-LIC
 2990 Martin Luther King Jr. Blvd, Lynwood, CA,
 90262

 Producer
Pure CA LLC
 Lic. # CDPH-10001194
 2990 Martin Luther King Jr. Blvd, Lynwood, CA,
 90262

Pesticides

Pass

Testing method: LCMS & GCMS-SOP 301 and 302

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazaili *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5.0	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metaxyl	0.0076	0.025	2.0	ND	Pass
Bifenthrin	0.029	0.097	3.0	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1.0	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10.0	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2.0	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3.0	ND	Pass
Cypermethrin	0.0105	0.035	1.0	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2.0	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5.0	ND	Pass
Flonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 11/26/2019

* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 11/29/2019

 Anya Engen
 Quality Review
 11/29/2019

 Musa Aman
 COA Review
 11/29/2019

3 Hour Tour live Resin Badder

Sample ID: 1911CSALA0690.5885

 Strain: 3 Hour Tour
 Matrix: Concentrates & Extracts
 Type: Live Resin
 Sample Size: 10 units
 Batch Size: 1058 units

 Produced: 11/22/2019
 Collected: 11/22/2019
 Received: 11/22/2019
 Completed: 11/29/2019
 Batch#: 112219-B003
 METRC ID: 1A4060300003AB1000008618

 Distributor
Pure CA LLC / Moxie
 Lic. # C11-0000292-LIC
 2990 Martin Luther King Jr. Blvd, Lynwood, CA,
 90262

 Producer
Pure CA LLC
 Lic. # CDPH-10001194
 2990 Martin Luther King Jr. Blvd, Lynwood, CA
 90262

Microbials

Pass

Testing method: PCR-SOP 400

Analyte	Result	Status
Aspergillus flavus	Not Detected	Pass
Aspergillus fumigatus	Not Detected	Pass
Aspergillus niger	Not Detected	Pass
Aspergillus terreus	Not Detected	Pass
Salmonella	Not Detected	Pass
Shiga toxin-producing E. Coli	Not Detected	Pass

Date Tested: 11/27/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mycotoxins

Pass

Testing method: LCMS-SOP 301

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.0036	0.012		ND	Tested
Aflatoxin B2	0.0092	0.031		ND	Tested
Aflatoxin G1	0.0058	0.019		ND	Tested
Aflatoxin G2	0.0034	0.011		ND	Tested
Total Aflatoxins			20.0	ND	Pass
Ochratoxin A	0.0113	0.038	20.0	ND	Pass

Date Tested: 11/27/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Heavy Metals

Pass

Testing method: ICPMS-SOP 502

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.02	0.06	0.2	ND	Pass
Cadmium	0.03	0.1	0.2	ND	Pass
Lead	0.002	0.005	0.5	0.103	Pass
Mercury	0.02	0.06	0.1	ND	Pass

Date Tested: 11/26/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 11/29/2019

 Anya Engen
 Quality Review
 11/29/2019

 Musa Aman
 COA Review
 11/29/2019

3 Hour Tour live Resin Badder

Sample ID: 1911CSALA0690.5885

 Strain: 3 Hour Tour
 Matrix: Concentrates & Extracts
 Type: Live Resin
 Sample Size: 10 units
 Batch Size: 1058 units

 Produced: 11/22/2019
 Collected: 11/22/2019
 Received: 11/22/2019
 Completed: 11/29/2019
 Batch#: 112219-B003
 METRC ID: 1A4060300003AB1000008618

 Distributor
Pure CA LLC / Moxie
 Lic. # C11-0000292-LIC
 2990 Martin Luther King Jr. Blvd, Lynwood, CA,
 90262

 Producer
Pure CA LLC
 Lic. # CDPH-10001194
 2990 Martin Luther King Jr. Blvd, Lynwood, CA
 90262

Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	ND	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 11/27/2019

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653

 Mallory Speakman
 Laboratory Director - LA
 11/29/2019

 Anya Engen
 Quality Review
 11/29/2019

 Musa Aman
 COA Review
 11/29/2019