™Dimplex®



Revillusi()n°

Mesmerizing Flames. Revolutionary Design.

Timeless Aesthetic

The ageless appeal of the fireplace creates an authentic, ever-lasting impression.

Design with Style

Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic. through the flames.

Complete Perspective

Enjoy a full-depth view of the fireplace with the ability to see clearly

Revillusion Flame Effect

Patented Dimplex flame effect producing ultra-realistic flames that mimic natural fire.



Powerful Heating

Powerful fan-forced heater provides on-demand heat up to 1,000 sq. ft.

Now Available in 4 Stunning Finishes:









Authentic Realogs®

Handcrafted from real wood, these logs feature inner LED lights that emit a lifelike, pulsating glow, simulating burning logs.

Weathered Concrete

Herringbone

Neutral Brick

Black

Model Number	Description		
REV24-WC	24" Weathered Concrete Firebox		
REV30-WC	30" Weathered Concrete Firebox		
REV36-WC	36" Weathered Concrete Firebox		
REV36P-WC	36" Portrait Weathered Concrete Firebox		
REV42-WC	42" Weathered Concrete Firebox		

Model Number	Description		
REV24-HB	24" Herringbone Firebox		
REV30-HB	30" Herringbone Firebox		
REV36-HB	36" Herringbone Firebox		
REV36P-HB	36" Portrait Herringbone Firebox		
REV42-HB	42" Herringbone Firebox		

Model Number	Description		
REV24-BL	24" Black Firebox		
REV30-BL	30" Black Firebox		
REV36 -BL	36" Black Firebox		
REV36P-BL	36" Portrait Black Firebox		
RFV42-BI	42" Black Firebox		

Model Number	Description		
REV24-NB	24" Neutral Brick Firebox		
REV30-NB	30" Neutral Brick Firebox		
REV36 -NB	36" Neutral Brick Firebox		
REV36P-NB	36" Portrait Neutral Brick Firebox		
REV42-NB	42" Neutral Brick Firebox		

Featuring **Öptiflame** technology.

The most popular electric flame technology, developed by Dimplex to create a cozy and safe fire effect.



Reflective Flame Panel

The translucent acrylic panel allows you to enjoy the look of flames appearing from within the logs.

Mood-maker Remote

Customize the light color and intensity for a fireplace that reflects your personality.



Scan for more information on dimensions, accessories, and technical details.




All rights reserved. Material contained in this publication may not be reproduced in whole or in part, without prior permission in writing of Dimplex. Dimplex is a Registered Trade Mark in North America. All Dimplex flame effects are protected by multiple worldwide patents. All the products shown in this sell sheet are protected by intellectual property rights owned by Dimplex or members of the Glen Dimplex Group on an international basis. The Glen Dimplex Group of Companies will actively protect these rights. Specifications, finishes and dimensions are subject to change. Limited warranty. SE-661-R04-091125




Order No. 500005128
Model No. REV24-WC
Notes:

Framing Dimensions:

	REV24-WC			
Α	12-1/2" (31.8 cm)			
В	24-5/8" (62.6 cm)			
С	22-3/8" (56.8 cm)			
D	22-1/8" (56.2 cm)			
Е	12-1/8" (30.7 cm)			
F	23-3/8" (59.5 cm)			
G	25-1/4" (64.0 cm)			
Н	19" (48.3 cm)			
ı	22-7/8" (58.1 cm)			
J	47-3/4" (121.3 cm)			
K	33-3/4" (85.7 cm)			
L	33-3/4" (85.7 cm)			





- The Revillusion™ Electric Fireplace/ Fireplace Insert does not require any special venting.
- 2. To build the rough-in opening, follow the framing dimensions below.


NOTE: The materials used for the finished surround must be cut to precise dimensions (dimensions B & C) as the 1/4" (0.6 cm) self trimming flange is only to create a finished appearance.

Electrical:

a) Volts: 120b) Watts: 1,500

c) Flame Only Watts: 40

d) BTUs: 5,118



Accessory Dimensions:

FINISHED TRIM DIMENSIONS

Trim Kit	Α	В	С
RBF24TRIM36 - 36" Black Installation Trim	36" (91.4 cm)	30" (76.2 cm)	
RBF24TRIM40 - 40" Black Installation Trim	40" (101.6 cm)	30" (76.2 cm)	2"
RBF30TRIM38 - 38" Black Installation Trim	38" (96.5 cm)	29-5/8" (75.4 cm)	(5.08 cm)
RBF30TRIM44 - 44" Black Installation Trim	44" (111.8 cm)	32-5/8" (83.0 cm)	



Scan for more information on dimensions, accessories, technical details.

To view full series visit:

dimplex.com

1-800-668-6663

