

Traditional Series

# REDSTONE - BUILT-IN

Built-in Flush Mount Conventional Electric Fireplace



Redstone 42"

MODERN  FLAMES

# REDSTONE - BUILT-IN

## Built-in Flush Mount Conventional Electric Fireplace

Modern Flames has revamped its built-in, flush mount conventional fireplace category with its new Redstone electric fireplace. The Redstone feature our new Hybrid-FX™ flame technology maximizing the flame height in an enlarged vertical viewing area. Some of the eye-catching features include high intensity RGB independently controlled up lighting, down lighting & flame color. Other standard features include 10 different unique colors to choose from, variable and thermostatically controlled heat, variable motor controls, timer, push button and remote controls. This conventional design can slide into an existing Zero Clearance wood burning fireplace or will need 10" to 12" of depth in a wall for the built-in/slide-in flush mount look. The Redstone plugs into a standard outlet and includes a 5000 BTU heater. Acrylic crystal media and driftwood logs are both standard media & the Redstone is available in sizes 26", 30", 36", 42" & 54".

### STANDARD FEATURES



Hybrid-FX™ Flame Technology



Premium Glowing Log Set



10 Unique Flame Colors with Down Lighting and Ember Bed Lighting



Acrylic Crystal Ember Bed



Low Energy LED Flame Technology



Touch Button Controls



New Sleek Remote



Can be Installed Beneath a TV



Variable Heat with Thermostat



Variable Flame Controls



120 Volt Plug



Do it Yourself Installation Instructions



Finish Trim Kit Included

### REMOTE CONTROL INCLUDED

Separate controls for on/off variable heat and variable flame with independent flame and ember bed variable colors.



# Independent Flame & Ember Bed Color Combinations

The **6** button control panel is located at the top right on fireplace and includes a digital readout thermostat. From right to left, button **#1** turns the fireplace on or off. Button **#2** controls ember bed lights. **#3** controls the flame colors. Button **#4** turns the heater on or off. Button **#5** controls timer setting to turn off fireplace at selected time, and button **#6** adjusts the desired heater temperature.

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting

Touch Button  
Control Panel



Flame & Ember Bed Colors Controlled Independently



Blue Flames  
Logs on



Blue Flames  
Logs off



Orange Flames  
Logs on



Orange Flames  
Logs off




Red Flames  
Logs on




Red Flames  
Logs off

Redstone 42" with 5/8" trim



Redstone 42" with 1 5/8" trim




# REDSTONE - BUILT-IN

## Built-In Dimension Specs

RS Model # of Fireplace	Trim Width	A	B	C	D	E
RS-2621	5/8" (16mm)	24" (610mm)	18-7/8" (480mm)	9-7/8" (250mm)	15-3/8" (390mm)	22-3/4" (578mm)
RS-3021	5/8" (16mm)	29-1/4" (743mm)	18-7/8" (480mm)	9-7/8" (250mm)	15-3/8" (390mm)	28" (710mm)
RS-3626	5/8" (16mm)	33-3/4" (857mm)	24" (610mm)	9-7/8" (250mm)	20-1/2" (521mm)	32-3/8" (824mm)
RS-4229	5/8" (16mm)	39-3/4" (1009mm)	27" (686mm)	9-7/8" (250mm)	23-1/2" (597mm)	38-1/2" (977mm)
RS-5435	5/8" (16mm)	52" (1322mm)	33" (838mm)	12" (305mm)	29-1/2" (749mm)	50-3/4" (1290mm)

RS Model # of Fireplace	F	G	H	Overlap Trim 1-5/8" (41mm)	Finished Opening (W x H x D)
RS-2621	22-3/4" (578mm)	9-1/4" (234mm)	18-1/2" (470mm)	26" (661mm) x 20-7/8" (530mm)	23" (584mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3021	28" (710mm)	9-1/4" (234mm)	18-1/2" (470mm)	31-1/4" (794mm) x 20-7/8" (530mm)	28-1/4" (718mm) x 18-3/4" (477mm) x 10" (254mm)
RS-3626	32-3/8" (824mm)	9-1/4" (234mm)	23-5/8" (600mm)	35-3/4" (908mm) x 26" (661mm)	32-5/8" (829mm) x 23-7/8" (607mm) x 10" (254mm)
RS-4229	38-1/2" (977mm)	9-1/4" (234mm)	26-5/8" (676mm)	41-3/4" (1059mm) x 29" (736mm)	38-3/4" (985mm) x 26-3/4" (680mm) x 10" (254mm)
RS-5435	50-11/16" (1288mm)	11-3/8" (289mm)	32-5/8" (829mm)	54" (1372mm) x 35" (888mm)	50-15/16" (1294mm) x 32-3/4" (832mm) x 12" (305mm)

\*5/8" & 1-5/8" trim included in box for built-in installations



**MODERNFLAMES.COM**

3515 E. Atlanta Ave. Phoenix, AZ 85040  
(602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW