

Scion Trinity 43"

MANTEL KIT

SimpliFire[®]
Fire Made Simple

Easy Wall Mount Installation Primed MDF construction

- Adjustable heat, perfect for zone heating with up to 5,000 BTUs of output
- Four flame color themes and 14 ember bed color choices for complete customization






Please consult the manufacturer's installation manual for all details and requirements before making a final design layout decision.

Scion Trinity 43" & 55" Floating Mantel Kit

Model	Width to Centerline (X)	Top Width (A)	Bottom Width (B)	Height (C)	Top Depth (D)	Bottom Depth (E)
SF-SCT43-MANTEL	24" [610 mm]	49-3/4" [1263 mm]	46-3/4" [1187 mm]	28" [710 mm]	12-1/8" [308 mm]	13-5/8" [346 mm]
SF-SCT55-MANTEL	28" [710 mm]	61-1/2" [1563 mm]	58-1/2" [1487 mm]	28" [710 mm]	12-1/8" [308 mm]	13-5/8" [346 mm]



Additional information can be found online at www.fireplaces.com




Please consult the manufacturer's installation manual for all details and requirements before making a final design layout decision.


Scion Trinity 43" Linear Electric Fireplace

MODEL	FRONT WIDTH		FRONT HEIGHT		DEPTH		VIEWING AREA
	Actual	Framing	Actual	Framing	Actual	Framing	
SF-SCT43-BK	42-1/2" [1080]	42-3/4" [1086]	22-1/4" [565]	22-5/8" [575]	11-1/4" [286]	11-1/2" [292]	42-1/2" x 14-3/4" [1080 x 375]


LEFT SIDE VIEW



FRONT VIEW



RIGHT SIDE VIEW




ELECTRICAL ACCESS

ELECTRICAL CONNECTION REQUIREMENTS

CIRCUIT	CONNECTION METHOD	BTUS
15 AMP, 120V/60 Hz	Hardwire or Plug-in	5,000

APPLIANCE LOCATION



MINIMUM CLEARANCES TO COMBUSTIBLES

AREA	CLEARANCES
SIDES	0"
FLOOR	0"
TOP TO MANTEL	0"
BACK	0"
FRONT	36" [914]

Product information provided is not complete and is subject to change without notice. Product installation must adhere strictly to instructions accompanying product to avoid risk of fire and potential injury.

PRODUCT LISTING CODES	
US	CSA 22.2 No 46-M1988
INTERNATIONAL	CSA 22.2 No 46-M1988