



Freedom Multipurpose Film Camera Doorway Dolly (DL-FRDM-00)

Instruction Manual

PRO  **AIM**
┌ CINEMA SERIES ─┐

■ Welcome To Proaim!

Dear Client,

On behalf of all the people that work so hard to provide you with the most up-to-date, flexible and cost-efficient production gear, we would like to welcome you into the Proaim family.

By purchasing your Proaim Freedom Modular Cinema Doorway Dolly, you have just joined a host of designers, engineers, machinists, assembly, customer service and office staff that take great pride in all that they do. Our mantra of continuous improvement has been the guiding principle of how we conduct our business since day one.

Once you have the opportunity to experience your new Proaim Freedom Modular Cinema Doorway Dolly, we hope you will agree that we craft quality products at a competitive price. Products designed to meet and exceed the standards of today's real production world.

Standards set by our valued clients and standards we strive to maintain.

With Best Wishes,

Proaim Team

■ Introduction

The newly launched Proaim Freedom Dolly is a Compact & Versatile Cinema Doorway Dolly. It is a Modular tool for multi- purpose use and can be extended according to your needs. Commercial-grade CNC-machined Aluminum Construction ensures protection, durability and stability. It carries a huge amount of weight up to 300kg/660lb & remains absolutely robust in operation. Fully Customizable Freedom Dolly with Innovative Modular Design brings maximum flexibility to every professional, provides adaptability in every situation you encounter! Ready for Broadcast Studio, Documentary, Cinema & Live Event Productions! Get BIG already with the Standard Kit!

■ What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Flight Case



Safety Hints

ATTENTION: PLEASE READ THIS BEFORE USING TO PREVENT SERIOUS DAMAGE TO THE GEAR!

The Freedom Modular Cinema Doorway Dolly is designed for multi-purpose use, and can be extended according to production situations.

This is accomplished by using materials and components of the highest quality that are extremely expensive. To avoid costly damage, and experience its full potential, please observe the following guidelines.

DO NOT LEAVE THE FASTENERS LOOSE

Carefully tighten all the fasteners to prevent breakage to the equipment & any harm to crew. It ensures protection & stability.

ALWAYS SET THE CORRECT AIR PRESSURE

While using as doorway dolly, the tyre pressure should never be more than 40 psi.

FOLLOWING THESE GUIDELINES WILL PROVIDE BETTER IMAGES AND TROUBLE FREE OPERATION.

SHOULD YOU NEED ADDITIONAL INFORMATION, TECHNICAL ASSISTANCE IS AVAILABLE 'ONLINE' BY CONTACTING YOUR SALES REPRESENTATIVE.

■ Assembling

- Attach the legs with the provided screw and tighten with the help of allen key.



NOTE: All legs are identical and can be extended to your requirement. They have a flexible ratchet to cover different angles, made for difficult setups. Each leg can accept a seat or any kind of accessories.




NOTE: The Base Plate features a bubble level as well as versatile holes and threads for various purposes.

- Attach the legs with the base plate and tighten with the help of allen key.




- Remove the bolts of the Rear-Wheel Steering and attach the tyres at both side.



- Now insert the bolt and tighten with the help of allen key as shown in the image.



- Insert the push bar handle into the Rear-Wheel Steering and lock it with the provided pin.




NOTE : *The Telescopic length of bush bar is secured with a pin lock.*



- Attach the tyres with the dolly legs at both sides tighten the screw with the help of allen key to secure the tyres properly.



NOTE: *Pull the pin of the Wheel Steering and you can adjust the direction of the tyres. (front tyres remain fixed)*



Assembling with Optional Accessories

- Mount the Turnstile (Not Included) onto the dolly, tighten the screw with the help of allen key to secure it.



- Mount the bazooka (Not Included) onto the turnstile and lock it with the help of lock lever .



- Mount the Euro/Elemac - Bowl Camera Riser (Not Included) and tighten the provided knob.



Attaching Plates With Dolly

NOTE: *The parallel plates are to be attached in opposite direction on the other*



- Attach the plates parallelly with the dolly at all sides. Tighten the screws to secure the plates with the help of allen key.



- After attaching the plates your dolly shown as. Dolly is fully assembled.



**YOUR PROAIM FREEDOM MODULAR CINEMA DOORWAY DOLLY
ALL DRESSED UP AND READY TO GO!**



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.