



CAMPANIA
INTERNATIONAL

CAST STONE COLLECTION



NEWPORT FOUNTAIN



Campania employs a talented group of artists who create original copyrighted designs that blend old world traditions with a uniquely American sensibility. They are designed by hand, molded by hand, poured by hand, stained by hand, and packaged by hand.

Campania's cast stone pieces are manufactured with a high density cast stone mix, resulting in a PSI (pounds per square inch) strength of approximately 7,500. The natural materials used in our mix are sourced locally. Our cast stone products can qualify for LEED MR 5.1 and /or MR 5.2 credits as applicable to your project.

All of our cast stone products are available in 11 exclusive patinas in addition to natural cast stone. We hand apply each patina in a multi-step process. Our patinas are designed to replicate the look of naturally aged materials and will not prevent the natural aging process. Any cast stone item with a patina will weather naturally in an outdoor environment.

Our full collection of cast stone pieces include: planters, urns, pedestals, large estate fountains, wall fountains, garden fountains, tables, benches, garden statues, Asian accents, finials, birdbaths and other accents.

CAMPANIA CAST STONE FOUNTAINS

- Hand-made in the USA by Campania
- High density 7,500 PSI cast stone
- Natural materials locally sourced
- Can qualify for LEED MR 5.1 and MR 5.2 credits
- Strong and durable for outdoor use
- Ages naturally over time
- Available in 11 exclusive patinas and natural (no patina applied)
- Many Sizes and Design Options: Traditional, Classic, Contemporary, Modern, and Transitional Styles
- Estate size fountain and basin systems, wall fountains, garden fountains
- Auto-refill devices, lights, and fountain covers available through Campania
- Pump Kits included
- All recommended commercial products and CAD files can be viewed at www.campaniainternational.com/projects
- Full line can be viewed online at www.campaniainternational.com



CAST STONE FOUNTAIN GENERAL CARE


Always place any Campania product on a solid level surface and not directly on grass, soil, or an uneven surface.

Proper winter care is recommended for all Campania cast stone fountains for protection in environments with potential freeze-thaw cycles.

- Drain Fountains and make sure that the basins are completely dry.
- If possible, remove pump, rubber stoppers, drainpipes, finials, and other small components for storage indoors. Note that stoppers or drainpipes are removed to allow drainage in the event water accumulates in any basin. Compression stoppers may be left on the pump cord for easier assembly next season.


If this is not possible

- Cover fountain with an appropriately sized fountain cover, available from Campania, making sure that water will not accumulate in the basin or other fountain components and freeze.
- Check fountain periodically to insure that cover is secure and water is not accumulating in any fountain component.





FT-0124 Newport Fountain (19 pieces) COMPONENTS AND PARTS LIST

Revised October 22, 2015



Tools you will need

Level 

Tape measure 

This fountain uses cover FTNCOV-MED but it does not cover the basin

Fountain holds approximately 240 gallons of water

(FT-124K) (8 pcs)
38\"/>

NOTE: Component drawings are not to scale

Pump Kit Parts List

<ul style="list-style-type: none"> PK800 pump (2) 3\"/> 	<ul style="list-style-type: none"> Hose clamps (5) Rubber band (1) Plumbers Putty (2) Wedges (6) #10 rubber stopper with wide hole (1) 9\"/>
--	---

Note – Hose clamps may be used for restrictor flow

FT-0124 Newport Fountain

(19 pieces)

ASSEMBLY INSTRUCTIONS

Revised October 22, 2015

PROFESSIONAL INSTALLATION IS RECOMMENDED FOR THIS FOUNTAIN!

1. Make sure you are assembling your fountain on a level surface using a sand or gravel base.
2. Be sure to check the leveling of the fountain after each component installation.
3. Feed the pump cord through the hole in the basin leaving enough cord length inside basin to work with the pump. It is recommended that you leave enough cord length to extend from the middle of the basin to the edge. (approx. 3 feet)
4. To ensure a level installation, make sure that you run the remaining cord through the channel in the bottom of the basin.
5. Wrap a piece of putty around both cords together where you will be placing the stopper.
6. Fit cord into stopper.
7. Place a piece of putty inside the length of the slit in the stopper.
8. Wrap putty around outside of stopper ensuring that the slit and the cord hole are covered and sealed.
9. Press stopper firmly into the hole of basin.
10. Loosely wrap cords up in the center of the basin.
11. Place the fountain base (FT-239J) over the pumps and the cords. Ensure it is level.
12. Place the large pedestal (FT-114H) on top of the base. Ensure it is level and centered on the base.
13. Place the large bowl (FT-124F) on top of the large pedestal. Ensure it is level and centered on the pedestal.
14. Place the standpipe inside the hole of the large bowl.
15. Insert both 60" lengths of ½" non kink tubing through the pipe onto the bottom of the base. Make sure to feed the end with the assembled clear vinyl tubing down into the basin.
16. Fold the end of one of the lengths of tubing down over the edge of the standpipe.
17. Secure that tubing by placing the rubber band over the tubing and pipe so that the tubing opening points down into the bowl.
18. Insert the remaining tubing coming out of the standpipe up through the pedestal (FT-114E) and place the pedestal over the standpipe in the center of the large bowl. Ensure it is level and centered.
19. Place a hose clamp over the top end of the tubing and connect that end of the tubing to the bottom of the middle bowl (FT-114D). Tighten the hose clamp to ensure a good seal.
20. Place the middle bowl down onto the middle pedestal. Ensure it is level and centered on the pedestal.
21. Place a hose clamp over one end of the 15" length of ½" non kink tubing.
22. Connect that end of the tubing to the pipe protruding out from the top of the middle bowl (FT-114D). Tighten the hose clamp to ensure a good seal.
23. Feed the other end of the tubing up through the small pedestal (FT-114C) while lowering the pedestal down into the middle bowl. Ensure the pedestal is level and centered in the middle bowl.
24. Place a hose clamp over the other end of the 15" length of ½" non kink tubing.
25. Connect that end of the tubing to the bottom of the small bowl (FT-114B). Tighten the hose clamp to ensure a good seal.
26. Place the small bowl on top of the small pedestal. Ensure it is level and centered on the pedestal.
27. Place the finial (FT-114A) in the small bowl by lowering the hole over the copper pipe protruding from the bowl.
28. In the bottom of the basin, connect the ¾" clear vinyl tubing onto the pump water outlets of the pumps.
29. Cover the middle pedestal pump access with the pump cover door (FT-114F).
30. Cover the pump access in the bottom base with the pump cover door (FT-124J).
31. Install the metal plug into the side of the basin.
32. Fill the Basin with water. **DO NOT RUN FOUNTAIN WITHOUT SUFFICIENT WATER. IF THE PUMP IS ALLOWED TO RUN DRY, IT CAN DAMAGE THE PUMP.**
33. Place the coping pieces around the basin, inserting the lip of the basin into the notch in the coping.

FT-0124 Newport Fountain
(19 pieces)
WINTER CARE AND GENERAL FOUNTAIN INSTRUCTIONS

Revised October 22, 2015

- W I N T E R C A R E -

Fountain bowls/tops and other fountain components, which collect water, should not be left outside in the winter since any component, which fills with water and freezes may crack. Likewise components such as pedestals, which remain in a basin, filled with water, which then freezes, may also crack or crumble. Ideally, therefore, a fountain should always be stored indoors or in a dry protected place such as a covered porch away from the elements. However, if a fountain must be left outside:

- (1) Remove pump, rubber stoppers, drainpipes, finials, and other small components for storage indoors. Note that stoppers or drainpipes are removed to allow drainage in the event water accumulates in any basin.
- (2) Raise fountain base from ground with wood strips so that base will not freeze to the ground surface.
- (3) Cover or wrap the fountain with burlap or other absorbent material (old blanket or towel) and then cover securely with plastic, making sure that water will not accumulate in the basin or other fountain component and freeze;
- (4) Check fountain periodically to insure that plastic is secure and water is not accumulating in any fountain component.

- G E N E R A L F O U N T A I N T I P S -

Install fountains on a level surface. You will need a properly grounded 110-volt (AC only) GFCI protected receptacle near the fountain for your pump. All pumps are submersible and must be completely underwater to function properly. Test all pumps and adjust to full output prior to assembly. It is not recommended that fountains be placed directly on grass or dirt. Position the channel opening at the base of each fountain toward the electrical outlet to be used since the pump cord will be threaded through this opening.

For more Campania product information visit www.campaniainternational.com

All of our cast stone is proudly



Made in USA

CAMPANIA Patinas

Campania's cast stone products are available in a choice of three exclusive (3) acid stains and eight (8) exclusive natural pigment stains in addition to natural cast stone. All of our patinas and acid stains are hand applied in a multi-step process, producing uniquely beautiful original pieces. Designed to replicate the look of naturally aged materials, the patinas will not prevent the natural aging process that occurs in an outdoor environment.

Campania's acid stains (a mixture of water, metallic salts, and muriatic acid) penetrate the surface and react chemically with elements in the cast stone, producing a rich saturated stain that resists flaking or peeling.

Like stains for wood, each piece will accept our patinas in varying degrees of intensity, creating natural variations that add character and distinction to every piece. Even when applied with the same process, no two pieces will look exactly alike due to the composition of the cast stone, and the varying age of the pieces. Rather than creating uniform stains, our approach gives our products their unique beauty and appeal.

Due to the hand-application process and photography, actual colors may vary slightly from those depicted in these examples. Please consult our catalog photos and our website for examples of variations of our patinas.



Alpine Stone (AS)



Greystone (GS)



Verde (VE)



Copper Bronze (CB)



English Moss (EM)



Aged Limestone (AL)



Brownstone (BR)



Travertine (TR)



Pietra Vecchia (PV)*



Ferro Rustico (FR)*



Terra Nera (TN)*



Natural (NA)

* Denotes Acid Stain

Specifications

Item #	Item Description	Dimensions (L x W x H)	Base Dimensions (L x W)	Weight (lbs)
REFILL #10	Fountain Refill Device with Stopper	6 x 3 x 5	6 x 3	3
REFILL #7	Fountain Refill Device with Stopper	6 x 3 x 5	6 x 3	3



Specifications

Item #	Item Description	Dimensions (Diameter x H)	Weight (lbs)	Fits Fountains Up To <small>H or D x H</small>
FTNCOV-SM	Fountain Cover Small	28 x 13	2	20
FTNCOV-MED	Fountain Cover Medium	64 x 27	3	40
FTNCOV-LG	Fountain Cover Large	70 x 34	4	35 x 65
FTNCOV-XLG	Fountain Cover Extra Large	84 x 36	4.5	55 x 65

