

RESTORE®

Product Catalog

Dear Customer,

Thank you for allowing Keystone Dental Inc. the opportunity to provide solutions which we hope meet or exceed your expectations.

Keystone Dental Inc. produces innovative, high quality dental implants, accessories, and biologics and distributes these products globally. Our headquarters are in Burlington, Massachusetts and we have state-of-the-art manufacturing facilities in both Burlington and Irvine, California.

Our range of implant products is broad, fulfilling both niche and standard requirements for all specialties. If you wish, at any time, to discuss Keystone Dental products, ongoing developments, and future research, or if you have any suggestions which you feel would help us serve you better, please call me directly at (781) 328-3387 or Toll Free at (866) 902-9272.


Again, thank you for allowing Keystone Dental, Inc. to satisfy your implant requirements, and I look forward to speaking with you in the future.

Michael A. Kehoe Keystone Dental, Inc. President & CEO

RESTORE®


SD RESTORE® Implants Ø3.3 mm	4
SD Prosthetic Options Ø3.3 mm	
SD Prosthetic Components Ø3.3 mm	
RD RESTORE® Implants Ø3.75 mm/4.0 mm	8
RD Prosthetic Options Ø3.75 mm/4.0 mm	
RD Prosthetic Components Ø3.75 mm/4.0 mm	10
WD RESTORE® Implants Ø5.0 mm/6.0 mm	12
WD Prosthetic Options Ø5.0 mm/6.0 mm	13
WD Prosthetic Components Ø5.0 mm/6.0 mm	14
Overdenture Options	16
O-Ring Abutments	
Snap Abutments	18
RESTORE® Surgical Kit	19
Surgical Instrumentation	
Drivers	24
Laboratory Instruments & Other Products	25

Product specifications are subject to change without notice. Items illustrated are not to scale. All items may not be available in all markets.




^{* .035&}quot; Hex Driver required for RESTORE Cover Screw.

^{** .048&}quot; Hex Driver required for RESTORE Healing Abutments.



	Implant Impression Posts	Description SD, Hexed SD, Hexed SD, Hexed SD, Non-Hexed	Flare Straight 4.2 mm 5.5 mm Straight		Catalog # R9549-34-00K R9550-34-00K R9551-34-00K R9593-34-01K
	Implant Analog	Description SD, 1-Pack			Catalog # R9893-34K
	Ti Temporary Sleeves	Description SD, Hexed SD, Non-Hexed			Catalog # L2301-42-00K L2301-42-01K
	Straight Cement-On-Crown (COC) Abutments	Description SD, Locking SD, Locking SD, Locking SD, Non-Locking		Cuff Height No Cuff 2.0 mm 4.0 mm 2.0 mm	Catalog # L2308-34-04K R9290-34-02K R9290-34-04K R2302-42-02K
(Angled Cement-On-Crown (COC) Abutments	Description SD, 15° Angled, Locking SD, 15° Angled, Locking		Cuff Height 2.0 mm 4.0 mm	Catalog # R9291-34-02K R9291-34-04K
P D	UCLA Gold/Plastic Sleeves	Description SD, Hexed SD, Non-Hexed			Catalog # L2307-42-00K L2307-42-01K

UCLA Plastic Sleeves	Description	Flare	Catalog #
	SD, Hexed SD, Hexed SD, Non-Hexed	4.2 mm 5.5 mm 4.2 mm	R9250-34-00K R9251-34-00K L2305-42-01K
Abutment Screws*	Description		Catalog #
	SD Abutment Screw, Ti, .C SD Abutment Screw, TiN,		R9203-34-48K R9301-34-48K




Cover Screw*	Description			Catalog #
	RD			L1809-40-01K
Healing Abutments**	Description	Flare	Cuff Height	Catalog #
	RD RD RD	Straight Straight Straight	2.0 mm 4.0 mm 6.0 mm	R9633-40-02K R9633-40-04K R9633-40-06K
	RD RD RD RD RD	5.0 mm 5.0 mm 5.0 mm 5.0 mm 5.0 mm	2.0 mm 3.0 mm 4.0 mm 6.0 mm 8.0 mm	R9650-40-02K R9650-40-03K R9650-40-04K R9650-40-06K R9650-40-08K
	RD RD RD RD	6.0 mm 6.0 mm 6.0 mm 6.0 mm	2.0 mm 4.0 mm 6.0 mm 8.0 mm	R9660-40-02K R9660-40-04K R9660-40-06K R9660-40-08K

All RESTORE implants have a 3.0 mm machined collar, except the 6.5 mm which has a machined collar of 1.5 mm.


*.035" Hex Driver required for RESTORE Cover Screw.

^{** .048&}quot; Hex Driver required for RESTORE Healing Abutments.




m	Implant Impression Posts	Description	Flare		Catalog #
		RD, Hexed RD, Hexed RD, Hexed	Straight 5.0 mm 6.0 mm		R9549-40-00K R9550-40-00K R9551-40-00K
		RD, Non-Hexed	Straight		R9593-40-01K
-22-	Implant Analogs	Description			Catalog #
		RD, 1-Pack RD, 3-Pack			R9891-40K R9892-40K
	Ti Temporary Sleeves	Description			Catalog #
4		RD, Hexed RD, Non-Hexed			L2400-50-00K L2400-50-01K
	Straight Cement-On-Crown (COC) Abutments	Description		Cuff Height	Catalog #
		RD, Locking RD, Locking RD, Locking		No Cuff 2.0 mm 4.0 mm	L2308-40-04K R9290-40-02K R9290-40-04K
		RD, Non-Locking		2.0 mm	R9295-40-02K
/a	Angled Cement-On-Crown (COC) Abutments	Description		Cuff Height	Catalog #
		RD, 15° Angled, Locking RD, 15° Angled, Locking		2.0 mm 4.0 mm	R9291-40-02K R9291-40-04K
		RD, 25° Angled, Locking RD, 25° Angled, Locking		2.0 mm 4.0 mm	R9292-40-02K R9292-40-04K
	UCLA Gold/Plastic Sleeves	Description			Catalog #
		RD, Hexed RD, Non-Hexed			L2405-50-00K L2405-50-01K

UCLA Plastic Sleeves	Description	Flare	Catalog #
	RD, Hexed RD, Hexed RD, Non-Hexed	5.0 mm 6.0 mm 5.0 mm	R9250-40-00K R9251-40-00K L2403-50-01K
Cobalt Chrome (CoCr) Abutment	Description RD, Non-Hexed (includes Plastic Sleeve and Abutme	ent Screw)	Catalog # L2601-50-00K
Abutment Screws*	Description RD Abutment Screw, Ti, .048" Hex RD Abutment Screw, TiN, .048" Hex RD Abutment Screw, Ti, .048" Hex RD Abutment Screw, TiN, .048" Hex RD Abutment Screw, TiN, .048" Hex RD Abutment Screw, TiN, .048"	ex - COC/CoCr : - UCLA	Catalog # R9202-40-48K R9302-40-48K R9203-40-48K R9304-40-48K




	Cover Screw*	De	escription			Catalog #
		WE)			L1809-50-01K
	Healing Abutments**	De	escription	Flare	Cuff Height	Catalog #
P		WE WE WE	O	Straight Straight Straight	2.0 mm 4.0 mm 6.0 mm	R9633-50-02K R9633-50-04K R9633-50-06K
		WE WE)	6.0 mm 6.0 mm 6.0 mm	2.0 mm 4.0 mm 6.0 mm	R9606-50-02K R9606-50-04K R9606-50-06K
		WE)	7.5 mm	4.0 mm	R9676-50-04K

^{** .048&}quot; Hex Driver required for RESTORE Healing Abutments.



	Implant Impression Posts Implant Analog	Description WD, Hexed WD, Hexed WD, Hexed WD, Non-Hexed	Flare Straight 6.0 mm 7.5 mm Straight	Catalog # R9549-50-00K R9597-50-00K R9598-50-00K R9593-50-01K
		WD, 1-Pack		R9893-50K
	Ti Temporary Sleeves	Description WD, Hexed WD, Non-Hexed		Catalog # L2500-60-00K L2500-60-01K
	Straight Cement-On-Crown (COC) Abutments	Description WD, Locking WD, Locking WD, Locking WD, Non-Locking	Cuff Height No Cuff 2.0 mm 4.0 mm	Catalog # L2308-50-04K R9290-50-02K R9290-50-04K R2503-60-02K
	Angled Cement-On-Crown (COC) Abutments	Description WD, 15° Angled, Locking WD, 15° Angled, Locking	Cuff Height 2.0 mm 4.0 mm	Catalog # R9291-50-02K R9291-50-04K
	UCLA Gold/Plastic Sleeves	Description WD, Hexed WD, Non-Hexed		Catalog # L2508-60-00K L2508-60-01K

UCLA Plastic Sleeves	Description	Flare	Catalog #
	WD, Hexed WD, Non-Hexed	6.0 mm 6.0 mm	R9226-50-00K R9226-50-01K
Abutment Screws*	Description		Catalog #
	WD Abutment Screw, Ti, .04 WD Abutment Screw, TiN, .0		R9203-50-48K R9303-50-48K



O-Ring Abutments External Hex

	O-Ring Abutments	Description	Cuff Height	Catalog #
		SD SD SD	2.0 mm 3.0 mm 4.0 mm	L2304-42-02K L2304-42-03K L2304-42-04K
		RD RD RD	2.0 mm 3.0 mm 4.0 mm	L2402-50-02K L2402-50-03K L2402-50-04K
		WD WD WD	2.0 mm 3.0 mm 4.0 mm	L2505-60-02K L2505-60-03K L2505-60-04K
	O-Ring Abutment Accessories	Description		Catalog #
9		O-Ring Abutment Analog		L2805-01K
H		Titanium Keeper		L2810-01K
0		Clinical O-Rings, Black, 12-Pack		L2811-01K
0		Processing O-Rings, Red, 12-Pack		L2812-01K



Snap Abutments	Description	Cuff Height	Catalog #
	SD SD SD	2.0 mm 3.0 mm 4.0 mm	41000K 41001K 41002K
	RD RD RD	2.0 mm 3.0 mm 4.0 mm	41003K 41004K 41005K
	WD WD	2.0 mm 3.0 mm	841006K 41007K
Snap Abutment Accessories	Description		Catalog #
	Retention Inserts, Red, Low Retention, 6-Pack		40003K
	Retention Inserts, Yellow, Medium Retention, 6-Pack		40004K
	Retention Inserts, Blue, High Retention, 6-Pack		40005K
	Housing with Low Retention Insert and Lab Spacer		40006K
	Retention Insert Seating Tool		40007K
	Snap Abutment Analog		L284-01K
HANGARA	Overdenture Abutment Driver, Swivel Head (8 mm)		L2100-96-
ACCEPTED TO THE PROPERTY OF TH			L2100-96-





Surgical Options	Catalog #
Surgical Tray (empty)	11028K
A. RESTORE® Basic Surgical Kit	L9105-1K
B. Short Implant - Instrument Upgrade Pack	L9106-1K

The Basic Surgical Kit contains the instrumentation, drills, and taps needed to place the most popular sizes of RESTORE® Dental Implants Small Diameter (SD) 3.3 mm, Regular Diameter (RD) 3.75 and 4.0 mm, and Wide Diameter (WD) 5.0 mm. Additional components can be ordered separately, depending on clinical requirements.

Description	Catalog #
A. RESTORE® Basic Surgical Kit includes:	L9105-1K
Surgical Tray	11028K
1.6 x 15 mm Drill, Non-Irrigated	L1104-16-15K
2.0 x 15 mm Drill, Non-Irrigated	L1104-20-15K
2.8 x 15 mm Drill, Non-Irrigated	L1101-28-15K
3.0 x 15 mm Drill, Non-Irrigated	L1104-30-15K
3.3 x 15 mm Drill, Non-Irrigated	L1104-33-15K
4.2 x 15 mm Drill, Irrigated	L1104-42-15K
2.0/3.0 mm Pilot Drill, Non-Irrigated	L1301-20-30K
3.0/4.2 mm Pilot Drill, Irrigated	L1300-30-42K
Countersink Drill, Non-Irrigated	L1404-38-02K
Drill Extender	L1404-01K
Handpiece Adapter for NP Placement Head	L1406-01K
Hand Adapter for NP Placement Head	L1406-02K
Latch Type Conversion Handle	L1407K
3.3 x 18 mm Surgical Tap, Irrigated	L1502-33-18K
3.75 x 18 mm Surgical Tap, Irrigated	L1504-38-18K

4.0 x 18 mm Surgical Tap, Irrigated	L1504-40-18K
5.0 x 15 mm Surgical Tap, Irrigated	L1504-50-15K
Surgical Ratchet	L1702-01K
Ratchet Extender, Square	L1703-01K
Stabilizing Wrench	L1709-01K
Irrigation Port Cleaner	L1800-22-02K
Surgical Depth Probe	L1805-01K
Parallel Pin 2.0/3.0 mm, 4-Pack	L1805-20-00K
Ratchet Adapter for NP Mount, 8 mm	L1806-04K
Ratchet/Tap Adapter, 12 mm	L1806-05K
Hex Driver, .035", Swivel Head, Long	L2100-35-24K
Hex Driver, .048", Swivel Head, Short	R9121K
RESTORE Surgical Manual	MK40040
RESTORE Prosthetic Manual	MK40041
Wall Chart	MK40049
Drill Usage Chart	MK40238
RESTORE Implant Overlay	100036-EN01

Description	Catalog #
B. Short Implant - Instrument Upgrade Pack <i>includes:</i>	L9106-1K
1.6 x 15 mm Drill, Non-Irrigated	L1104-16-15K
2.0 x 10 mm Drill, Non-Irrigated	L1104-20-10K
2.0 x 15 mm Drill, Non-Irrigated	L1104-20-15K
3.0 x 10 mm Drill, Non-Irrigated	L1104-30-10K
3.0 x 15 mm Drill, Non-Irrigated	L1104-30-15K
3.3 x 10 mm Drill, Non-Irrigated	L1104-33-10K
3.3 x 15 mm Drill, Non-Irrigated	L1104-33-15K
4.2 x 10 mm Drill, Irrigated	L1104-42-10K
4.2 x 15 mm Drill, Irrigated	L1104-42-15K
5.2 x 10 mm Drill, Irrigated	L1104-52-10K

5.2 x 15 mm Drill, Irrigated	L1104-52-15K
Countersink Drill, Non-Irrigated	L1404-38-02K
3.75 x 13 mm Surgical Tap, Irrigated	L1504-38-13K
3.75 x 15 mm Surgical Tap, Irrigated	L1504-38-18K
4.0 x 13 mm Surgical Tap, Irrigated	L1504-40-13K
4.0 x 18 mm Surgical Tap, Irrigated	L1504-40-18K
5.0 x 13 mm Surgical Tap, Irrigated	L1504-50-13K
5.0 x 15 mm Surgical Tap, Irrigated	L1504-50-15K
6.0 x 13 mm Surgical Tap, Irrigated	L1504-60-13K
6.0 x 15 mm Surgical Tap, Irrigated	L1504-60-15K
Surgical Depth Probe	L1805-01K



Initial Drills	Description	Catalog #
= 1.6 X 15	Ø1.6 x 15 mm, Non-Irrigated	L1104-16-15K
2.0 X 15	Ø2.0 x 10 mm, Non-Irrigated Ø2.0 x 15 mm, Non-Irrigated	L1104-20-10K L1104-20-15K
Surgical Drills	Description	Catalog #
2.8 X 15	Ø2.8 x 10 mm, Non-Irrigated Ø2.8 x 15 mm, Non-Irrigated	L1101-28-10K L1101-28-15K
3.0 X 15	Ø3.0 x 10 mm, Non-Irrigated Ø3.0 x 15 mm, Non-Irrigated	L1104-30-10K L1104-30-15K
3.3 X 15	Ø3.3 x 10 mm, Non-Irrigated Ø3.3 x 15 mm, Non-Irrigated	L1104-33-10K L1104-33-15K
42X15	Ø4.2 x 10 mm, Irrigated Ø4.2 x 15 mm, Irrigated	L1104-42-10K L1104-42-15K
5.2 X 15	Ø5.2 x 10 mm, Irrigated Ø5.2 x 15 mm, Irrigated	L1104-52-10K L1104-52-15K
Countersink Drill	Description	Catalog #
C-SINK	For placement of Ø3.75/ Ø4.0 mm implants, Non-Irrigated	L1404-38-02K

Pilot Drills	Description	Catalog #
2.0-3.0	2.0/3.0 mm, Irrigated 2.0/3.0 mm, Non-Irrigated 3.0/4.2 mm, Irrigated 3.4/4.2 mm, Irrigated 4.2/5.0 mm, Irrigated 4.2/5.2 mm, Irrigated	L1300-20-30K L1301-20-30K L1300-30-42K L1300-34-42K L1300-42-50K L1300-42-52K
Surgical Taps	Description	Catalog #
33 X 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ø3.3 x 13 mm, Irrigated Ø3.3 x 18 mm, Irrigated	L1502-33-13K L1502-33-18K
= 3.75 X 18 = 1 1 1 1 1 1 1 1 1 1	Ø3.75 x 13 mm, Irrigated Ø3.75 x 18 mm, Irrigated	L1504-38-13K L1504-38-18K
= 4.0 × 18	Ø4.0 x 13 mm, Irrigated Ø4.0 x 18 mm, Irrigated	L1504-40-13K L1504-40-18K
[=_6.0 X 15	Ø5.0 x 13 mm, Irrigated Ø5.0 x 15 mm, Irrigated	L1504-50-13K L1504-50-15K
=_6.0 × 15	Ø6.0 x 13 mm, Irrigated Ø6.0 x 15 mm, Irrigated	L1504-60-13K L1504-60-15K
Bone Profiler System	Description	Catalog #
	SD Ø4.2 mm Flare (with Guide Pin) SD Ø5.5 mm Flare (with Guide Pin) SD Guide Pin, 2-Pack	L1408-42K L1408-55K L1411-01K
RC RO GO C	RD Ø5.0 mm Flare (with Guide Pin) RD Ø6.0 mm Flare (with Guide Pin) RD Guide Pin, 2-Pack	L1409-50K L1409-60K L1412-01K
	WD Ø6.0 mm Flare (with Guide Pin) WD Ø7.5 mm Flare (with Guide Pin) WD Guide Pin, 2-Pack	L1410-60K L1410-75K L1413-01K

	Placement Heads	Description	Catalog #
		SD 5.5 mm Length SD 15 mm Length	R9192-33-05K R9192-33-15K
		RD 5.5 mm Length RD 15 mm Length	R9192-40-05K R9192-40-15K
		WD 15 mm Length	R9192-50-15K
	Stabilizing Wrench	Description Stabilizing Wrongh	Catalog #
18	STABILIZING WRENCH MOUNT O	Stabilizing Wrench	L1709-01K
	Surgical Ratchet	Description	Catalog #
0		Surgical Ratchet	L1702-01K
	Surgical Ratchet/ Torque Wrench	Description	Catalog #
	Z Kringer	Surgical Ratchet/Torque Wrench	K15695
	Ratchet Adapters & Extenders	Description	Catalog #
		Ratchet Adapter, Short (8 mm)	L1806-04K
		Ratchet/Tap Adapter, Long (12 mm)	L1806-05K
		Ratchet Extenders, Short & Long	L1703-01K
		Replacement O-Rings for Ratchet Adapter, 4-Pack	L1806-03K
	Surgical Depth Probe	Description	Catalog #
J	6.5 I 8 ■ 10 11.5 I 13 ■ 15 18 ■ 20 THREADED	Surgical Depth Probe	L1805-01K

Conversion Handle, Latch Type Instruments	Description	Catalog #
	Conversion Handle, Latch Type Instruments	L1407K
Hand Adapter, Placement Heads	Description Hand Adapter, Placement Heads	Catalog # L1406-02K
Handpiece Adapter	Description Handpiece Adapter, Short Handpiece Adapter, Long	Catalog # L1406-01K 13085K
Surgical Hand Driver	Description Surgical Hand Driver	Catalog # L1414-01K
Drill Extender	Description Drill Extender	Catalog # L1404-01K
Irrigation Port Cleaner	Description Irrigation Port Cleaner	Catalog # L1800-22-02
Parallel Pin	Description Straight, 2.0/3.0 mm, 4-Pack 15° Angled, 2.0/3.0 mm, 2-Pack 25° Angled, 2.0/3.0 mm, 2-Pack	Catalog # L1805-20-00K L1805-20-15K L1805-20-25K



.035" Hex Drivers	Description	Catalog #
	Swivel Head, Short (8 mm/19 mm total length) Swivel Head, Long (13 mm/24 mm total length)	L2100-35-19K L2100-35-24K
■ •035	Latch Type, Short <i>(23 mm total length)</i> Latch Type, Long <i>(28 mm total length)</i>	L1400-35-23K L1400-35-28K
	For Torque Wrench, Short (8 mm)	ISS1117K
.048" Hex Drivers	Description	Catalog #
•	Swivel Head, Short (8 mm/19 mm total length) Swivel Head, Long (13 mm/24 mm total length)	R9121K R9122K
.048	Latch Type, Short (23 mm total length) Latch Type, Long (28 mm total length)	L1400-48-23K L1400-48-28K
	For Torque Wrench, Short <i>(8 mm)</i> For Torque Wrench, Long <i>(15 mm)</i>	ISS1104K ISS1109K
O-Ring Abutment Drivers	Description	Catalog #
Control of the Contro		
DENT	Swivel Head	L2100-96-19K
DENI	Swivel Head Latch Type	L2100-96-19K L1404-96-20K

Component Pack	Description	Catalog #
a weeks to management	Component Pack	L1812-01K
Reamers & Handle	Description	Catalog #
	Reamer Handle, UCLA, Swivel Head	L2802-01K
	SD Reamer, UCLA RD Reamer UCLA WD Reamer UCLA	L2800-01K L2800-02K L2800-03K
Waxing Pins	Description	Catalog #
	SD, UCLA, .048" Hex RD, UCLA, .048" Hex WD, UCLA, .048" Hex	R9394-34K R9595-40K R9595-50-48K
Hader Bar & Clip System	Description	Catalog #
	Hader Bar & Clip System (includes 1 Hader Bar, 6 Processing Clips, 6 Final Clips, & 1 Seating Tool)	ISS185HK
	Hader Castable Bar	ISS185BK
=	Hader Processing Clips, 6-Pack	ISS185HPK
=	Hader Final Clips, 6-Pack	ISS185HRK
	Hader Clip Seating Tool	ISS185TK
=	Hader Metal Housing Clips, 6-Pack	ISS526HK



Terms and Conditions

TERMS AND CONDITIONS OF SALE. The following are the terms and conditions by which Keystone Dental, Inc. sells its products. As used herein, the term "Keystone" means Keystone Dental, Inc. and its applicable affiliates; the term "Products" means the Keystone products and services described in this invoice, and "Purchaser" means the person or company purchasing the Products.

GOVERNING TERMS. Any purchase and shipment of Products shall be deemed to be on the terms and conditions stated herein. Any and all terms and conditions submitted by Purchaser are hereby rejected.

TAXES. The prices set forth herein do not include any sales, use, excise, ad valorem, property or other taxes applicable to the sale, use or delivery of the Products, all of which shall be paid by Purchaser separately or added to the contract price and paid by Purchaser to Keystone.

PRICES. The prices set forth for the Products are in United States Dollars. All prices shall be as of the invoice date, regardless of the date the Product is originally ordered from Keystone.

DELIVERY. Products sold hereunder shall be delivered F.O.B. shipping point. Purchaser shall assume responsibility for all subsequent delivery or shipping charges.

ACCEPTANCE. Purchaser must inspect all Products for defects and/or non-conformity within seven (7) calendar days of delivery. After this period, Purchaser will have accepted such Products.

PAYMENT. Payment terms shall be as set forth on the front of the invoice. If payment is late, the maximum statutory interest rate will apply on such late amount. Keystone may, in its sole discretion, suspend shipments of Products until full payment by Purchaser of all past due amounts to Keystone is made.

RETURN; EXCHANGE. Purchaser may return any Product within thirty (30) calendar days of the invoice date so long as there is an offsetting (exchange) order of equal or greater value. Purchaser may return any Product after thirty (30) calendar days from the invoice date, but no later than ninety (90) calendar days after the invoice date, so long as there is an offsetting (exchange) order of equal or greater value, provided, however, such returns shall be subject to a 15% re-stocking fee. Keystone will not accept any returns or exchanges after ninety (90) calendar days following the invoice date.

No biomaterial products (bone grafting and membrane) will be accepted for return or exchange. No returns or exchanges will be accepted for Products that (i) were originally sold as part of a kit, pack or set, (ii) were included on the original invoice at no charge, (iii) have less than six (6) months remaining before expiration or (iv) were custom ordered. The Purchaser shall pay all shipping costs associated with the return or exchange of a Product. No Products will be accepted by Keystone for return or exchange without an RMA number given to Purchaser by Keystone Customer Service. Returned Products must be unexpired, unopened and undamaged, returned freight prepaid.

WARRANTY. EXCEPT AS EXPRESSLY SET FORTH IN KEYSTONE'S LIFETIME IMPLANT WARRANTY PROGRAM, KEYSTONE DOES NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, EXCEPT THAT ITS PRODUCTS SHALL BE FREE FROM DEFECTS IN MATERIAL AND/OR WORKMANSHIP. THIS WARRANTY APPLIES ONLY TO THE ORIGINAL PURCHASER. PURCHASER ASSUMES ALL RISKS AND LIABILITY RESULTING FROM THE USE OF THESE PRODUCTS, WHETHER USED SEPARATELY OR IN COMBINATION WITH OTHER PRODUCTS. THE WARRANTY DOES NOT APPLY IF THE FAILURE OF THE PRODUCT IS CAUSED BY TRAUMA OR ACCIDENT OR BY THE PATIENT IN WHOM THE IMPLANT WAS INSTALLED OR IF THE PURCHASER IS NOT CURRENT ON ALL OUTSTANDING PAYMENTS TO KEYSTONE AT THE TIME OF SUCH CLAIM. KEYSTONE MAY MODIFY OR TERMINATE ITS WARRANTY PROGRAM AT ANY TIME, HOWEVER ANY CHANGES TO THE WARRANTY PROGRAM WILL NOT AFFECT PRODUCTS ALREADY PURCHASED AT THE TIME OF SUCH CHANGE. PURCHASER'S SOLE REMEDY WITH RESPECT TO CLAIMS RELATED TO KEYSTONE PRODUCTS IS RESTRICTED TO THE WARRANTY POLICY.

LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES SHALL KEYSTONE OR ANY OF ITS AFFILIATES BE LIABLE FOR BUSINESS INTERRUPTION, LOSS OF PROFITS, SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE AND FROM ANY CAUSE WHETHER BASED IN CONTRACT, WARRANTY OR TORT (INCLUDING NEGLIGENCE) OR OTHER LEGAL THEORY, EVEN IF KEYSTONE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

INTELLECTUAL PROPERTY. All intellectual property rights in Products sold to Purchaser shall remain the exclusive property of Keystone and its licensors.

PERSONAL DATA. It is Purchaser's responsibility to obtain patient's consent to transfer any personal data to Keystone.

TERMINATION. Keystone may terminate this or any agreement with Purchaser to purchase its products upon immediate written notice if Purchaser fails to pay any of its debt obligations to Keystone on time.

FORCE MAJEURE. Keystone shall not be liable for any loss or damage due to failure or delay arising out of any cause beyond the reasonable control of Keystone. In the event of any failure or delay resulting from such causes, an equitable adjustment of delivery and any other appropriate terms and conditions shall be made. No such failure or delay shall be the basis for an increase in Keystone's obligations, nor any termination by Purchaser.

VALIDITY. If any provision of these Terms and Conditions is found to be illegal or unenforceable in any respect, such illegality or unenforceability shall not affect any other provision of these Terms and Conditions, all of which shall remain enforceable in accordance with their terms.

GENERAL PROVISIONS. The purchase of the Products and these Terms and Conditions are governed by the laws of the Commonwealth of Massachusetts, without regard to conflicts of law principles. Any dispute, claim or controversy arising out of or in connection with the purchase of the Products shall be resolved by arbitration in Boston, Massachusetts. This document incorporates all oral and written representations between the parties and constitutes the entire agreement and understanding of the parties with respect to the subject matter hereof and supersedes any and all other agreements either oral or written between the parties with respect to such subject matter. No amendment or modification may be made to this document unless in writing and duly executed by an authorized representative of Keystone. Keystone may subcontract, assign or transfer its obligations or rights to a competent third party. Purchaser may not assign or transfer any of its obligations without the consent of Keystone.



Keystone Dental, Inc. Global Headquarters

154 Middlesex Turnpike Burlington, MA 01803 USA General Inquiries: 781-328-3600

Customer Relations: 866-902-9272 or 781-328-3490

Email: info@keystonedental.com



Keystone Dental, Inc.

5 Holland, Bldg 209 Irvine, CA 92618 USA Customer Service Number: Email: info@keystonedental.com



Keystone Dental, Inc. Authoried European Representative

EMERGO Europe B.V Prinsessegracht 20 2514 AP The Hague The Netherlands (+31 (0) 70 345 8570)







Caution, consult accompanying documents