




Smarter Thinking. Simpler Design.



Prima Plus™


Product Catalog





Prima Plus™

Ø3.5 mm Prima Plus™ Implants	4
Ø3.5 mm Prosthetic Options	5
Ø3.5 mm Prosthetic Components	6
Ø4.1 mm Prima Plus™ Implants	10
Ø4.1 mm Prosthetic Options	11
Ø4.1 mm Prosthetic Components	12
Ø5.0/6.0 mm Prima Plus™ Implants	16
Ø5.0/6.0 mm Prosthetic Options	17
Ø5.0/6.0 mm Prosthetic Components	18
LOCATOR® Prosthetic Options	23
LOCATOR R-Tx™ Abutment	24
LOCATOR® Abutment	25
Prima Plus™ Surgical Kit	26
Surgical Motors.....	30
Terms & Conditions.....	32

Product specifications are subject to change without notice.
 Items illustrated are not to scale.


Prima Plus™ Implants		Catalog #	Implant Size
	15730K		Ø3.5 x 8 mm Length*
	15731K		Ø3.5 x 10 mm Length
	15732K		Ø3.5 x 11.5 mm Length
	15733K		Ø3.5 x 13 mm Length
	15734K		Ø3.5 x 15 mm Length








Cover Screw	Catalog #	Description
	15300K	Ø3.5 mm

Healing Abutments**	Catalog #	Description	Flare	Cuff Height
	15301K	Ø3.5 mm	Straight	3.0 mm
	15302K	Ø3.5 mm	Straight	5.0 mm
	15303K	Ø3.5 mm	Straight	7.0 mm
	15317K	Ø3.5 mm	4.0 mm	3.0 mm
	15318K	Ø3.5 mm	4.0 mm	5.0 mm
	15304K	Ø3.5 mm	5.0 mm	3.0 mm
15305K	Ø3.5 mm	5.0 mm	5.0 mm	

The Ø3.5 mm Prima Plus™ can be restored with straight, Ø4.0 and Ø5.0 mm flared prosthetic components. An Abutment Screw is included with all TiLobe abutments.

*Not recommended to be used as a free standing implant.
**Healing Abutments available in Pink "Anatite."



	Catalog #	Description	Flare	Cuff Height	
	45130K	Ø3.5 mm	Straight		
	45136K	Ø3.5 mm	4.0 mm		
	45131K	Ø3.5 mm	5.0 mm		
	45904K	Ø3.5 mm	4.0 mm		
	45906K	Ø3.5 mm	5.0 mm		
	45905K	Ø3.5 mm	4.0 mm		
	45907K	Ø3.5 mm	5.0 mm		
	45140K	Ø3.5 mm, 1-Pack			
	45143K	Ø3.5 mm, 10-Pack			
	45118K	Ø3.5 mm, Locking	4.0 mm		
	45119K	Ø3.5 mm, Non-Locking	4.0 mm		
	45112K	Ø3.5 mm, Locking	5.0 mm		
	45113K	Ø3.5 mm, Non-Locking	5.0 mm		
	45075K	Ø3.5 mm, Locking			
	45076K	Ø3.5 mm, Non-Locking			
	45046K	Ø3.5 mm, Straight	4.0 mm	1.0 mm	
	45047K	Ø3.5 mm, Straight	4.0 mm	2.0 mm	
	45048K	Ø3.5 mm, 15° Angled	4.0 mm	1.0 mm	
	45049K	Ø3.5 mm, 15° Angled	4.0 mm	2.0 mm	
	45030K	Ø3.5 mm, Straight	5.0 mm	1.0 mm	
	45031K	Ø3.5 mm, Straight	5.0 mm	3.0 mm	
	45032K	Ø3.5 mm, 15° Angled	5.0 mm	1.0 mm	
	45033K	Ø3.5 mm, 15° Angled	5.0 mm	3.0 mm	

*Available in Pink "Anatite."

	Catalog #	Description	Flare	Cuff Height
	45100K	Gold/Plastic Sleeve, Locking		1.0 mm
	45101K	Gold/Plastic Sleeve, Non-Locking		1.0 mm
	45060K	1-Pack		
	45061K	10-Pack		
	45400K	Ø3.5 mm	5.0 mm	1.0 mm
	45401K	Ø3.5 mm	5.0 mm	2.0 mm
	45402K	Ø3.5 mm	5.0 mm	3.0 mm
	45403K	Ø3.5 mm	5.0 mm	4.0 mm
	45420K	Ø3.5 mm	5.0 mm	1.0 mm
	45421K	Ø3.5 mm	5.0 mm	2.0 mm
	45422K	Ø3.5 mm	5.0 mm	3.0 mm
	45423K	Ø3.5 mm	5.0 mm	4.0 mm
	45432K	Ø3.5 mm, 1-Pack	5.0 mm	
	45209K	Ø3.5 mm	5.0 mm	
	45445K	Ø3.5 mm	5.0 mm	
	45215K	Ø3.5 mm, Locking	5.0 mm	
	45218K	Ø3.5 mm, Non-Locking	5.0 mm	
	45301K	Ø3.5 mm	5.0 mm	

*Available in Pink "Anatite."















Image	Product Name	Catalog #	Description	Cuff Height
	Prepable Abutment	45042K	Ø3.5 mm	
	Multi Unit Abutment	45312K	Ø3.5 mm, Straight	1.0 mm
		45313K	Ø3.5 mm, Straight	2.0 mm
		45314K	Ø3.5 mm, Straight	3.0 mm
		45321K	Ø3.5 mm, Angled, 17°	3.0 mm
		45322K	Ø3.5 mm, Angled, 17°	4.0 mm
		45936K	Ø3.5 mm Angled, 30°	3.0 mm
	45937K	Ø3.5 mm Angled, 30°	4.0 mm	
	45938K	Ø3.5 mm Angled, 30°	5.0 mm	
	Multi Unit Abutment Healing Cap	45330K	Ø3.5 mm	
	Open Tray Multi Unit Abutment Impression Post	45327K	Ø3.5 mm with screw	
	Closed Tray Multi Unit Abutment Impression Post	45328K	Closed Tray, Ø3.5 mm	
	Multi Unit Abutment Analog	45329K	Ø3.5 mm	
	Multi-Unit Abutment Ti Temporary Sleeve	45331K	Ø3.5 mm	





Image	Product Name	Catalog #	Description
	Multi Unit Abutment Plastic Sleeve	45332K	Ø3.5 mm
	Multi Unit Abutment Prosthetic Screw	45333K	1-Pack
	Replacement Abutment Screw for Multi Unit Angled Abutment	45334K	1-Pack
	Ti-Base Abutment (Short)	45806K	Ø3.5 mm
	Pink Ti-Base Abutment (Short)	45809K	Ø3.5 mm
	Ti-Base Abutment (Long)	45901K	Ø3.5 mm
	Pink Ti-Base Abutment (Long)	45812K	Ø3.5 mm
	Esthetic Contour SD Ti-Base Digital Impression Post	45933K	Ø3.5 mm
	Esthetic Contour SD Ti-Base Abutment	45930K	Ø3.5 mm

Prima Plus™ Implants		Catalog #	Implant Size		
	15735K	Ø4.1 x 8 mm Length			
	15736K	Ø4.1 x 10 mm Length			
	15737K	Ø4.1 x 11.5 mm Length			
	15738K	Ø4.1 x 13 mm Length			
	15739K	Ø4.1 x 15 mm Length			
Cover Screw		Catalog #	Description		
	15306K	Ø4.1 mm			
Healing Abutments*		Catalog #	Description	Flare	Cuff Height
	15307K	Ø4.1 mm	Straight	3.0 mm	
	15308K	Ø4.1 mm	Straight	5.0 mm	
	15309K	Ø4.1 mm	Straight	7.0 mm	
	15319K	Ø4.1 mm	5.0 mm	3.0 mm	
	15320K	Ø4.1 mm	5.0 mm	5.0 mm	
	15310K	Ø4.1 mm	6.0 mm	3.0 mm	
	15311K	Ø4.1 mm	6.0 mm	5.0 mm	











The Ø4.1 mm Prima Plus™ can be restored with straight, Ø5.0 and Ø6.0 mm flared prosthetic components. An Abutment Screw is included with all TiLobe abutments.

*Healing Abutments available in Pink "Anatite."
















	Catalog #	Description	Flare	Cuff Height
	45132K	Ø4.1 mm	Straight	
	45137K	Ø4.1 mm	5.0 mm	
	45133K	Ø4.1 mm	6.0 mm	
	45908K	Ø4.1 mm	5.0 mm	
	45910K	Ø4.1 mm	6.0 mm	
	45909K	Ø4.1 mm	5.0 mm	
	45911K	Ø4.1 mm	6.0 mm	
	45141K	Ø4.1 mm, 1-Pack		
	45144K	Ø4.1 mm, 10-Pack		
	45120K	Ø4.1 mm, Locking	5.0 mm	
	45121K	Ø4.1 mm, Non-Locking	5.0 mm	
	45114K	Ø4.1 mm, Locking	6.0 mm	
	45115K	Ø4.1 mm, Non-Locking	6.0 mm	
	45077K	Ø4.1 mm, Locking		
	45078K	Ø4.1 mm, Non-Locking		
 Cuff Height (Buccal)	45050K	Ø4.1 mm, Straight	5.0 mm	0.5 mm
	45051K	Ø4.1 mm, Straight	5.0 mm	1.5 mm
	45052K	Ø4.1 mm, 15° Angled	5.0 mm	0.5 mm
	45053K	Ø4.1 mm, 15° Angled	5.0 mm	1.5 mm
	45034K	Ø4.1 mm, Straight	6.0 mm	1.0 mm
	45035K	Ø4.1 mm, Straight	6.0 mm	3.0 mm
	45036K	Ø4.1 mm, 15° Angled	6.0 mm	1.0 mm
	45037K	Ø4.1 mm, 15° Angled	6.0 mm	3.0 mm
	45102K	Gold/Plastic Sleeve, Locking		1.0 mm
	45103K	Gold/Plastic Sleeve, Non-Locking		1.0 mm

*Available in Pink "Anatite."

	Catalog #	Description	Flare	Cuff Height
	45060K	1-Pack		
	45061K	10-Pack		
	45412K	Ø4.1 mm	5.0 mm	0.5 mm
	45413K	Ø4.1 mm	5.0 mm	1.5 mm
	45414K	Ø4.1 mm	5.0 mm	2.5 mm
	45415K	Ø4.1 mm	5.0 mm	4.0 mm
	45404K	Ø4.1 mm	6.0 mm	0.5 mm
	45405K	Ø4.1 mm	6.0 mm	1.5 mm
	45406K	Ø4.1 mm	6.0 mm	2.5 mm
	45407K	Ø4.1 mm	6.0 mm	4.0 mm
	45435K	Ø4.1 mm	5.0 mm	0.5 mm
	45436K	Ø4.1 mm	5.0 mm	1.5 mm
	45437K	Ø4.1 mm	5.0 mm	2.5 mm
	45438K	Ø4.1 mm	5.0 mm	4.0 mm
	45424K	Ø4.1 mm	6.0 mm	0.5 mm
	45425K	Ø4.1 mm	6.0 mm	1.5 mm
	45426K	Ø4.1 mm	6.0 mm	2.5 mm
	45427K	Ø4.1 mm	6.0 mm	4.0 mm
	45443K	Ø4.1 mm, 1-Pack	5.0 mm	
	45433K	Ø4.1 mm, 1-Pack	6.0 mm	
	45236K	Ø4.1 mm	5.0 mm	
	45210K	Ø4.1 mm	6.0 mm	
	45448K	Ø4.1 mm	5.0 mm	
	45446K	Ø4.1 mm	6.0 mm	

*Available in Pink "Anatite."

Quick-Abutment Plastic Sleeve		Catalog #	Description	Flare
		45240K	Ø4.1 mm, Locking	5.0 mm
		45242K	Ø4.1 mm, Non-Locking	5.0 mm
		45216K	Ø4.1 mm, Locking	6.0 mm
		45219K	Ø4.1 mm, Non-Locking	6.0 mm
Quick-Abutment Ceramic Coping		Catalog #	Description	Flare
		45244K	Ø4.1 mm	5.0 mm
		45302K	Ø4.1 mm	6.0 mm
Prepable Abutment		Catalog #	Description	
		45043K	Ø4.1 mm	
Multi Unit Abutment		Catalog #	Description	Cuff Height
		45315K	Ø4.1 mm, Straight	1.0 mm
		45316K	Ø4.1 mm, Straight	2.0 mm
		45317K	Ø4.1 mm, Straight	3.0 mm
		45318K	Ø4.1 mm, Straight	4.0 mm
		45323K	Ø4.1 mm, Angled, 17°	3.0 mm
		45324K	Ø4.1 mm, Angled, 17°	4.0 mm
		45325K	Ø4.1 mm, Angled, 30°	4.0 mm
		45326K	Ø4.1 mm, Angled, 30°	5.0 mm
Multi Unit Abutment Healing Cap		Catalog #	Description	
		45330K	Ø4.1 mm	
Open Tray Multi Unit Abutment Impression Post		Catalog #	Description	
		45327K	Ø4.1 mm with screw	
Closed Tray Multi Unit Abutment Impression Post		Catalog #	Description	
		45328K	Ø4.1 mm	
Multi Unit Abutment Analog		Catalog #	Description	
		45329K	Ø4.1 mm	

Multi-Unit Abutment Ti Temporary Sleeve		Catalog #	Description
		45331K	Ø4.1 mm
Multi Unit Abutment Plastic Sleeve		Catalog #	Description
		45332K	Ø4.1 mm
Multi Unit Abutment Prosthetic Screw		Catalog #	Description
		45333K	1-Pack
Replacement Abutment Screw for Multi Unit Angled Abutment		Catalog #	Description
		45334K	1-Pack
Ti-Base Abutment (Short)		Catalog #	Description
		45807K	Ø4.1 mm
Pink Ti-Base Abutment (Short)		Catalog #	Description
		45810K	Ø4.1 mm
Ti-Base Abutment (Long)		Catalog #	Description
		45902K	Ø4.1 mm
Pink Ti-Base Abutment (Long)		Catalog #	Description
		45813K	Ø4.1 mm
Esthetic Contour SD Ti-Base Digital Impression Post		Catalog #	Description
		45934K	Ø4.1 mm
Esthetic Contour SD Ti-Base Abutment		Catalog #	Description
		45931K	Ø4.1 mm




Prima Plus™ Implants		Catalog #	Implant Size
	15740K	Ø5.0 x 8 mm Length	
	15741K	Ø5.0 x 10 mm Length	
	15742K	Ø5.0 x 11.5 mm Length	
	15743K	Ø5.0 x 13 mm Length	
	15744K	Ø5.0 x 15 mm Length	
	15745K	Ø6.0 x 8 mm Length	
	15746K	Ø6.0 x 10 mm Length	
	15747K	Ø6.0 x 11.5 mm Length	
	15748K	Ø6.0 x 13 mm Length	

Cover Screw	Catalog #	Description
	15312K	Ø5.0 mm

Healing Abutments*	Catalog #	Description	Flare	Cuff Height
	15313K	Ø5.0/6.0 mm	Straight	3.0 mm
	15314K	Ø5.0/6.0 mm	Straight	5.0 mm
	15321K	Ø5.0/6.0 mm	5.0 mm	3.0 mm
	15322K	Ø5.0/6.0 mm	5.0 mm	5.0 mm
	15315K	Ø5.0/6.0 mm	6.0 mm	3.0 mm
	15316K	Ø5.0/6.0 mm	6.0 mm	5.0 mm
	15789K	Ø5.0/6.0 mm	7.0 mm	3.0 mm
	15790K	Ø5.0/6.0 mm	7.0 mm	5.0 mm
	15791K	Ø5.0/6.0 mm	8.0 mm	3.0 mm
	15792K	Ø5.0/6.0 mm	8.0 mm	5.0 mm

The Ø5.0 mm Prima Plus™ can be restored with straight, Ø5.0 and Ø6.0 mm flared prosthetic components. An Abutment Screw is included with all TiLobe abutments.

*Healing Abutments available in Pink "Anatite."





Open & Closed Tray Impression Post



Catalog #	Description	Flare
45134K	Ø5.0/6.0 mm	Straight
45138K	Ø5.0/6.0 mm	5.0 mm
45135K	Ø5.0/6.0 mm	6.0 mm

Open Tray Impression Post



Catalog #	Description	Flare
45912K	Ø5.0/6.0 mm	5.0 mm
45914K	Ø5.0/6.0 mm	6.0 mm
45916K	Ø5.0/6.0 mm	7.0 mm
45918K	Ø5.0/6.0 mm	8.0 mm

Closed Tray Impression Post



Catalog #	Description	Flare
45913K	Ø5.0/6.0 mm	5.0 mm
45915K	Ø5.0/6.0 mm	6.0 mm
45917K	Ø5.0/6.0 mm	7.0 mm
45919K	Ø5.0/6.0 mm	8.0 mm

Implant Analog



Catalog #	Description
45142K	Ø5.0 mm, 1-Pack
45145K	Ø5.0 mm, 10-Pack
45956K	Ø6.0 mm, 1-Pack

Temporary Abutment



Catalog #	Description	Flare
45122K	Ø5.0/6.0 mm, Locking	5.0 mm
45123K	Ø5.0/6.0 mm, Non-Locking	5.0 mm
45116K	Ø5.0/6.0 mm, Locking	6.0 mm
45117K	Ø5.0/6.0 mm, Non-Locking	6.0 mm

Ti Temporary Abutment*



Catalog #	Description
45079K	Ø5.0/6.0 mm, Locking
45080K	Ø5.0/6.0 mm, Non-Locking

Esthetic Contour Ti Abutment*



Cuff Height (Buccal)

Catalog #	Description	Flare	Cuff Height
45054K	Ø5.0/6.0 mm, Straight	5.0 mm	0.5 mm
45055K	Ø5.0/6.0 mm, Straight	5.0 mm	1.5 mm
45056K	Ø5.0/6.0 mm, 15° Angled	5.0 mm	0.5 mm
45057K	Ø5.0/6.0 mm, 15° Angled	5.0 mm	1.5 mm
45038K	Ø5.0/6.0 mm, Straight	6.0 mm	1.0 mm
45039K	Ø5.0/6.0 mm, Straight	6.0 mm	3.0 mm
45040K	Ø5.0/6.0 mm, 15° Angled	6.0 mm	1.0 mm

UCLA Abutment



Catalog #	Description	Cuff Height
45104K	Gold/Plastic Sleeve, Locking	1.0 mm
45105K	Gold/Plastic Sleeve, Non-Locking	1.0 mm

*Available in Pink "Anatite."



Replacement Final Abutment Screw



Catalog #	Description
45060K	1-Pack

Laboratory Screw




Catalog #	Description
45061K	10-Pack

Quick-Packs



Catalog #	Description	Flare	Cuff Height
45416K	Ø5.0/6.0 mm	5.0 mm	0.5 mm
45417K	Ø5.0/6.0 mm	5.0 mm	1.5 mm
45418K	Ø5.0/6.0 mm	5.0 mm	2.5 mm
45419K	Ø5.0/6.0 mm	5.0 mm	4.0 mm
45408K	Ø5.0/6.0 mm	6.0 mm	0.5 mm
45409K	Ø5.0/6.0 mm	6.0 mm	1.5 mm
45410K	Ø5.0/6.0 mm	6.0 mm	2.5 mm
45411K	Ø5.0/6.0 mm	6.0 mm	4.0 mm

Quick-Abutment*



Catalog #	Description	Flare	Cuff Height
45439K	Ø5.0/6.0 mm	5.0 mm	0.5 mm
45440K	Ø5.0/6.0 mm	5.0 mm	1.5 mm
45441K	Ø5.0/6.0 mm	5.0 mm	2.5 mm
45442K	Ø5.0/6.0 mm	5.0 mm	4.0 mm
45428K	Ø5.0/6.0 mm	6.0 mm	0.5 mm
45429K	Ø5.0/6.0 mm	6.0 mm	1.5 mm
45430K	Ø5.0/6.0 mm	6.0 mm	2.5 mm
45431K	Ø5.0/6.0 mm	6.0 mm	4.0 mm

Quick-Abutment Quick-Cap®



Catalog #	Description	Flare
45444K	Ø5.0/6.0 mm, 1-Pack	5.0 mm
45434K	Ø5.0/6.0 mm, 1-Pack	6.0 mm

Quick-Abutment Temporary/Healing Cap



Catalog #	Description	Flare
45237K	Ø5.0/6.0 mm	5.0 mm
45211K	Ø5.0/6.0 mm	6.0 mm

Quick-Abutment Analog



Catalog #	Description	Flare
45449K	Ø5.0/6.0 mm	5.0 mm
45447K	Ø5.0/6.0 mm	6.0 mm


*Available in Pink "Anatite."



	Quick-Abutment Plastic Sleeve	Quick-Abutment Ceramic Coping	Prepable Abutment	Multi Unit Abutment	Multi Unit Abutment Healing Cap	Open Tray Multi Unit Abutment Impression Post	Closed Tray Multi Unit Abutment Impression Post	Multi Unit Abutment Analog
	Catalog # 45241K 45243K 45217K 45220K	Catalog # 45245K 45303K	Catalog # 45044K	Catalog # 45319K 45320K 45939K 45940K 45941K 45942K	Catalog # 45330K	Catalog # 45327K	Catalog # 45328K	Catalog # 45329K
	Description Ø5.0/6.0 mm, Locking Ø5.0/6.0 mm, Non-Locking Ø5.0/6.0 mm, Locking Ø5.0/6.0 mm, Non-Locking	Description Ø5.0/6.0 mm Ø5.0/6.0 mm	Description Ø5.0/6.0 mm	Description Ø5.0/6.0 mm, Straight Ø5.0/6.0 mm, Straight Ø5.0/6.0 mm, Straight Ø5.0/6.0 mm, Straight Ø5.0/6.0 mm, Angled 17° Ø5.0/6.0 mm, Angled 17°	Description Ø5.0/6.0 mm	Description Ø5.0/6.0 mm with screw	Description Ø5.0/6.0 mm	Description Ø5.0/6.0 mm
	Flare 5.0 mm 5.0 mm 6.0 mm 6.0 mm	Flare 5.0 mm 6.0 mm		Cuff Height 1.0 mm 2.0 mm 3.0 mm 4.0 mm 3.0 mm 4.0 mm				



Multi-Unit Abutment Ti Temporary Sleeve	Multi Unit Abutment Plastic Sleeve	Multi Unit Abutment Prosthetic Screw	Replacement Abutment Screw for Multi Unit Angled Abutment	Ti-Base Abutment (Short)	Pink Ti-Base Abutment (Short)	Ti-Base Abutment (Long)	Pink Ti-Base Abutment (Long)	Esthetic Contour SD Ti-Base Digital Impression Post	Esthetic Contour SD Ti-Base Abutment
Catalog # 45331K	Catalog # 45332K	Catalog # 45333K	Catalog # 45334K	Catalog # 45808K	Catalog # 45811K	Catalog # 45903K	Catalog # 45814K	Catalog # 45935K	Catalog # 45932K
Description Ø5.0/6.0 mm	Description Ø5.0/6.0 mm	Description 1-Pack	Description 1-Pack	Description Ø5.0/6.0 mm	Description Ø5.0/6.0 mm	Description Ø5.0 mm	Description Ø5.0/6.0 mm	Description Ø5.0 mm	Description Ø5.0/6.0 mm





**LOCATOR R-Tx™
Abutment**

Catalog #	Description	Cuff Height
LOCR-TX 31200-01	Ø3.5 mm	1.0 mm
LOCR-TX 31200-02	Ø3.5 mm	2.0 mm
LOCR-TX 31200-03	Ø3.5 mm	3.0 mm
LOCR-TX 31200-04	Ø3.5 mm	4.0 mm
LOCR-TX 31200-05	Ø3.5 mm	5.0 mm
LOCR-TX 31200-06	Ø3.5 mm	6.0 mm
LOCR-TX 31201-01	Ø4.1 mm	1.0 mm
LOCR-TX 31201-02	Ø4.1 mm	2.0 mm
LOCR-TX 31201-03	Ø4.1 mm	3.0 mm
LOCR-TX 31201-04	Ø4.1 mm	4.0 mm
LOCR-TX 31201-05	Ø4.1 mm	5.0 mm
LOCR-TX 31201-06	Ø4.1 mm	6.0 mm
LOCR-TX 31202-01	Ø5.0/6.0 mm	1.0 mm
LOCR-TX 31202-02	Ø5.0/6.0 mm	2.0 mm
LOCR-TX 31202-03	Ø5.0/6.0 mm	3.0 mm
LOCR-TX 31202-04	Ø5.0/6.0 mm	4.0 mm
LOCR-TX 31202-05	Ø5.0/6.0 mm	5.0 mm
LOCR-TX 31202-06	Ø5.0/6.0 mm	6.0 mm

**LOCATOR R-Tx™
Abutment Accessories**



Catalog #	Description
LOCR-TX 30013-01	Denture Attachment Processing Assembly, 4-Pack
LOCR-TX 30001-01	Zero Retention Insert. Gray, 4-Pack
LOCR-TX 30002-01	Low Retention Insert. Blue, 4-Pack
LOCR-TX 30003-01	Medium Retention Insert. Pink, 4-Pack
LOCR-TX 30004-01	High Retention Insert. White, 4-Pack
LOCR-TX 30014-01	3.35 mm Abutment Analog, 4-Pack
LOCR-TX 30015-01	4.0 mm Abutment Analog, 4-Pack
LOCR-TX 30016-01	5.0 mm Abutment Analog, 4-Pack
LOCR-TX 30017-01	Impression Coping, 4-Pack
LOCR-TX 30021-01	Retention Insert Tool
LOCR-TX 04936	.050"/1.25 mm Hex, Torque Wrench
LOCR-TX 08007	.050"/1.25 mm Hex Driver with Thumb Knob
LOCR-TX 08008	.050"/1.25 mm Hex, Latch Lock Driver
LOCR-TX 30012-01	Processing Insert, 4-Pack
LOCR-TX 30018-01	Processing Spacer, 4-Pack



**LOCATOR® Abutment
Assembly**

Catalog #	Description	Cuff Height
45062K	Ø3.5 mm	1.0 mm
45258K	Ø3.5 mm	2.0 mm
45259K	Ø3.5 mm	3.0 mm
45260K	Ø3.5 mm	4.0 mm
45063K	Ø3.5 mm	5.0 mm
45064K	Ø3.5 mm	6.0 mm
45065K	Ø4.1 mm	1.0 mm
45261K	Ø4.1 mm	2.0 mm
45262K	Ø4.1 mm	3.0 mm
45263K	Ø4.1 mm	4.0 mm
45066K	Ø4.1 mm	5.0 mm
45067K	Ø4.1 mm	6.0 mm
45068K	Ø5.0/6.0 mm	1.0 mm
45264K	Ø5.0/6.0 mm	2.0 mm
45265K	Ø5.0/6.0 mm	3.0 mm
45069K	Ø5.0/6.0 mm	4.0 mm
45070K	Ø5.0/6.0 mm	5.0 mm
45071K	Ø5.0/6.0 mm	6.0 mm

**LOCATOR® Abutment
Accessories**







Catalog #	Description
L85192	Denture Cap with Black Processing Male, 2-Pack
45266K	LOCATOR® Replacement Male, White, Standard Retention, 4-Pack
45267K	LOCATOR® Replacement Male, Pink, Light Retention, 4-Pack
45268K	LOCATOR® Replacement Male, Blue, (ELR) Extra Light Retention, 4-Pack
45269K	LOCATOR® Replacement Male, Green, (ER) Extended Range, 4-Pack
45270K	LOCATOR® Female Analog, 4-Pack
45271K	LOCATOR® Impression Coping, 4-Pack
45273K	LOCATOR® Core Tool
45274K	LOCATOR® Torque Wrench Driver



Catalog #	Surgical Options
15729K	Surgical Cassette (empty)
15728K	Prima Plus™ Surgical Kit

Catalog #	Description
15728K	Prima Plus™ Surgical Kit <i>Includes:</i>
15729K	Surgical Cassette
15750K	1.8 x 15 mm Initial Drill
15752K	2.2/2.6 Twist Step Drill, 8-15 mm
15754K	2.6/2.9 Twist Step Drill, 8-15 mm
15756K	2.9/3.3 Twist Step Drill, 8-15 mm
15758K	3.4/3.9 Twist Step Drill, 8-15 mm
15760K	3.8/4.1 Twist Step Drill, 8-15 mm
15762K	4.4/4.8 Twist Step Drill, 8-15 mm
15764K	4.6/5.3 Twist Step Drill, 8-15 mm
15766K	5.3/5.7 Twist Step Drill, 8-15 mm
15770K	3.5 Implant Driver, Short
15771K	3.5 Implant Driver, Long
15772K	4.1 Implant Driver, Short
15773K	4.1 Implant Driver, Long
15774K	5.0/6.0 Implant Driver, Short
15775K	5.0/6.0 Implant Driver, Long
L1404-01K	Drill Extender

Catalog #	Description
15776K	Parallel Pin, 1.8 x 8-15 mm
15274K	Quad Driver, Latch, Short
15275K	Quad Driver, Latch, Long
15272K	Quad Driver, Swivel, Short
15273K	Quad Driver, Swivel, Long
15224K	Ratchet Adapter
K15695	Surgical Ratchet/Torque Wrench
100045-EN01	Prima Plus™ Surgical Manual
100046-EN01	Wall Chart
100047-EN01	Drill Usage Chart

Image	Section	Catalog #	Description
	Tissue Punch	15237K 15238K 15239K	Ø3.5 mm, with Guide Pin Ø4.1 mm, with Guide Pin Ø5.0 mm, with Guide Pin
	Initial Drills	15750K 15751K	Ø1.8 x 8-15 mm Ø1.8 x 8-11.5 mm
	Parallel Pin	15776K	1.8 x 8-15 mm
	Twist Step Drills	15752K 15753K 15754K 15755K 15756K 15757K 15758K 15759K 15760K 15761K 15762K 15763K 15764K 15765K 15766K 15767K	2.2/2.6 Twist Step Drill, 8-15 mm 2.2/2.6 Twist Step Drill, 8-11.5 mm 2.6/2.9 Twist Step Drill, 8-15 mm 2.6/2.9 Twist Step Drill, 8-11.5 mm 2.9/3.3 Twist Step Drill, 8-15 mm 2.9/3.3 Twist Step Drill, 8-11.5 mm 3.4/3.9 Twist Step Drill, 8-15 mm 3.4/3.9 Twist Step Drill, 8-11.5 mm 3.8/4.1 Twist Step Drill, 8-15 mm 3.8/4.1 Twist Step Drill, 8-11.5 mm 4.4/4.8 Twist Step Drill, 8-15 mm 4.4/4.8 Twist Step Drill, 8-11.5 mm 4.6/5.3 Twist Step Drill, 8-15 mm 4.6/5.3 Twist Step Drill, 8-11.5 mm 5.3/5.7 Twist Step Drill, 8-13 mm 5.3/5.7 Twist Step Drill, 8-11.5 mm

Surgical Taps



Catalog #	Description
15784K	Ø3.5 x 8-15 mm
15785K	Ø4.1 x 8-15 mm
15786K	Ø5.0 x 8-15 mm
15787K	Ø6.0 x 8-11.5 mm
15788K	Ø6.0 x 13 mm

Bone Profiler



Catalog #	Description
15279K	Ø3.5 mm, with Guide Pin
15280K	Ø4.1 mm, with Guide Pin
15281K	Ø5.0 mm, with Guide Pin
15778K	Ø6.0 mm, with Guide Pin

**Prima Plus™
Implant Driver, Ratchet**



Catalog #	Description
15282K	Ø3.5 mm
15283K	Ø4.1 mm
15284K	Ø5.0/6.0 mm

**Prima Plus™
Implant Driver, Latch**




Catalog #	Description
15770K	Ø3.5 mm Implant Driver, Short
15771K	Ø3.5 mm Implant Driver, Long
15772K	Ø4.1 mm Implant Driver, Short
15773K	Ø4.1 mm Implant Driver, Long
15774K	Ø5.0/6.0 mm Implant Driver, Short
15775K	Ø5.0/6.0 mm Implant Driver, Long

**Surgical Ratchet/
Torque Wrench**




Catalog #	Description
K15695	Surgical Ratchet/Torque Wrench

Quad Drivers



Catalog #	Description
15272K	Swivel Head, Short
15273K	Swivel Head, Long
15274K	Latch Type, Short
15275K	Latch Type, Long
15276K	Torque Wrench, Short
15277K	Torque Wrench, Long

Ratchet Adapter



Catalog #
15224K

Conversion Handles



Catalog #	Description
L1407K	Conversion Handle, Latch Type
ISS1112K	Conversion Handle, Square

**Reamer Tool for Quick-
Abutment Plastic Sleeve**



Catalog #	Description
45311K	Reamer Tool and Centering Pins

Surgical Hand Driver



Catalog #
15271K

Osteotomes



Catalog #	Description
15063K	Osteotome Kit, Round, with Tray 1.8-2.5 mm, Round, Condensing 1.9-3.0 mm, Round, Condensing 2.2-3.6 mm, Round, Condensing 2.8-4.5 mm, Round, Condensing
15067K	
15068K	
15069K	
15070K	Osteotome Kit, Sinus, with Tray 1.8-2.5 mm, Concave, Sinus 1.9-3.0 mm, Concave, Sinus 2.2-3.6 mm, Concave, Sinus 2.8-4.5 mm, Concave, Sinus
15064K	
15071K	
15072K	
15073K	
15074K	
15066K	Osteotome Tray (empty)

Implantmed Surgical Motors

SI-1015



Catalog #	Description
WH-90000207	SI-1015 Implantmed Base Motor Unit
WH-90000213	SI-1015 Implantmed Motor Unit Fully Loaded
WH-90000208*	SI-1015 Implantmed Base Motor Unit w/Ostell
WH-90000209*	SI-1015 Implantmed Motor Unit, WiFi Footpedal Upgrade
WH-90000210*	SI-1015 Implantmed Motor Unit, WiFi Footpedal Upgrade & Ostell
WH-90000211*	SI-1015 Implantmed Motor Unit, LED+ Motor Upgrade
WH-90000212*	SI-1015 Implantmed Motor Unit, LED+ Motor Upgrade & Ostell
WH-90000214*	SI-1015 Implantmed Motor Unit Fully Loaded & Ostell

Implantmed Surgical Handpieces

WS-75 L



Catalog #	Description
WH-30058000	S-11 L 1:1 Straight (For Implantmed SI-1015 LC motor only)
WH-30033000	WS-75 L 20:1, Contra-angle (For Implantmed SI-1015 LC motor only)
WH-30065000	WS-75 Contra-Angle 20:1 Dismantlable Handpiece for implant surgery (10-2,000 rpm)
WH-30032000	WS-75 L G Contra-Angle 20:1 Dismantlable Handpiece with Mini LED+ for implant surgery (10-2,000 rpm)
WH-30056000	S-11 1:1 High Speed Straight Handpiece for oral surgery (200-40,000 rpm)
WH-10207550	WI-75 E/KM Contra-Angle 20:1 Handpiece for implant surgery (10-2,000 rpm)

May not be available in all markets.

*Available upon request.

Implantmed Accessories

Ostell ISQ Module



Catalog #	Description
WH-04363600	Irrigation Tubing and Spike Assembly, 6-Pack, Disposable (for use with Implantmed series & Elcomed SA-310 motors)
WH-00929300	Irrigation Tubing with Luer Lock, Green (10-Pack)
WH-04019000	Irrigation Tubing Clips, 5-Pack (for use with Implantmed SI-915 motors to hold tubing to motor cable)
WH-02610500	Irrigation Needle/Canula (for use with internally irrigated drills)
WH-06016400	Y-Connector Complete
WH-06946300	Irrigation Spray Clip (new series), Left Side, E/KM, Green (3-Pack)
WH-06948300	Irrigation Spray Clip (new series), Right Side, E/KM, Green (3-Pack)
WH-06948400	Irrigation Spray Clip (new series), Left Side, Green (3-Pack)
WH-06949500	Irrigation Spray Clip (new series), Right Side, Green (3-Pack)
WH-04757100	Irrigation Spray Clip (old series), E/KM, Black (3-Pack)
WH-05051000	Irrigation Spray Clip (old series), Black (3-Pack)
WH-02139800	Bur Testing Gauge (to check all 2.35 mm & 1.6 mm burs)
WH-10940011	W&H F-1 Service Oil, 400 ml (Special shipping & handling required [aerosol can]. Contact Customer Service for shipping rates.)
WH-02038200	Spray Cap for Service Oil (reusable replacement)
WH-04013500	Sterilization Case
WH-30264001	S-NW +SPI WiFi Foot Pedal (For Elcomed SA-310 & Implantmed SI-915 white only)
WH-30264000*	S-NW + CAN WiFi Foot Pedal (For Implantmed SI-1015 only)
WH-30210000*	Ostell ISQ Module (For Implantmed SI-1015 only)
WH-30185000*	EM-19 Motor, 1.8m Cable, without LED+ Port (For Implantmed SI-1015 only)
WH-30281000*	EM-19 LC Motor, 1.8m Cable, LED+ Port (For Implantmed SI-1015 only)

May not be available in all markets.

*Available upon request.

Terms and Conditions

TERMS AND CONDITIONS OF SALE. The following are the terms and conditions by which Keystone Dental, Inc. sells its products. As used herein, the term "Keystone" means Keystone Dental, Inc. and its applicable affiliates; the term "Products" means the Keystone products and services described in this invoice, and "Purchaser" means the person or company purchasing the Products.

GOVERNING TERMS. Any purchase and shipment of Products shall be deemed to be on the terms and conditions stated herein. Any and all terms and conditions submitted by Purchaser are hereby rejected.

TAXES. The prices set forth herein do not include any sales, use, excise, ad valorem, property or other taxes applicable to the sale, use or delivery of the Products, all of which shall be paid by Purchaser separately or added to the contract price and paid by Purchaser to Keystone.

PRICES. The prices set forth for the Products are in United States Dollars. All prices shall be as of the invoice date, regardless of the date the Product is originally ordered from Keystone.

DELIVERY. Products sold hereunder shall be delivered F.O.B. shipping point. Purchaser shall assume responsibility for all subsequent delivery or shipping charges.

ACCEPTANCE. Purchaser must inspect all Products for defects and/or non-conformity within seven (7) calendar days of delivery. After this period, Purchaser will have accepted such Products.

PAYMENT. Payment terms shall be as set forth on the front of the invoice. If payment is late, the maximum statutory interest rate will apply on such late amount. Keystone may, in its sole discretion, suspend shipments of Products until full payment by Purchaser of all past due amounts to Keystone is made.

RETURN; EXCHANGE. Purchaser may return any Product within thirty (30) calendar days of the invoice date so long as there is an offsetting (exchange) order of equal or greater value. Purchaser may return any Product after thirty (30) calendar days from the invoice date, but no later than ninety (90) calendar days after the invoice date, so long as there is an offsetting (exchange) order of equal or greater value, provided, however, such returns shall be subject to a 15% re-stocking fee. Keystone will not accept any returns or exchanges after ninety (90) calendar days following the invoice date.

No biomaterial products (bone grafting and membrane) will be accepted for return or exchange. No returns or exchanges will be accepted for Products that (i) were originally sold as part of a kit, pack or set, (ii) were included on the original invoice at no charge, (iii) have less than six (6) months remaining before expiration or (iv) were custom ordered. The Purchaser shall pay all shipping costs associated with the return or exchange of a Product. No Products will be accepted by Keystone for return or exchange without an RMA number given to Purchaser by Keystone Customer Service. Returned Products must be unexpired, unopened and undamaged, returned freight prepaid.

WARRANTY. Except as expressly set forth in Keystone's lifetime implant warranty program, Keystone does not make any warranty, express or implied, except that its products shall be free from defects in material and/or workmanship. This warranty applies only to the original purchaser. Purchaser assumes all risks and liability resulting from the use of these products, whether used separately or in combination with other products. The warranty does not apply if the failure of the product is caused by trauma or accident or by the patient in whom the implant was installed or if the purchaser is not current on all outstanding payments to Keystone at the time of such claim. Keystone may modify or terminate its warranty program at any time, however any changes to the warranty program will not affect products already purchased at the time of such change. Purchaser's sole remedy with respect to claims related to Keystone products is restricted to the warranty policy.

LIMITATION OF LIABILITY. Under no circumstances shall Keystone or any of its affiliates be liable for business interruption, loss of profits, special, indirect, incidental or consequential damages of any nature and from any cause whether based in contract, warranty or tort (including negligence) or other legal theory, even if Keystone has been advised of the possibility of such damages.

INTELLECTUAL PROPERTY. All intellectual property rights in Products sold to Purchaser shall remain the exclusive property of Keystone and its licensors.

PERSONAL DATA. It is Purchaser's responsibility to obtain patient's consent to transfer any personal data to Keystone.

TERMINATION. Keystone may terminate this or any agreement with Purchaser to purchase its products upon immediate written notice if Purchaser fails to pay any of its debt obligations to Keystone on time.

FORCE MAJEURE. Keystone shall not be liable for any loss or damage due to failure or delay arising out of any cause beyond the reasonable control of Keystone. In the event of any failure or delay resulting from such causes, an equitable adjustment of delivery and any other appropriate terms and conditions shall be made. No such failure or delay shall be the basis for an increase in Keystone's obligations, nor any termination by Purchaser.

VALIDITY. If any provision of these Terms and Conditions is found to be illegal or unenforceable in any respect, such illegality or unenforceability shall not affect any other provision of these Terms and Conditions, all of which shall remain enforceable in accordance with their terms.

GENERAL PROVISIONS. The purchase of the Products and these Terms and Conditions are governed by the laws of the Commonwealth of Massachusetts, without regard to conflicts of law principles. Any dispute, claim or controversy arising out of or in connection with the purchase of the Products shall be resolved by arbitration in Boston, Massachusetts. This document incorporates all oral and written representations between the parties and constitutes the entire agreement and understanding of the parties with respect to the subject matter hereof and supersedes any and all other agreements either oral or written between the parties with respect to such subject matter. No amendment or modification may be made to this document unless in writing and duly executed by an authorized representative of Keystone. Keystone may subcontract, assign or transfer its obligations or rights to a competent third party. Purchaser may not assign or transfer any of its obligations without the consent of Keystone.

Keystone Dental, Inc.
Global Headquarters
154 Middlesex Turnpike
Burlington, MA 01803 USA
General Inquiries: 781-328-3600
Customer Relations: 866-902-9272 or 781-328-3490
Fax: 866-903-9272 or 781-328-3400
Email: info@keystonedental.com



Caution, consult accompanying documents

Trademark Acknowledgements

TiLobe, PrimaPlus, Quick-Cap and "Smarter Thinking. Simpler Design." are trademarks and registered trademarks of Keystone Dental, Inc.