



FUTURE HARVEST
NUTRIENTS

8 WEEK AUTOFLOWER FEED SCHEDULE FOR HIGH VALUE CROPS IN SOIL / COCO / SOILLESS

Measurements are in mL / US Gallon (500 PPM SCALE)		VEGETATIVE STAGE						FLOWERING - RIPENING STAGE							
		WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6	WEEK 7	WEEK 8
MICRO		3	4	5	6.5	6.5	7.5	5	5.5	5.5	6.5	6.5	5.5	5	5
GROW		4	5.5	8	9.5	12	13.5	4	3	2.5	1.5	1.5	1.5	1	1
BLOOM		1.5	2.5	3	4	4	5	7	9	9	12	13.5	15	17	17
CALNESIUM	SOIL							2	2	4	4	4	4	4	4
	COCO	1	1	1	1	1	1	2	2	4	4	4	4	4	4
SUPER B+		5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
ROYAL GOLD		4	5.5	5.5	7	7	7	9	9	9	9	9	9	9	9
PLANTACILLIN		1.5	1.5	1.5	1.5	3	3	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
CARBO BLAST		1.5	1.5	1.5	1.5	3	3	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5
PROP-O-GATOR		3	5.5	5.5	5.5	8	8	11	8	5.5	5.5				
ROYAL BLACK		4	4	4	4	4	4	4	4	4	4	4	4	4	4
TON O BUD											6.5	6.5			
BUD BOOM													6.5	6.5	6.5
SUGGESTED PPM RANGE		400-550	650-800	800-950	900-1050	950-1150	1050-1200	650-750	750-1050	800-1150	800-1150	800-1200	900-1150	800-1050	800-1100

- 1) At water levels between 200-350 PPM, use Hard Water Micro instead of Micro. At water levels above 350 PPM, use Hard Water Micro - without Calnesium.
- 2) Always mix Micro first before adding Grow or Bloom, allowing additional mixing time between each product while maintaining a pH between 5.8-6.3.
- 3) In the case of tip burn or nutrient lock up, scale back measurements by 10-20% and flush the medium twice with pH adjusted water.
- 4) After 2 applications of a nutrient solution, flush the medium with pH adjusted water, then flush again the last 3-5 days before harvest.
- 5) For cuttings and clones, use 1/4 strength of Week 1 for Micro, Grow, and Bloom with 1mL/Gal of Super B+ and 1.25mL/Gal of Prop-O-Gator until rooted.
- 6) Flip to week 1 flower after first sign of flowering. If vegging longer than 6 weeks, repeat week 6. If flowering longer than 8 weeks, repeat week 8.