

CERTIFICATE OF ANALYSIS

| | |
|-----------------|--|
| Product Name: | Holland Secret Hard Water Micro |
| Date Certified: | April 16 2022 |
| Expiry Date: | April 15 2024 |

| PESTICIDES | | in milligrams per liter (Parts per Million) | | | |
|---------------------|--------|---|--------|--------------------|--------|
| Abamectin | < 0.1 | Dodemorph | < 0.1 | Novaluron | < 0.1 |
| Acephate | < 0.05 | Endosulfan-alpha | < 0.05 | Oxamyl | < 0.1 |
| Acetamiprid | < 0.1 | Endosulfan-beta | < 0.05 | Paclobutrazol | < 0.1 |
| Acequinocyl | < 0.5 | Endosulfan sulfate | < 0.05 | Parathion-methyl | < 0.5 |
| Aldicarb | < 0.1 | Ethoprophos | < 0.1 | Permethrin | < 0.5 |
| Allethrin | < 0.1 | Etofenprox | < 0.1 | Phenothrin | < 0.1 |
| Azadirachtin | < 0.5 | Etoxazole | < 0.1 | Phosmet | < 0.1 |
| Azoxystrobin | < 0.1 | Etridiazol | < 0.1 | Piperonyl butoxide | < 0.1 |
| Benzovindiflupyr | < 0.1 | Fenoxycarb | < 0.1 | Pirimicarb | < 0.1 |
| Bifenazate | < 0.2 | Fenpyroximate | < 0.1 | Propoxur | < 0.05 |
| Bifenthrin | < 0.2 | Fensulfothion | < 0.1 | Prallethrin | < 0.1 |
| Boscalid | < 0.1 | Fenthion | < 0.1 | Propiconazole | < 0.1 |
| Buprofezin | < 0.1 | Fenvalerate | < 0.5 | Pyraclostrobin | < 0.1 |
| Carbaryl | < 0.05 | Fipronil | < 0.1 | Pyrethrins | < 0.05 |
| Carbofuran | < 0.05 | Fonicamid | < 0.05 | Pyridaben | < 0.1 |
| Chlorantraniliprole | < 0.1 | Fludioxonil | < 0.2 | Quintozene | < 0.05 |
| Chlorphenapyr | < 0.2 | Fluopyram | < 0.1 | Resmethrin | < 0.1 |
| Chlorpyrifos | < 0.1 | Hexythiazox | < 0.1 | Spinetoram | < 0.1 |
| Clofentezine | < 0.1 | Imazalil | < 0.1 | Spinosad | < 0.1 |
| Clothianidin | < 0.1 | Imidacloprid | < 0.1 | Spirodiclofen | < 0.5 |
| Coumaphos | < 0.1 | Iprodione | < 0.1 | Spiromesifen | < 0.1 |
| Cyantranilipole | < 0.2 | Kinoprene | < 0.2 | Spirotetramat | < 0.1 |
| Cyfluthrin | < 0.1 | Kresoxim-methyl | < 0.1 | Spiroxamine | < 0.1 |
| Cypermethrin | < 0.2 | Malathion | < 0.2 | Tebuconazole | < 0.1 |
| Cyprodinil | < 0.1 | Metaxyl | < 0.1 | Tebufenozide | < 0.1 |
| Daminozide | < 0.2 | Methiocarb | < 0.1 | Teflubenzuron | < 0.1 |
| Deltamethrin | < 0.1 | Methomyl | < 0.05 | Tetrachlorvinphos | < 0.1 |
| Diazinon | < 0.05 | Methoprene | < 0.2 | Tetramethrin | < 0.1 |
| Dichlorvos | < 0.1 | Mevinphos | < 0.1 | Thiacloprid | < 0.1 |
| Dimethoate | < 0.05 | MGK-264 | < 0.1 | Thiamethoxam | < 0.1 |
| Dimethomorph | < 0.2 | Myclobutanil | < 0.2 | Thiophanate-methyl | < 0.05 |
| Dinotefuran | < 0.1 | Naled | < 0.1 | Trifloxystrobin | < 0.1 |

| HEAVY METALS | | in micrograms per gram (Parts per Million) | |
|---------------------|------|---|--------|
| Aluminum | 0.6 | Mercury | <0.005 |
| Antimony | <0.2 | Molybdenum | 10 |
| Arsenic | <0.5 | Nickel | <0.1 |
| Barium | 0.7 | Selenium | <0.5 |
| Beryllium | <0.1 | Silver | <0.1 |
| Boron | 330 | Strontium | 4 |
| Cadmium | <0.1 | Thallium | <0.2 |
| Chromium | <0.1 | Tin | <0.1 |
| Cobalt | <0.1 | Titanium | <0.1 |
| Copper | 18 | Uranium | <0.1 |
| Iron | 1520 | Vanadium | <0.1 |
| Lead | <0.2 | Zinc | 76 |
| Manganese | 392 | | |

| PATHOGENIC BACTERIA | | | |
|----------------------------|---------------|------------|-------------------------|
| Fecal Coliforms | <1 per 100 ml | Salmonella | Not detectable in 10 ml |

| MYCOTOXINS | | in micrograms per gram (Parts per Million) | |
|-------------------|-------|---|-------|
| Aflatoxin B1 | <0.05 | Aflatoxin G1 | <0.05 |
| Aflatoxin B2 | <0.05 | Aflatoxin G2 | <0.05 |

Notes:

- Analysis is conducted on a yearly basis using aliquots of all the batches produced in the previous year combined into one sample.
- The analysis of this fertilizer product was completed by the Saskatchewan Research Council between March 16th and April 8th, 2022.
- Pesticide and Mycotoxin testing conforms to Health Canada guidelines on Cannabis production, Heavy Metal, Coliform, and Salmonella conform to levels mandated by the Canadian Food Inspection Agency (CFIA).

Approved By


Loren Price – Director of Fertilizer Technology

