



**Practical and modern unit for cooling different rooms at home!**

Easy to move from room to room, the portable air conditioner is ideal for cooling bedrooms, home offices and other small rooms. The PAT series has a high energy efficiency and can retain a large amount of water.

## Portable Air Conditioner

PAT SHINY Series

**TOSOT**

UL US  
LISTED 20RJ

SF US  
Energy Verified  
Only

### MODELS



Product #		GPC05AK-A3NNA1C	GPC06AK-A3NNA1C	GPC08AL-A3NNA1B	GPH08AL-A3NNA1B	
Series		PAT Shiny	PAT Shiny	PAT Shiny	PAT Shiny with heat pump	
2022 New Series		-	-	-	-	
<b>Technical Performance</b>						
Voltage	Volts	115	115	115	115	
Heating capacity	Nominal BTU	-	-	-	10000	
Cooling capacity (SACC)	Nominal BTU/hr	5000	6000	8000	8000	
Cooling capacity (ASHRAE-128)	Nominal BTU/hr	8000	10000	11000	11050	
Used cooling power input	Nominal W	760	900	1120	1150	
Used rated input	W	1050	1250	1250	1250	
Rated current	A	11.5	10.8	10	10.5	
Energy Efficiency Rating (CEER)	Nominal BTU/hr	6.1	6.6	6.8	6.3	
Energy Efficiency Rating	EER	9.4	9.4	-	-	
Air flow volume	m <sup>3</sup> /hr	350 / 320 / 290	350 / 320 / 290	455 / 390 / 320	455 / 390 / 320	
	cfm	206 / 188 / 171	206 / 188 / 171	268 / 230 / 188	268 / 230 / 188	
Dehumidification	l/hr	1.1	1.35	1.75	1.75	
	pt/hr	2.32	2.85	3.7	3.7	
Application area	sq. ft. (sq. m)	300 (28)	350 (32)	450 (41)	450 (41)	
Cooling speed	r/min	1300 / 1200 / 1100	1300 / 1200 / 1100	1350 / 1150 / 950	1350 / 1150 / 950	
Sound level	dB (A)	65 / 64 / 63	63 / 62 / 61	67 / 65 / 62	67 / 65 / 62	
Operating ambient temperature	°C (°F)	16 - 35 (61 - 95)	16 - 35 (61 - 95)	16 - 35 (61 - 95)	16 - 35 (61 - 95)	
Refrigerant		R410A	R410A	R410A	R410A	
<b>Functions</b>						
WiFi		-	-	-	-	
Cooling		✓	✓	✓	✓	
Dehumidity		✓	✓	✓	✓	
Timer		✓	✓	✓	✓	
3 fan speeds		✓	✓	✓	✓	
Auto fan		✓	✓	✓	✓	
Memory		✓	✓	✓	✓	
Self-diagnosis		✓	✓	✓	✓	
<b>Includes</b>						
Remote control with battery		✓	✓	✓	✓	
Window filling panel		✓	✓	✓	✓	
Mounting hardware		✓	✓	✓	✓	
<b>Dimension</b>						
Product dimension	W x H x D	in. (mm)	12.402 x 30.315 x 15.551 (315 x 770 x 395)	12.402 x 30.315 x 15.551 (315 x 770 x 395)	15.354 x 32.283 x 15.945 (390 x 820 x 405)	15.354 x 32.283 x 15.945 (390 x 820 x 405)

Standard color: White and black



**Start your cooling unit remotely via an internet connection with the Wi-Fi function**

Easy to move from room to room, the portable air conditioner is ideal for cooling bedrooms, home offices and other small rooms. The PAT series has a high energy efficiency and can retain a large amount of water.

## Portable Air Conditioner

PAT SHINY WI-FI Series

**TOSOT**



### MODELS

Product #		GPC05AK-A6NNA1A	GPC06AK-A6NNA1A	GPC08AL-A3NNA1B-1	
Series		PAT Shiny WiFi	PAT Shiny WiFi	PAT Shiny WiFi	
2022 New Series		✓	✓	✓	
<b>Technical Performance</b>					
<b>Voltage</b>	Volts	115	115	115	
<b>Heating capacity</b>	Nominal BTU	-	-	-	
<b>Cooling capacity (SACC)</b>	Nominal BTU/hr	5000	6000	8000	
<b>Cooling capacity (ASHRAE-128)</b>	Nominal BTU/hr	8000	10000	11000	
<b>Used cooling power input</b>	Nominal W	820	900	1120	
<b>Used rated input</b>	W	1060	1250	1250	
<b>Rated current</b>	A	9	11	10	
<b>Energy Efficiency Rating (CEER)</b>	Nominal BTU/hr	6.1	6.6	6.8	
<b>Energy Efficiency Rating</b>	EER	9.4	9.4	-	
<b>Air flow volume</b>	m <sup>3</sup> /hr	350 / 320 / 290	350 / 320 / 290	455 / 390 / 320	
	cfm	206 / 188 / 171	206 / 188 / 171	268 / 230 / 188	
<b>Dehumidification</b>	l/hr	1.1	1.35	1.75	
	pt/hr	2.32	2.85	3.7	
<b>Application area</b>	sq. ft. (sq. m)	300 (28)	350 (32)	450 (41)	
<b>Cooling speed</b>	r/min	1300 / 1200 / 1100	1300 / 1200 / 1100	1350 / 1150 / 950	
<b>Sound level</b>	dB (A)	65 / 64 / 63	63 / 62 / 61	67 / 65 / 62	
<b>Operating ambient temperature</b>	°C (°F)	16 - 35 (61 - 95)	16 - 35 (61 - 95)	16 - 35 (61 - 95)	
<b>Refrigerant</b>		R32	R32	R410A	
<b>Functions</b>					
<b>WiFi</b>		✓	✓	✓	
<b>Cooling</b>		✓	✓	✓	
<b>Dehumidity</b>		✓	✓	✓	
<b>Timer</b>		✓	✓	✓	
<b>3 fan speeds</b>		✓	✓	✓	
<b>Auto fan</b>		✓	✓	✓	
<b>Memory</b>		✓	✓	✓	
<b>Self-diagnosis</b>		✓	✓	✓	
<b>Includes</b>					
<b>Remote control with battery</b>		✓	✓	✓	
<b>Window filling panel</b>		✓	✓	✓	
<b>Mounting hardware</b>		✓	✓	✓	
<b>Dimension</b>					
<b>Product dimension</b>	W x H x D	in.	12.402 x 30.315 x 15.551	12.402 x 30.315 x 15.551	15.354 x 32.283 x 15.945
		(mm)	(315 x 770 x 395)	(315 x 770 x 395)	(390 x 820 x 405)

Standard color: White and black



## FEATURES

### IMPROVED AIR QUALITY – 3-IN-1

As well as an air conditioner, the unit can ventilate and dehumidify your rooms.

### MOBILE

For residential and indoor use only, the unit is fitted with wheels so you can easily move it around the house.

### CONTINUOUS DRAINAGE OPTION

Water can be automatically drained by connecting a hose (not supplied).

### CLASSIC DESIGN

An understated look that blends into any room.

### 24H PROGRAMMABLE TIMER

The integrated timer can be used to start the air conditioning before you get home and stop it when you leave.

### USEFUL FEATURES

### WARRANTY

- 1-year against defects

- Programmable timer
- Night mode
- Energy saving mode
- Dehumidification mode
- 3-speed automatic ventilation
- Automatic restart function
- Includes wireless remote

### EASY TO CLEAN

Washable and reusable filter.

