



#### PATENTED CONSTRUCTION

SimTek® Fence has reinvented fence manufacturing with its patented design of rotationally-molded fence allowing realistic granite-stone appearance, dramatic wood texture, and superior performance.

#### **EXTREMELY DURABLE**

SimTek Fence is made with a proprietary blend of virgin and recycled polyethylene plastic and reinforced with galvanized steel. Our fence will withstand significant impact or wind-load without compromising aesthetics.



MADE OF STRONG LLDPE



SUPERIOR WIND RATING



**BLOCKS 98% OF DIRECT SOUND** 



IMPACT RESISTANT

## WE CREATE BEAUTIFUL YARDS

SimTek decorative walls offer elegance, privacy, and security for your yard. They provide a secluded place for you and your family to spend time together in the place that matters most: your home.

#ilovemyfence





#### VIRTUALLY MAINTENANCE-FREE

SimTek Fence will never need painting or staining and will not warp, fade or crack. SimTek withstands temperatures from -40° F to +140° F, and is resistant to any negative organic process.

#### SOLID PRIVACY AND SECURITY

SimTek Fence provides exceptional privacy and security for your loved ones. So sit back, relax and enjoy the great outdoors.

Colors throughout this brochure are simulated.
Consult product samples before making final selection.



**FADE RESISTANT** 




**ECO-FRIENDLY** 



**EASY INSTALLATION** 



THE USA






















# WE CREATE STRONG BARRIERS

SimTek's decorative rock walls have been tested to withstand constant hurricane winds of up to 110 MPH with gusts up to 130 MPH. Our walls are engineered with steel-reinforced polyethylene, making them extremely durable. They are fade-free and uniquely graffiti resistant.















#### THE ASHLAND™ COLLECTION FEATURES RICH COLORS AND DRAMATIC TEXTURE, WHICH GIVES OUR PANELS A REALISTIC WOOD APPEARANCE

- Ashland panels are made from a proprietary blend of polyethylene and contain up to 25% recycled material. No trees are cut down for the purpose of manufacturing our fence.
- Our panels contain UV-12 inhibitors for a lifetime of vibrant colors.

  Ashland polymers have been tested to withstand extreme weather conditions with little to no fading.
- Ashland panels will never need painting or staining and will not warp, fade, or crack. SimTek withstands temperatures from -40° F to +140°F, and is resistant to any negative organic process.
- Ashland panels have the same look on both sides, thus enhancing both you and your neighbor's outdoor living space.



Scan QR Code and watch our Ashland video


## STEEL REINFORCED

## **GATES**









## **EXTREMELY** DURABLE

- The internal frame of our gate is made of a 1.5" x 1.5" galvanized, 14 gauge, heavy-duty, steel frame. Each gate comes complete with two self-closing hinges, a latch, and a striker rod.
- Gates come in 3ft, 4ft, 5ft and 6ft widths and may be double hung for 7ft, 8ft, 9ft, 10ft, 11ft or 12ft openings.
- Hinges thread directly into the interior metal frame of the gate.
- Our spring loaded, self-closing hinges meet national pool codes.

#### **CONCRETE MOUNTING**

#### **BRACKETS**





A quality finished wall is the result of a quality installation.

Be certain that your retaining wall is at least 8" wide so the bolts can be anchored properly.




SimTek Fence can be installed on top of an eight inch minimum width, poured concrete wall or on a flat concrete surface. Our concrete mounting brackets are made with heavy steel plates and have vertical members. They attach to the concrete with wedge anchors and are bolted to the posts.

Mounting brackets are available for lines, ends, corners, and gate posts. Decorative skirts are used to cover the plates and anchor bolts for a finished look.



Scan QR Code and watch our how-to video






## PANELS & POSTS

#### SIZES

- Panels come in 3'H x 6'W, 6'H x 6'W, and 4'H x 8'W
- All panels contain high-grade galvanized steel in both top and bottom rails
- Panel heights cannot be modified; however, panels can be cut to any custom width
- Our panels have been engineered to allow stacking to create 8' and 12' high walls

- Posts come in 8.5' and 12' heights and have a five-inch outer diameter
- All posts contain full-length, internally molded, steel stiffeners for optimum strength
- Posts are made from 50% recycled polyethylene plastic
- For a 12' high fence, we supply metal I-beams with matching plastic post sleeves

### **ECOSTONE® SIZES & HEIGHTS**



### ASHLAND™ SIZES & HEIGHTS



#### **NEED HELP?**







NOA Approval 12-125.02



Forfull warranty information, please visit our website



Proudly made in the United States



U.S. Patents 7,478,797 / 7,635,114 Foreign Patents Pendings

## COLOR OPTIONS

## **GRANITE & WOOD GRAINS**



**Brown Granite** 



**Dark Brown Granite** 



Beige Granite



**Gray Granite** 



**Desert Granite** 



**Black Granite** 



**Walnut Brown** 



**Red Cedar** 



Nantucket Gray



**Gold Cedar** 



Black Oak



Request a sample

Contact SimTek Fence simtekinfo@certainteed.com www.certainteed.com



## STUNNING **BEAUTY LIFETIME** DURABILITY



#### **CertainTeed Corporation**

20 Moores Road Malvern, PA 19355 www.certainteed.com

#### ASK ABOUT ALL OF OUR OTHER CERTAINTEED' PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE GYPSUM • CEILINGS • INSULATION

866-648-9336