

Z10

A world first: The groundbreaking Z10 with P.R.G. for hot and cold brew speciality coffees



Benefits at a glance

- Product Recognising Grinder (P.R.G.) with ultra-fast automatic grinder adjustment for every speciality coffee
- Cold brew speciality coffees at the touch of a button thanks to the innovative Cold Extraction Process
- Eighth-generation brewing unit with 3D brewing technology for the ultimate aroma experience
- High-quality all-round design with convex-concave front panel, water tank in wave design and beautifully finished details

A masterpiece of Swiss engineering, the new Z10 doubles the range of speciality coffees. At the touch of a button it prepares the full spectrum of hot drinks from intense espresso to on-trend flat white. It also opens up a whole new dimension in the enjoyment of coffee with the introduction of cold brew specialities. This is made possible thanks to the Product Recognising Grinder (P.R.G.), which recognises the chosen speciality and instantly and precisely adjusts the fineness of grind accordingly. In addition, JURA has developed the pioneering Cold Extraction Process – a quite literally refreshing top innovation. In this process, cold water is slowly pulsed through the freshly ground coffee under high pressure. The result is a completely new way of experiencing coffee – refreshing, energising and with a wonderfully balanced aroma.

This outstanding premium coffee machine features a double-speed 4.3" touch display and the Blue Crystal Rotary Switch. Thanks to the Speciality Selection menu and artificial intelligence, it's exceptionally easy and intuitive to use. The technology quantum leap is also reflected in the sculptural design. The convex-concave front panel is visible proof of attention to detail and absolute manufacturing precision. Its high quality makes the Z10 a statement of excellent taste.



Z10

Technical overview

Specific advantages

Number of speciality coffees	32
Cold Extraction Process	■
Intelligent preheating	■
3D brewing technology	■
Automatic Grinder Adjustment (A.G.A.)	■
Active bean monitoring	■
Automatic switchover from milk to milk foam	■
Smart mode	■
JURA Cockpit with maintenance status display	■
WiFi connection to home network	■
Transmitter supplied as standard	WiFi Connect

JURA coffee machine standards

Pulse Extraction Process (P.E.P.®)	■
One-Touch Lungo function	■
One-Touch function	■
Variable brewing unit	5 – 16 g
Grinder	Product Recognising Grinder (P.R.G.)
Thermoblock heating system	1
Milk system / interchangeable milk spout	HP3 / CX3
Powder chute for ground coffee	■
Aroma preservation cover	■

Operating and programming standards

Compatible with J.O.E.®	■
Rotary Switch	■
Display	4,3" touchscreen colour display
Store, copy and personalise products	■
Programmable and individually adjustable amount of water	■
Programmable and individually adjustable coffee strength	10 levels
Programmable amount of milk / milk foam	■
Programmable milk / milk foam temperature	10 levels
Programmable brewing temperature	3 levels
Programmable temperature of hot water	3 levels

Hygiene standards

Intelligent Water System (I.W.S.)	■
CLARIS filter cartridge	CLARIS Smart
One-Touch milk system cleaning (automatic)	■
Integrated rinsing, cleaning and descaling programme	■
Monitored drip tray	■
JURA hygiene: TÜV-certified	■

Energy standards

Energy Save Mode (E.S.M.®)	■
Zero-Energy Switch or power switch	■
Programmable switch-off time	■

Design and materials

Convex-concave 3 mm aluminium front	■
Amber / white cup illumination	■
Water tank illumination blue	■

In figures

Height-adjustable / width-adjustable dual spout	78 – 150 mm / 24 – 50 mm
Water tank capacity	2,4 l
Bean container holding capacity	280 g
Coffee grounds container (servings)	approx. 20
Cable length	approx. 1.1 m
Voltage / Power	230 V ~ / 1450 W
Current	10 A
Stand-by power	0 W
Weight	13 kg
Dimensions (W × H × D)	32 × 38 × 45 cm
Article number / Product code	15368 / Aluminium Dark Inox (EA)



Hygiene standards



www.tuv.com
ID 0000027526

Besøg www.coffeetime.dk for yderligere oplysninger og bestilling.

Z10

A world first: The groundbreaking Z10 with P.R.G. for hot and cold brew speciality coffees



Benefits at a glance

- Product Recognising Grinder (P.R.G.) with ultra-fast automatic grinder adjustment for every speciality coffee
- Cold brew speciality coffees at the touch of a button thanks to the innovative Cold Extraction Process
- Eighth-generation brewing unit with 3D brewing technology for the ultimate aroma experience
- High-quality all-round design with convex-concave front panel, water tank in wave design and beautifully finished details

A masterpiece of Swiss engineering, the new Z10 doubles the range of speciality coffees. At the touch of a button it prepares the full spectrum of hot drinks from intense espresso to on-trend flat white. It also opens up a whole new dimension in the enjoyment of coffee with the introduction of cold brew specialities. This is made possible thanks to the Product Recognising Grinder (P.R.G.), which recognises the chosen speciality and instantly and precisely adjusts the fineness of grind accordingly. In addition, JURA has developed the pioneering Cold Extraction Process – a quite literally refreshing top innovation. In this process, cold water is slowly pulsed through the freshly ground coffee under high pressure. The result is a completely new way of experiencing coffee – refreshing, energising and with a wonderfully balanced aroma.

This outstanding premium coffee machine features a double-speed 4.3" touch display and the Blue Crystal Rotary Switch. Thanks to the Speciality Selection menu and artificial intelligence, it's exceptionally easy and intuitive to use. The technology quantum leap is also reflected in the sculptural design. The convex-concave front panel is visible proof of attention to detail and absolute manufacturing precision. Its high quality makes the Z10 a statement of excellent taste.



Z10

Technical overview

Specific advantages

Number of speciality coffees	32
Cold Extraction Process	■
Intelligent preheating	■
3D brewing technology	■
Automatic Grinder Adjustment (A.G.A.)	■
Active bean monitoring	■
Automatic switchover from milk to milk foam	■
Smart mode	■
JURA Cockpit with maintenance status display	■
WiFi connection to home network	■
Transmitter supplied as standard	WiFi Connect

JURA coffee machine standards

Pulse Extraction Process (P.E.P.®)	■
One-Touch Lungo function	■
One-Touch function	■
Variable brewing unit	5 – 16 g
Grinder	Product Recognising Grinder (P.R.G.)
Thermoblock heating system	1
Milk system/interchangeable milk spout	HP3/CX3
Powder chute for ground coffee	■
Aroma preservation cover	■

Operating and programming standards

Compatible with J.O.E.®	■
Rotary Switch	■
Display	4,3 touchscreen colour display
Store, copy and personalise products	■
Programmable and individually adjustable amount of water	■
Programmable and individually adjustable coffee strength	10 levels
Programmable amount of milk/milk foam	■
Programmable milk/milk foam temperature	10 levels
Programmable brewing temperature	3 levels
Programmable temperature of hot water	3 levels

Hygiene standards

Intelligent Water System (I.W.S.)	■
CLARIS filter cartridge	CLARIS Smart
One-Touch milk system cleaning (automatic)	■
Integrated rinsing, cleaning and descaling programme	■
Monitored drip tray	■
JURA hygiene: TÜV-certified	■

Energy standards

Energy Save Mode (E.S.M.®)	■
Zero-Energy Switch or power switch	■
Programmable switch-off time	■

Design and materials

Convex-concave 3 mm aluminium front	■
Amber/white cup illumination	■
Water tank illumination blue	■

In figures

Height-adjustable/width-adjustable dual spout	78 – 150 mm / 24 – 50 mm
Water tank capacity	2,4l
Bean container holding capacity	280 g
Coffee grounds container (servings)	approx. 20
Cable length	approx. 1.1 m
Voltage/Power	230 V ~ /1450 W
Current	10 A
Stand-by power	0 W
Weight	12.3 kg
Dimensions (W × H × D)	32 × 38 × 45 cm
Article number/Product code	15348/Aluminium White (EA)



Hygiene standards



www.tuv.com
ID 0000027526

Besøg www.coffeetime.dk for yderligere oplysninger og bestilling.