

Safety Data Sheet

Issue Date: 16-Feb-2022 Revision Date: 17-Feb-2022 Version 1

1. IDENTIFICATION

Product identifier

Product Name Dominator Polymeric Sand - Natural Ivory

Other means of identification

SDS # BDC-017

Recommended use of the chemical and restrictions on use

Recommended Use Haze-free joint stabilizing sand.

Details of the supplier of the safety data sheet

Supplier Address

Black Diamond Coatings 6063 Nature Coast Blvd Brooksville, FL 34602 info@blackdiamondcoatings.com

Emergency telephone number

Company Phone Number Emergency Telephone 800-270-4050

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceNatural sand: Solid, granularPhysical stateSolidOdor Odorless

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 1

Signal Word

Danger

Hazard statements

Harmful if inhaled

Causes damage to organs through prolonged or repeated exposure





Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

Revision Date: 17-Feb-2022

Get medical advice/attention if you feel unwell

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Silica, cristobalite	14464-46-1	20-25
Quartz	14808-60-7	20-25
Calcium Carbonate	1317-65-3	20-25
Colloidal silica	7631-86-9	1-5
Zinc Oxide	1314-13-2	0.1-1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

General Advice Get medical advice/attention if you feel unwell.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison center or doctor/physician if you feel unwell.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Harmful if inhaled. Causes damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after

Revision Date: 17-Feb-2022

handling. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Carbonate	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1317-65-3		TWA: 5 mg/m³ respirable fraction	TWA: 5 mg/m³ respirable dust
		(vacated) TWA: 15 mg/m ³ total dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Silica, cristobalite 14464-46-1	TWA: 0.025 mg/m³ respirable particulate matter	TWA: 50 µg/m³ (vacated) TWA: 0.05 mg/m³ respirable dust : (1/2)(250)/(%SiO2 + 5) mppcf TWA respirable fraction	IDLH: 25 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust
		: (1/2)(10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable particulate matter	TWA: 50 µg/m³ (vacated) TWA: 0.1 mg/m³ respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust
Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Colloidal silica	-	TWA: 50 µg/m ³ excludes	IDLH: 3000 mg/m ³
7631-86-9		construction work, agricultural	TWA: 6 mg/m ³

Zinc Oxide	STEL: 10 mg/m³ respirable	operations, and exposures that result from the processing of sorptive clays (vacated) TWA: 6 mg/m³ <1% Crystalline silica TWA: 20 mppcf : (80)/(% SiO2) mg/m³ TWA TWA: 5 mg/m³ fume	IDLH: 500 mg/m³
1314-13-2	particulate matter TWA: 2 mg/m³ respirable particulate matter	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ fume (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction (vacated) STEL: 10 mg/m³ fume	Ceiling: 15 mg/m ³ dust

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

AppearanceNatural sand: Solid, granularOdorOdorlessColorNot determinedOdor ThresholdNot determined

Property Values Remarks • Method

pH Not determined
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
Not determined
Not determined
Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapor PressureNot determinedVapor DensityNot determined

Relative Density 2.0-3.0

Water Solubility
Solubility in other solvents
Partition Coefficient
Autoignition temperature
Not soluble in water
Not determined
Not determined
Not determined

Property Values Remarks • Method

Decomposition temperatureNot determinedKinematic viscosityNot determinedDynamic ViscosityNot determined

Explosive Properties Not determined Oxidizing Properties Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Harmful if inhaled.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Colloidal silica 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2.08 mg/L (Rat)4 h	
Zinc Oxide 1314-13-2	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rat)	-	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Colloidal silica		Group 3	Known	X
7631-86-9				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Revision Date: 17-Feb-2022

X - Present

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 Oral LD50
 15,419.0950 mg/kg

 Dermal LD50
 9,768.70 mg/kg

 ATEmix (inhalation-dust/mist)
 4.06 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Colloidal silica	440: 72 h Pseudokirchneriella	5000: 96 h Brachydanio rerio mg/L	7600: 48 h Ceriodaphnia dubia mg/L
7631-86-9	subcapitata mg/L EC50	LC50 static	EC50
Zinc Oxide		1.55: 96 h Danio rerio mg/L LC50	
1314-13-2		static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Zinc Oxide 1314-13-2	Toxic
1014 102	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECL	PICCS	AICS
		Status		NCS					
Silica, cristobalite	Х	ACTIVE	X	Х	X	X	X	X	X
Quartz	Х	ACTIVE	Χ	Х	Х	Х	Х	Х	Х
Dolomite	Х	ACTIVE	Χ	X		Х	X	X	X
Calcium Carbonate	Х	ACTIVE	X	Х	Х	X	Х	Х	Х
Ethylene-Vinyl Acetate Copolymer	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Colloidal silica	Х	ACTIVE	X	Х	Χ	Χ	X	Х	Х
Ethylhydroxyethyl cellulose	Χ	ACTIVE	Х		Х	Х	Χ	Х	Χ
Zinc Oxide	Х	ACTIVE	Χ	Х	Χ	Х	Х	Х	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc Oxide		X		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Silica, cristobalite - 14464-46-1	Carcinogen
Quartz - 14808-60-7	Carcinogen
Colloidal silica - 7631-86-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate 1317-65-3	Х	X	Х
Silica, cristobalite 14464-46-1	Х	X	X
Quartz 14808-60-7	Х	X	Х
Zinc Oxide 1314-13-2	Х	X	X

16. OTHER INFORMATION

NFPA **Health Hazards Flammability Special Hazards** Instability Not determined Not determined Not determined Not determined **Health Hazards** Physical hazards **Personal Protection HMIS Flammability** Not determined Not determined Not determined Not determined

Issue Date:16-Feb-2022Revision Date:17-Feb-2022Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet