

PRODUCT DATA SHEET



PRODUCT - DATA

SF7801

Right threaded stud terminal


SF7801

Technical Data

Forging material : AISI316 - DIN 1.4401
 Production : SF7801 - Stud - Forged
 Surface treatment : "M.F." (Matte finished)

Note:

Standard terminals are the common size used in assembly with other products such as turnbuckles."
 "Non-standard terminals are size which are rarely used in common settings or product assemblies



M **J** SF7801
 Metric Imperial Right threaded stud terminal

SF7801		SIZE	ØCable (mm/inch)	L (mm)	L (inch)	L1 (mm)	L1 (inch)	L2 (mm)	L2 (inch)	M (mm/inch)	OD (mm)	OD (inch)	Unit weight (kgs)	Unit weight (lb)
SS316														
	6780-1268	2*M5	2.0	86	3.39	32	1.26	40	1.57	M5	5.5	0.22	0.01	0.02
	6780-1012	2.5*M5	2.5	91	3.58	35	1.38	40	1.57	M5	5.5	0.22	0.01	0.02
	6780-1068	3*M5	3.0	80	3.15	32	1.26	40	1.57	M5	6.3	0.25	0.01	0.02
	6780-1020	3*M6	3.0	91	3.58	38	1.50	48	1.89	M6	6.3	0.25	0.02	0.04
	6780-1050	4*M6	4.0	110	3.94	45	1.77	48	1.89	M6	7.5	0.30	0.03	0.07
	6780-1021	4*M8	4.0	115	4.84	45	1.77	54	2.13	M8	7.5	0.30	0.04	0.09
	6780-1095	5*M8	5.0	128	5.04	51	2.01	57	2.24	M8	9.1	0.36	0.05	0.11
	6780-1026	5*M10	5.0	128	5.04	52	2.05	61	2.40	M10	9.1	0.36	0.07	0.15
	6780-1028	6*M12	6.0	162	6.38	63	2.48	79	3.11	M12	12.5	0.49	0.14	0.31
	2780-1170	7*M12	7.0	178	6.61	70	2.76	81	3.15	M12	14.3	0.56	0.16	0.35
	6780-1029	7*M14	7.0	178	7.01	70	2.76	90	3.54	M14	14.3	0.56	0.20	0.44
	6780-1056	8*M12	8.0	175	6.89	80	3.15	76	2.99	M12	16.1	0.63	0.19	0.42
	2780-1171	8*M14	8.0	190	7.48	80	3.15	90	3.54	M14	16.1	0.63	0.23	0.51
	6780-1030	8*M16	8.0	214	8.43	80	3.15	102	4.02	M16	16.1	0.63	0.31	0.68
RIGHT HAND THREAD	6780-1816	10*M20	10.0	225	8.86	100	3.94	105	4.13	M20	17.8	0.70	0.43	0.95
	6780-1566	12*M20	12	278	10.94	144	5.67	116	4.57	M20	21.4	0.84	0.61	1.34
	6780-1819	14*M22	14	328	12.91	168	6.61	140	5.51	M22	25	0.98	0.92	2.02
	2780-1993	16*M24	16	387	15.24	192	7.56	170	6.69	M24	28.1	1.11	1.31	2.88
	6780-1188	1/8**M5	1/8"	90	3.54	37	1.46	41	1.61	M5	6.3	0.25	0.02	0.04
	6780-1155	1/8**M6	1/8"	97	3.82	37	1.46	48	1.89	M6	6.3	0.25	0.02	0.04
	6780-1114	1/8**1/4"	1/8"	97	3.82	37	1.46	48	1.89	1/4"UNC	6.3	0.25	0.02	0.05
	6780-1115	5/32**1/4"	5/32"	108	4.25	48	1.89	48	1.89	1/4"UNC	7.5	0.3	0.03	0.06
	6780-1116	5/32**5/16"	5/32"	116	4.57	48	1.89	56	2.2	5/16"UNC	7.5	0.3	0.04	0.08
	6780-1117	3/16**5/16"	3/16"	121	4.76	53	2.09	56	2.2	5/16"UNC	9.1	0.36	0.05	0.1
	6780-1118	3/16**3/8"	3/16"	132	5.2	53	2.09	67	2.64	3/8"UNC	9.1	0.36	0.06	0.13
	6780-1119	1/4**3/8"	1/4"	148	5.83	65	2.56	67	2.64	3/8"UNC	12.5	0.49	0.1	0.21
	6780-1121	5/16**1/2"	5/16"	182	7.17	83	3.27	81	3.19	1/2"UNC	16.1	0.63	0.21	0.45
	6780-1123	3/8**5/8"	3/8"	215	8.46	90	3.54	105	4.13	5/8"UNC	17.8	0.7	0.32	0.71
	6780-1175	1/2**3/4"	1/2"	253	9.96	119	4.69	116	4.57	3/4"UNC	21.4	0.84	0.52	1.15

CODE: SF7801

KINZI DATA SHEET

100%
RECYCLABLE

WWW.KINZI.COM