

Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 10/08/2018 Supersedes: 06/10/2015 Version: 1.1

Paint polish and sealant, wax replacement, swirl r 1.3. Details of the supplier of the safety d	
Product form Product codes 1.2. Relevant identified uses of the subst Paint polish and sealant, wax replacement, swirl r 1.3. Details of the supplier of the safety d	: Mixture 11033, 11035, 11036, 22033 ance or mixture and uses advised against mark remover, finishing glaze
Product codes1.2.Relevant identified uses of the substPaint polish and sealant, wax replacement, swirl r1.3.Details of the supplier of the safety d	11033, 11035, 11036, 22033 ance or mixture and uses advised against nark remover, finishing glaze
 Relevant identified uses of the subst Paint polish and sealant, wax replacement, swirl r Details of the supplier of the safety d 	ance or mixture and uses advised against nark remover, finishing glaze
Paint polish and sealant, wax replacement, swirl r 1.3. Details of the supplier of the safety d	nark remover, finishing glaze
1.3. Details of the supplier of the safety d	
	ata sheet
RJ Star, Inc. dba Wizards Products 11469 8th St. NE Hanover, MN 55341	
1.4. Emergency telephone number	
Emergency number	: 763-497-5155
SECTION 2: Hazards identification	
2.1. Classification of the substance or mi	xture
GHS-US classification	
Flam. 4 H227 Asp. Tox. 2 H305 Rep. Tox. 2 H361 STOT, SE 2 H371	
2.2. Label elements GHS-US labelling	
	GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H227 - Combustible liquid H305 - May be harmful if swallowed and enters airways H361 - Suspected of damaging fertility or the unborn child H371 - May cause damage to organs
Precautionary statements (GHS-US)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from flames and hot surfaces. No smoking P263 - Avoid contact during pregnancy and while nursing. P264 - Wash hands, forearms and face thoroughly after handling P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER P331 - Do NOT induce vomiting P370+P378 – In case of fire: Use water fog, foam, dry chemical or carbon dioxide to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents/container in accordance with local regulations
2.3. Other hazards	
No additional information available	
2.4.Unknown acute toxicity (GHS US)No data available	
SECTION 3: Composition/information	n on ingredients

Substance 3.1.

Not applicable

3.2. Mixture

Name	Product identifier	%
Octamethylcyclotetrasiloxane	(CAS No) 556-67-2	10 - 20
Naptha (petroleum), hydrotreated heavy	(CAS No) 64742-48-9	5 - 15
Calcined kaolin	(CAS No) 92704-41-1	5 - 10
Synthetic polymer	Proprietary*	1 – 3
Other ingredients below reportable levels		52 - 80

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%
*In accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200), the specific chemical identity has been withheld as a trade secret		

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial respiration.
First-aid measures after skin contact	: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.
First-aid measures after eye contact	 IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries	: May be harmful if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed and enters airways.
Chronic symptoms	: None known
4.3. Indication of any immediate medic No additional information available.	al attention and special treatment needed

SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Foam. Carbon dioxide. Dry powder. Water spray. Sand. 5.2. Special hazards arising from the substance or mixture Fire hazard : Product is not flammable. Explosion hazard : Product is not explosive. Reactivity : No dangerous reactions known under normal conditions of use. 5.3. Advice for firefighters Precautionary measures fire : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any ÷ chemical fire. Do not dispose of fire-fighting water in the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
General measures	: Evacuate area. Ventilate area. Keep upwind. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).
6.1.1. For non-emer	gency personnel
Protective equipment	: Wear Protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergene	y responders
Protective equipment	: Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containm	ent and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Sweep or shovel spills into appropriate container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	
See Sections 8 and 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Handle in accordance with good industrial hygiene and safety procedures. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid breathing vapours, mist. Wash hands and other exposed areas with mild soap

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a dry, cool and well-ventilated place. Keep the container tightly closed.

and water before eating, drinking or smoking and when leaving work.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Octamethylcyclotetrasiloxane (556-67-2)		
Remark (ACGIH)	OELs not established	
Remark (OSHA)	OELs not established	
Naptha (petroleum), hydrotreated heavy (64742-48-9)		
Remark (ACGIH) (mg/m ³)	OELs not established	
OSHA PEL (TWA) (mg/m³)	400 mg/m ³	
Calcined kaolin (92704-41-1)		
ACGIH TWA	2 mg/m ³ respirable	
OSHA PEL (TWA)	5 mg/m ³ respirable	
Aminofunctional polydimethylsiloxane (CAS # Proprietary)		
Remark (ACGIH)	OELs not established	
Remark (OSHA)	OELs not established	

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

: Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.



- : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier.
- : Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.
- : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.
- : Wear a NIOSH-approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment with gas filter (type A2). Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection

Eye protection

Skin and body protection Respiratory protection

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and c	chemical properties
Physical state	: Viscous Liquid
Color	: Off white
Odor	: Cherry scent
Odor Threshold	: No data available
pH	: 6.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: N/A
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 145 F ISO 2719 Pensky-Martens Closed Cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density (Specific gravity)	: 0.94
Solubility	: Insoluble in water
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: Approx. 70 cps
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
Volatile organic compounds (VOC)	Approx. 140 g/liter (1.17 lb./gallon)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1.	Information on toxicological effects
-------	--------------------------------------

: Not classified

Octamethylcyclotetrasiloxane (556-67-2)			
LD50 oral rat	> 4800 mg/kg		
LD50 dermal rabbit	> 2400 mg/kg		
Naptha (petroleum), hydrotreated	Naptha (petroleum), hydrotreated heavy (64742-48-9)		
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	Not determined		
Calcined kaolin (92704-41-1)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rat	> 2000 mg/kg		

Safety Data Sheet Prepared according to Federal R

inter () (al. 77 58 / Monday, March 26, 2012 / Rule and Regulati

Aminofunctional polydimethylsiloxane (CA	S# proprietary)	
LD50 oral rat	Not determined	
LD50 dermal rat	Not determined	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: May be harmful if swallowed and enters airways.	
Symptoms/injuries after inhalation	: May cause respiratory irritation.	
Symptoms/injuries after skin contact	: Not classified	
Symptoms/injuries after eye contact	: Not classified	
Symptoms/injuries after ingestion	: May be harmful if swallowed and enters airways.	
Chronic symptoms	: Not classified	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: No information available.	
12.2. Persistence and degradability		
Wizards Shine Master		
Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
Wizards Shine Master		
Bioaccumulative potential	No information available.	
12.4. Mobility in soil		
Wizards Shine Master	_	
Ecology - soil	No information available.	
12.5. Other adverse effects		
Other adverse effects	: No data available.	
SECTION 13: Disposal consideration	\$	
13.1. Waste treatment methods		
Waste treatment methods	: Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.	
SECTION 14: Transport information		
In accordance with DOT		
Not hazardous for transport		
Additional information		
Other information	: No supplementary information available.	
Transport by sea		
Not hazardous for transport		
Air transport		
Not hazardous for transport		
SECTION 15: Regulatory information		
15.1. US Federal regulations		

15.1. US Federal regulations Wizards Shine Master

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wizards Shine Master	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

No additional information available.

15.3. US State regulations

California Proposition 65

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

Calcined kaolin (92704-41-1)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Massachusetts Right To Know List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List U.S. Rhode Island Right to Know List
- U.S. Minnesota Right to Know List

SECTION 16: Other information	
Indication of changes	: Revision 1.1, Modified SDS
Revision date	: 10/08/2018
Other information	: Author: KES.
NFPA health hazard	: 1 - Can cause significant irritation.
NFPA fire hazard	: 2 - Must be heated or high ambient temperature to burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 1
Flammability	2
Physical	: 0
Personal Protection	:
Volatile organic compounds (VOC):	Approx. 132 grams/liter (1.10 lbs./gallon)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product