

Wizards Turbo Cut Time Release Compound

Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 03/17/2017 Supersedes: 06/10/2015 Version: 1.2

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: Wizards Turbo Cut Time Release Compound
Product form	: Mixture
Product Codes	11043, 11044, 11045
1.2. Relevant identified uses of the	substance or mixture and uses advised agains
Buffing compound for paint	
1.3. Details of the supplier of the sa	fety data sheet
RJ Star, Inc. dba Wizards Products 11469 8th St. NE Hanover, MN 55341	
1.4. Emergency telephone number	
Emergency number	: 763-497-5155
SECTION 2: Hazards identification	on
2.1. Classification of the substance	
GHS-US classification	
Combustible H227	
Asp. Tox. 2 H305	
Skin Irrit. 2 H315	
Eye Irrit. 2A H319	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	
	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H227 - Combustible liquid
	H305 - May be harmful if swallowed and enters airways H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P210 - Keep away from flames and hot surfaces - no smoking P264 - Wash skin thoroughly after handling P280 - Wear eye protection, face protection, protective clothing, protective gloves P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER P302+P352 - If on skin: Wash with plenty of soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P331 - Do NOT induce vomiting P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use water fog, foam, dry chemical or CO2 to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up P501 - Dispose of contents and container in accordance with local regulations

Other hazards 2.3.

No additional information available

Unknown acute toxicity (GHS US) 2.4.

No data available

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

Substance 3.1.

Not applicable

3.2. Mixture

Name	Product identifier	%
Aliphatic hydrocarbon	(CAS No) 64742-47-8	10 – 17
Naphtha, petroleum, hydrotreated heavy	(CAS No) 64742-48-9	4 - 7
Aluminum oxide	(CAS No) 1344-28-1	15 - 25
Ethoxylated alcohol	(CAS No) 68439-46-3	0.5 - 1.5
Other ingredients below reportable levels		57 - 75

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	 If exposed or concerned, get medical attention/advice. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an unconscious person.
First-aid measures after inhalation	: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention. If breathing is difficult, supply oxygen. If breathing has stopped, give artificial respiration.
First-aid measures after skin contact	: IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.
First-aid measures after eye contact	: IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get medical attention. Continue rinsing.
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: May be harmful if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed and enters airways.
Chronic symptoms	: N/A
4.3. Indication of any immediate medica	attention and special treatment needed

No additional information available.

SECTION 5: Firefighting measures		
5.1.	Extinguishing media	
Suitable	e extinguishing media	: Foam. Carbon dioxide. Dry powder. Water spray. Sand.
5.2. Special hazards arising from the substance or mixture		
Fire ha	zard	: Product is not flammable.
Explosi	on hazard	: Product is not explosive.
Reactiv	ity	: No dangerous reactions known under normal conditions of use.
5.3.	Advice for firefighters	
Precau	tionary measures fire	 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Firefigh	ting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.
Protection during firefighting :		 Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1. General measures : Evacuate area. Ventilate area. Keep upwind. Spill should be handled by trained clean-up crews properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.1.	For non-emergency personnel	
Protecti	ve equipment	: Wear Protective equipment as described in Section 8.
Emerge	ency procedures	: Evacuate unnecessary personnel.
6.1.2.	6.1.2. For emergency responders	
Protecti	ve equipment	: Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.
6.2.	Environmental precautions	
Prevent	t entry to sewers and public waters. Notif	y authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3.	Methods and material for containm	ent and cleaning up
For con	tainment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Method	s for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Sweep or shovel spills into appropriate container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4.	Reference to other sections	
See Se	ctions 8 and 13.	
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaut	tions for safe handling	: Handle in accordance with good industrial hygiene and safety procedures. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid breathing vapours, mist. Wash hands and other exposed areas with mild soap

7.2. Conditions for safe storage, including any incompatibilities

-		
Storage	conditions	

: Store in a dry, cool and well-ventilated place. Keep the container tightly closed.

and water before eating, drinking or smoking and when leaving work.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Naphtha, petroleum, hydrotreated heavy (64742-48-9)		
Remark (ACGIH)	OELs not established	
Remark (OSHA)	OELs not established	
Aluminum oxide (1344-28-1)		
Aluminum oxide (1344-28-1) Remark (ACGIH)	OELs not established	

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Hand protection

Eye protection

Skin and body protection Respiratory protection

- : Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.
- : Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.



- : Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier.
- : Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.
- : Wear long sleeves
- : Wear a NIOSH-approved (or equivalent) full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment with gas filter (type A2). Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Viscous Liquid
Color	: White
Odor	: Pleasant scent
Odor Threshold	: No data available
pH	: 7.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: 32 F
Boiling point	: >212 F
Flash point	: >190 F ISO 2719 Pensky-Martens Closed Cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density (Specific gravity)	: 1.2
Solubility	: Negligible in water
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 15,000 – 18,000 cps
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Minimally toxic

Naphtha, petroleum, hydrotreated heavy (64742-48-9)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 3160 mg/kg	
Aluminum oxide (1344-28-1)		
LD50 oral rat	> 5000 mg/kg	
Reproductive toxicity	· Not classified	

Reproductive toxicity	-	Not classified
Specific torget orgen toxicity (cingle ovpequre)		Not expected to cause

Specific target organ toxicity (single exposure) : Not expected to cause organ damage from a single exposure.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard : May be harmful if swallowed and enters airways. Symptoms/injuries after inhalation : May cause respiratory irritation.
Symptoms/injuries after inhalation
Symptom singunes and minalation . Way cause respiratory mitation.
Symptoms/injuries after skin contact : Causes skin irritation.
Symptoms/injuries after eye contact : Causes serious eye irritation.
Symptoms/injuries after ingestion : May be harmful if swallowed and enters airways.
Chronic symptoms : None known.

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: No information available.

12.2. Persistence and degradability

	, incy		
Turbo Cut Time Release Compour	nd		
Persistence and degradability No data available.			
12.3. Bioaccumulative potential			
Turbo Cut Time Release Compour	nd		
Bioaccumulative potential	No information available.		
12.4. Mobility in soil			
Turbo Cut Time Release Compour	nd		
Ecology - soil	No information available.		
12.5. Other adverse effects			
Other adverse effects : No data available.			
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste treatment methods	: Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.		
Waste disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.		

SECTION 14: Transport information In accordance with DOT Not hazardous for transport Additional information Other information Transport by sea Not hazardous for transport

Air transport

Not hazardous for transport

SECTION 15: Regulatory information

15.1. US Federal regulations Turbo Cut Time Release Compound		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard	
Aluminum avida (1211-29-1)		
Aluminum oxide (1344-28-1)		
Section 302 (EHS) TPQ		
Section 302 (EHS) TPQ		

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations

No additional information available.

15.3. US State regulations

California Proposition 65

This product does not contain any chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

Aluminum oxide (1344-28-1)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

SECTION 16: Other information	
Indication of changes	: Revision 1.2: SDS Modified.
Revision date	: 03/17/2017
Other information	: Author: KES.
NFPA health hazard	: 1 - Can cause significant irritation.
NFPA fire hazard	: 1 - Must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 1
Flammability	: 1
Physical	: 0
Personal Protection	:
Volatile organic compounds (VOC):	Approx. 163 grams/liter (1.36 lbs./gallon)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product