

Wigo Portable Camera Slider

(SL-WG)

INSTRUCTION MANUAL



INTRODUCTION

Proaim has recognised the need of today's cinematographers and launched the perfect travelling companion for passionate shooters. It trims the excess length and delivers precise shot that increases the value of your production and saves your time of trimming the shots later. This ultra-compact video slider offers 6" of camera travel to capture the depth of your shots with belt-driven design to provide smooth operation. The unique feature of this slider is that it offers friction adjustment wheel for wobble free shots with secure camera locking wheel to lock the camera in place. Grab the world's most compact slider and see the difference in your shots.

IN THE BOX

You will receive the Proaim Wigo Slider along with a carry bag. It is completely portable and allows you to take it everywhere with you.



ATTACHING YOUR PROAIM WIGO SLIDER

Mount the Wigo slider on to the tripod and rotate it till its tight. Now attach your fluid head (Not Included) onto the camera mounting plate of the slider. Rotate it till its tight.






 Attach your camera on the fluid head and tighten the knob to secure it properly.



NOTE: You will see the marks on each side of the slider. We recommend to keep the marks facing towards you for easier operation.

- Here you will have the friction adjustment and there's a knob underneath to make the adjustments.
- When you rotate it towards (+) means you are increasing the friction and you will get a more smooth speed without instant speed drops.

NOTE: You can adjust the friction to the positive and negative sides to adjust the friction.



NOTE : You can lock the slider by rotating it towards the lock icon and rotate it to the other side to unlock it.

CAUTION: We strongly suggest to keep your slider locked when you are not using the slider.





• The slider has rubber feet so that you can place it on a flat surface.



Suggestion: You may face alignment problem with some heads because of the center of gravity problem. In that case, we suggest to use Z Desktop Stand head to overcome it.

With Z-tilt's flexible design, you can shoot extreme tilt ups and downs without falling down the system front or back.

OPERATING TIPS

- Adjust right amount of friction and operate the slider not by just your hands but with the whole body. This will have a much better steady speed on your slider.
- The camera platform should not have any play in it. If you feel it has a little play, slightly loosen the four screws on top of camera platform, hold the plate from sides and then re-tighten the screws to get it right.





NOTE: Do not put much pressure from sides and do not over tighten the screws.

WARRANTY

We offer a one year warranty for our products from the date of purchase.

We will repair or replace your product, free of charge, in the event of a defect in materials or craftsmanship obtained during normal use or handling based on the user manual. Please note that we will not cover any shipping costs for returning the product to us. If any VAT or import duties are applied to the return, we will also charge these costs to the customer.

The warranty does not include, by the way of example, damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

We are not liable for incidental or consequential damages resulting from the use of the unit or occurring due to any breach of this warranty.

Replacement parts of the product will be provided at nominal cost (covering the cost price of the replacement parts only) to the customers after the Warranty Period has expired. We will cover the complete cost of sending replacement parts within the warranty period. After that, Nominal cost of the product & Actual shipping cost will be charged.

Do not send the unit to us without first getting a response and getting the approval to send back the item.

In case of any kind of dissatisfaction, we urge you to **Contact us** immediately and we shall do our Best to help you out. For any other assistance you can reach us via email.

For any other assistance you can reach us via email.