

# lilitab Picture Pro Mount

Assembly Instructions

v2.0

## TABLE OF CONTENTS

Assembly Preparation and Packing List . . . . .	3
Assembly Instructions . . . . .	4

**GOT QUESTIONS? WE'RE HERE TO HELP!**


**EMAIL** [support@lilitab.com](mailto:support@lilitab.com)   **PHONE** 888.705.0190

## MOUNT ASSEMBLY PREPARATION

### FOR BOLT DOWN INSTALLATION, YOU'LL NEED:

- ✓ Powered drill/driver, preferably with impact action or Phillips screwdriver
- ✓ 4 x fasteners for your wall


## PACKING LIST



1 x Mount




2 x MagDOCK Keys



1 x Keyholder

# ASSEMBLY INSTRUCTIONS





## 1. Attach picture mount to wall.

**NOTE 1:** You will need to purchase fasteners suitable for your wall.


**NOTE 2:** The charge cable can be routed down the face of the wall or inside the wall.



## 2. Insert MagDOCK key into the Keyholder provided.



## 3. The keyholder makes it easy to actuate the lock once the head unit is attached.



## 4. Place your head unit onto the MagDOCK mount in either landscape or portrait orientation. Turn the key to lock it in place.

**WARNING:** Not locking the MagDOCK will result in the unit falling off, possibly damaging the unit and/or the tablet. The lilitab Pro is designed to be operated with the lock closed.

Refer to your lilitab Head owner's manual for tablet installation instructions.

