

Prepared for:
ENDOMEN LLC

55 SPRING STREET
NEW YORK, NY USA 10012

1000mg Enhanced

Batch ID or Lot Number:	Test: Potency	Reported: 25Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000254055	Started: 23Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.346	5.147	ND	ND	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	2.146	4.708	ND	ND	
Cannabidiol (CBD)	6.405	13.729	1935.840	69.10	
Cannabidiolic Acid (CBDA)	6.569	14.081	ND	ND	
Cannabidivarin (CBDV)	1.515	3.247	11.070	0.40	
Cannabidivarinic Acid (CBDVA)	2.740	5.874	ND	ND	
Cannabigerol (CBG)	1.332	2.922	19.280	0.70	
Cannabigerolic Acid (CBGA)	5.568	12.217	ND	ND	
Cannabinol (CBN)	1.738	3.813	ND	ND	
Cannabinolic Acid (CBNA)	3.799	8.335	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	6.634	14.555	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	6.025	13.218	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	5.338	11.711	ND	ND	
Tetrahydrocannabivarin (THCV)	1.212	2.658	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	4.708	10.330	ND	ND	
Total Cannabinoids			1966.190	70.20	
Total Potential THC			ND	ND	
Total Potential CBD			1935.840	69.10	

Final Approval



Karen Winternheimer
25Aug2023
01:04:00 PM MDT

PREPARED BY / DATE



Sam Smith
25Aug2023
01:06:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/1f2a059a-e65c-490b-8b5c-b7a018097f49>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
1f2a059ae65c490b8b5cb7a018097f49.1