

Prepared for:
ENDOMEN LLC

55 SPRING STREET
NEW YORK, NY USA 10012

Suspend 2000mg

Batch ID or Lot Number:	Test: Potency	Reported: 25Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000254053	Started: 23Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 24Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	2.461	5.401	22.730	0.80	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	2.251	4.940	ND	ND	
Cannabidiol (CBD)	6.720	14.404	1635.460	58.40	
Cannabidiolic Acid (CBDA)	6.892	14.774	ND	ND	
Cannabidivarin (CBDV)	1.589	3.407	6.600	0.20	
Cannabidivarinic Acid (CBDVA)	2.875	6.163	ND	ND	
Cannabigerol (CBG)	1.398	3.066	9.190	0.30	
Cannabigerolic Acid (CBGA)	5.842	12.818	ND	ND	
Cannabinol (CBN)	1.823	4.000	5.230	0.20	
Cannabinolic Acid (CBNA)	3.986	8.746	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	6.960	15.271	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	6.321	13.869	15.670	0.60	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	5.601	12.288	ND	ND	
Tetrahydrocannabivarin (THCV)	1.271	2.789	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	4.940	10.838	ND	ND	
Total Cannabinoids			1694.880	60.50	
Total Potential THC			15.670	0.60	
Total Potential CBD			1635.460	58.40	

Final Approval



Karen Winternheimer
25Aug2023
01:04:00 PM MDT

PREPARED BY / DATE



Sam Smith
25Aug2023
01:06:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/03743cd9-e2a5-41ce-8e99-dbd9c8afe82b>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
03743cd9e2a541ce8e99dbd9c8afe82b.1