



## SILVER DYNAMIC AGM

### Key benefits

- Extended cycle life compared with a conventional battery
- Designed for vehicles with advanced Start-Stop functionality with regenerative braking
- VARTA AGM (Absorbent Glass Mat) technology with outstanding performance for powerful engines and highly equipped cars
- Clean manufacturing – with 20% less energy and 20% fewer greenhouse gas emissions. Closed recycling loop with ecosteps® – preserving resources while protecting the environment
- PowerFrame® grid technology for high starting power and reliable performance
- Due to its design, this battery won't leak, even if it is broken

For more information visit [www.varta-automotive.com](http://www.varta-automotive.com)


### ORDER INFORMATION

European Type No. (ETN):	560 901 068
Article Number:	560 901 068 D85 2
Short Code:	D52
Barcode:	4016987144497
UK Code:	027AGM
Packaging Unit:	1
Quantity per Pallet:	57

### TECHNICAL INFORMATION


Voltage [V]:	12	Base Hold-down:	B13
Battery Capacity [Ah]:	60	Layout:	0
Cold Cranking Amps (CCA), EN [A]:	680	Terminal Types:	1
Length [mm]:	242	Case Size:	H5/LN2
Width [mm]:	175	Weight filled (kg):	17,5
Height [mm]:	190		

## DRAWINGS



## THE CONSTRUCTION OF VARTA SILVER DYNAMIC BATTERIES WITH AGM TECHNOLOGY

- Constructed with advanced Absorbent Glass Mat (AGM) technology
- AGM technology prevents corrosion due to acid stratification
- Highest performance, extreme cycle life and spill-proof
- Electrolyte held in the glass fleece separator exerts a uniformly high contact pressure





Features	<i>SILVER dynamic AGM</i>	<i>BLUE dynamic EFB</i>
<b>Number of battery types</b>	5 Types	5 Types
<b>Primary function</b>	Advanced Start-Stop functionality	Ensures Start-Stop functionality
<b>Cold cranking power</b>	CCA 135 %	CCA 115 %
<b>Battery technology</b>	AGM – Absorbent Glass Mat	EFB – Enhanced Flooded battery
<b>Positive grid / Negative grid</b>	PowerFrame® / Casted grid	PowerFrame® / Expanded grid
<b>OE quality</b>	Meets OE requirements	Meets OE requirements
<b>Cycling endurance</b>	3x higher*	2x higher*
<b>Capability of deep discharge</b>	High*	Middle*

\*Compared to conventional batteries