









QuickZip™ Monument Display

ASSEMBLY INSTRUCTIONS


BOX CONTENTS - FRAME HARDWARE



BOX CONTENTS - TV MONITOR HARDWARE




NOT FOR USE WITH DISPLAY



1

Assemble the Frame

Using the numbers on the frame, connect the poles together.




Match numbers 1 to 1, 2 to 2, etc.

2

Install the Graphics and Attach Feet

Carefully pull the graphic print over the frame, ensuring both sides are pulled down at the same time. Attach support feet to the bottom of the frame.




It helps to have a second person to pull the other side simultaneously.

3

Connect the Panels


Clamp the three main panels together in the back of the display with the connector clamps using the Allen key.



4

Attach LED Lights

Attach light clips to the frame (knobs facing back) and tighten until secure. Slide LED lights into the top grooves.




To avoid stripping the light clips, do not twist the knobs too tight.

5

Attach TV Mount


Screw the TV Mount on the Waterfall using the 1" Thick Screws and metal washers.



6

Attach Brackets to Monitor


Attach the brackets on your monitor using the 1" Thin Screws.



7

Attach Monitor to Stand


Attach the monitor bracket hooks to the top of the monitor mount.



8

Secure the Brackets

Insert the 1.5" screws into the bottom holes of the brackets in order to safely secure the monitor to the mount.



9

Ready to go!

