

Stubbs Lane, Beckington, Frome, BA11 6TE, UK

Web: www.phytovistalabs.com

No. C-AR02343-1-1

Tel: +441373470418 Email: info@phytovistalabs.com

Reported Date: 28/06/2021

CERTIFICATE OF ANALYSIS

Sample Information				
Description: Vitality CBD Oral Drops 600mg Natural		Sample Condition: CONFORMS		
		Campio Camananii Camanan		
DV ID: AD00040 4	Took weeklends DVCOD 47	Descrived data: 24 Jun 2024		
PV ID: AR02343-1	Test method: PVSOP-47	Received date: 24-Jun-2021		
Batch no: WO022369	Storage Condition: AMBIENT	Test started date: 24-Jun-2021		
24.6.1.1.6.1.1.0022000		1001 0141104 44101 2 1 0411 2021		
Customer Information				
Name: Vitality CBD LTD				
ALL THE SECOND S				
Address: Unit 19 , Wainwright Street, Aston, Birmingham, West Midlands, B65TJ				

Method Information

Cannabinoid Content by HPLC-DAD

Results apply to sample as received

" * " Indicates analyte is not UKAS accredited.

Analyte	Units	Result	Limit Of Quantification (LOQ)
Cannabidivarinic Acid (CBDVA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabidivarin (CBDV)	%w/w	0.0052	0.0025
Cannabidiolic Acid (CBDA)	%w/w	0.0034	0.0025
Cannabigerolic Acid (CBGA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabigerol (CBG)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabidiol (CBD)	%w/w	2.1446	0.0025
Tetrahydrocannabivarin (THCV)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Tetrahydrocannabivarinic Acid (THCVA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabinol (CBN)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Δ9-Tetrahydrocannabinol (Δ9-THC)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Δ8-Tetrahydrocannabinol (Δ8-THC)	%w/w	<loq< th=""><th>0.0036</th></loq<>	0.0036
Cannabicyclol (CBL)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabichromene (CBC)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Tetrahydrocannabinolic Acid (THCA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
* Cannabichromenic Acid (CBCA)	%w/w	<loq< th=""><th>0.0071</th></loq<>	0.0071

Additional Information: This equates to 571mg/30ml for CBD, based on a measured density of 0.888g/ml.

Reviewed By:

Rob McMahon

R. J. Munn

Senior Analytical Chemist



Opinions and interpretations are outside of the scope of any accreditation. By placing the order for services with PhytoVista Laboratories, terms and conditions are deemed to be accepted by the submitter. Report shall not be reproduced, except in full, without the approval of the testing laboratory.