

MATERIAL SAFETY DATA SHEET

Gel Polish

SECTION 1: IDENTIFICATION

Product Name: New Formula Soak Off Gel Polish

Details of supplier of the safety data sheet:

Bisou Nails System Ltd

65 Hollywood Towers

Stockport, SK3 0HL

United Kingdom

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS/INCI	%
Aliphatic Urethane Acrylate	Exempt	52
Polymer Acrylate Oligomer	152187-46-7	28
Aromatic Urethane Acrylate	Exempt	14
1-Hydroxycyclohexyl Phenyl Ketone	947-19-3	3
Trimethylbenzoyl Diphenylphosphine Oxide	75980-60-8	3

SECTION 3: HAZARDS IDENTIFICATION

This substance considered to be non-hazardous for transport.

EMERGENCY OVERVIEW

Physical state: Liquid

Health: 1*

Colour: Colour

Flammability: 1

Odour: Light

Physical hazard: 1

Personal Protection: See Section 8

Warning: Harmful if swallowed, absorbed through skin or inhaled. Do not spray. Do not heat. May cause allergic skin reaction. Causes eye, skin and respiratory tract irritation.

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Skin contact: Contact skin will cause irritation.

Eye contact: Contact with eyes will cause irritation.

SECTION 4: FIRST AID MEASURES

Inhalation: Remove to fresh air. If symptoms develop and persist, seek medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms occur.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Seek medical attention immediately.

SECTION 5: FIRE-FIGHTING MEASURES

Flash point: 350°C

Autoignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapours. Toxic fumes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Environmental precautions: Remove sources of ignition. Prevent product from entering drains or open waters.

Clean-up methods: Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

SECTION 7: HANDLING AND STORAGE

Handling: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

Storage: For safe storage, store at or below 26°C (80°F). Keep in a cool, well ventilated area and away from heat, sparks and open flame. Keep container tightly closed until ready for use.

Incompatible products: Refer to Section 10.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact.

Neoprene gloves.

Eye/face protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full-face shield.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Odour: Light

Vapor pressure: Not available pH: Not applicable

Boiling point/range: Greater than 93°C (200°F)

Melting point/range: Not available

Specific gravity: 1.10

Vapor density: Not available

Evaporation rate: Not available

Solubility in water: Slight

Partition coefficient (n-octanol/water): Not available

VOC content: Total volatiles 0.80 %

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous polymerization: May occur.

Hazardous decomposition products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapours.

Incompatibility: Strong acids. Strong oxidizing agents. Bases.

Conditions to avoid: Heat, flames, sparks and other sources of ignition. Do not heat above 26°C(80°C).

SECTION 11: TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous Components	NTP Carcinogen	IARC Carcinogen	COSHA Carcinogen
<u>Trimethylhexyl Dicarbamate Oligmer</u>	NO	NO	NO
<u>Propoxylated Neopentyl Glycol Diacrylate</u>	NO	NO	NO

Polymer Acrylate Oligomer	NO	NO	NO
1-Hydroxycyclohexyl Phenyl Ketone	NO	NO	NO
<u>Trimethylbenzoyl Diphenylphosphine Oxide</u>	NO	NO	NO

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
<u>Trimethylhexyl Dicarbamate Oligmer</u>	No Records
<u>Propoxylated Neopentyl Glycol Diacrylate</u>	No Records
1-Hydroxycyclohexyl Phenyl Ketone	No Records
Polymer Acrylate Oligomer	No Records
<u>Trimethylbenzoyl Diphenylphosphine Oxide</u>	No Records

SECTION 12: ECOLOGICAL INFORMATION

Ecological information: Not available

SECTION 13: DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to P.R.C, province and local governmental regulations.

ECE hazardous waste number: Not a RCRA hazardous waste.

SECTION 14: TRANSPORT INFORMATION

DOT: Non-hazardous for transport: this substance is considered to be non-hazardous for transport.

RID/ADR: non-hazardous for transport: this substance is considered to be non-hazardous for transport.

IATA: non-hazardous for air transport

IMO: non-hazardous for sea transport


SECTION 15: REGULATORY INFORMATION

EU Additional Classification: R36

Risk Statements: Irritating to eyes. S 2 26

Safety Statements: Keep out of the reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

SECTION 16: OTHER INFORMATION



DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable.

However, Bisou Nails System Ltd does not assume responsibility for any results obtained by persons over whose methods Bisou Professional Nail System has no control. It is the user's responsibility to determine the

suitability of Bisou Nails System Ltd products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Bisou Nails System Ltd products. In light of the foregoing, Bisou Nails System Ltd specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Bisou Nails System Ltd products. Bisou Nails System Ltd further disclaims any liability for consequential or incidental damages of any kind, including lost profits.