ACURA_V01.20 Diag Functio	n List(Note:For	reference	only)	
IOTES:				
This function is supported.				
leph This function may be supported, which depends $lpha$	on the actual c	ondition of	the vehicle.	
O This function is not supported.				
▲ This function is the new feature in this version vehicle	Model Year			
ACURA CL	JRA CL 2000 -			
ACURA EL	2000 -			
	2000 -			
ICURA MDX	2000 -			
ICURA RDX	2000 -			
ICURA RSX	2000 -			
ACURA TL	2001 -			
ACURA TSX	2000 -	n	l n	
Systemlist	EcuInfo.	ReadCodes	_	LiveData
CCM(Engine Control Module)	•	•	•	•
AT (Automatic Transmission)	•	•	•	•
ABS(Anti-lock Braking System)	•	•	•	•
SRS(Supplemental Inflatable Restraint System)	•	•	•	•
BCM(Body Electrical System)	•	•	•	•
METER	•	•	•	•
EPS(Electric Power Steering)	•	•	•	•
PAWS(Precision All Wheel Steer)	•	•	•	•
EPB(Electric Parking Brake)	•	•	•	•
HONDA SMART PARKING	•	•	•	•
ESB(Electric Servo Brake System)	•	•	•	•
CMBS(Collision Mitigation Brake System)	•	•	•	•
EVPS(Electric Vacuum Pump System)	•	•	•	•
MMOBILIZER	•	•	•	•
AVAS (Acoustic Vehicle Alerting System)	•	•	•	•
MA_BATTERY(Integrated Motor Assist)	•	•	•	•
MA_MOTOR(Integrated Motor Assist)	•	•	•	•
ACM(Active Control Engine Mount System)	•	•	•	•
IONDA SMART KEY SYSTEM	•	•	•	•
CPMS (Tire Pressure Monitoring System)	•	•	•	•
/TM-4(Variable Torque Management 4WD)	•	•	•	•
SH-AWD (Super Handling-All Wheel Driving)	•	•	•	•
E-DPS(Real Time AWD/AWD with Intelligent Control)	•	•	•	•
ACC (Adaptive Cruise Control)	•	•	•	•
E-SHIFT	•	•	•	•
IYDRAULIC BOOSTER	•	•	•	•
KAS CAMERA ECU	•		•	1
KAS CONTROL ECU	•	•	•	•
ACTIVE DAMPER SYSTEM				
MITTO DUMI DIV OTOTEM		•	-	+-

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

lacktriangle

•

PCU

SVT

NIGHT VISION

MVCS(Multiple-View Camera System)

EDLC(Electric Double-Layer Capacitor)

BSI(Blind Spot Information)

SWS(Seat Weight Sensor)

Acura_V01.20 BLD Function List (Note:For reference only)

- ullet This function is supported.
- * This function may be supported, which depends on the actual condition of the vehicle.
- O This function is not supported.
- ▲ This function is the new feature in this version.

Make	model	BLD
ACURA	CL	*
ACURA	CSX	*
ACURA	EL	*
ACURA	MDX	*
ACURA	RDX	*
ACURA	RSX	*
ACURA	TL	*
ACURA	TSX	*

Acura_V01.20 DPF Function List (Note:For reference only)

- ullet This function is supported.
- * This function may be supported, which depends on the actual condition of the vehicle.
- O This function is not supported.
- ▲ This function is the new feature in this version.

Make	model	DPF
ACURA	CL	*
ACURA	CSX	*
ACURA	EL	*
ACURA	MDX	*
ACURA	RDX	*
ACURA	RSX	*
ACURA	TL	*
ACURA	TSX	*

Acura_V01.20 EPB Function List (Note:For reference only)			
NOTES:			
• This function is supp	ported.		
* This function may be	* This function may be supported, which depends on the actual condition of the vehicle.		
O This function is not supported.			
▲ This function is the new feature in this version.			
Make	EPB		
ACURA	*		

Acura_V01.20 ETC Function List (Note:For reference only)

- ullet This function is supported.
- * This function may be supported, which depends on the actual condition of the vehicle.
- O This function is not supported.
- ▲ This function is the new feature in this version.

Make	mode1	ETC
ACURA	CL	*
ACURA	CSX	*
ACURA	EL	*
ACURA	MDX	*
ACURA	RDX	*
ACURA	RSX	*
ACURA	TL	*
ACURA	TSX	*

Acura_	V01.20 INJ Function List (Note:For reference only)
NOTES:	
● This function is supp	ported.
※ This function may be	supported, which depends on the actual condition of the vehicle.
O This function is not	supported.
▲ This function is the	new feature in this version.
Make	INJ
ACURA	*

Acura_V01.20 OIL Function List (Note:For reference only)

- ullet This function is supported.
- * This function may be supported, which depends on the actual condition of the vehicle.
- O This function is not supported.
- ▲ This function is the new feature in this version.

Make	model	OIL
ACURA	CL	*
ACURA	CSX	*
ACURA	EL	*
ACURA	MDX	*
ACURA	RDX	*
ACURA	RSX	*
ACURA	TL	*
ACURA	TSX	*

Acura	_V01.20 SAS Function List (Note:For reference only)
NOTES:	
• This function is supp	ported.
* This function may be	supported, which depends on the actual condition of the vehicle.
O This function is not	supported.
▲ This function is the	new feature in this version.
Make	SAS
ACURA	*