


DF [PROFESSIONAL LIGHTING





DF | PROFESSIONAL LIGHTING

DISCLAIMERS

- Designers Fountain reserves the right to make product changes without prior notice.
- Product specifications in this catalog are approximate and based on the most current information available at the time of publication.
- Finishes may vary due to multiple chemical processes.
- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum recommended; however, lower wattages may be used.
- Larger, heavier fixtures may require additional support and reinforced outlet boxes.
- Some finishes, especially outdoor fixtures, are subject to change slightly due to prolonged exposure to the sun or extreme weather conditions.
- Designers Fountain products are subject to revision to comply with changes in UL, CSA or the National Electrical Code.

All products are either UL or ETL certified where applicable



TABLE OF CONTENTS

RECESSED

LED Slim Panel Downlights	2
LED Baffle Kits	3
LED Commercial Downlights	4
LED Can Free Trim	5
LED Retrofit Trim	5-7
LED Housing	7
Incandescent Housing & Trims	8

SURFACE MOUNTS

LED Surface Mount/Recessed Retrofit	9
LED Disk Lights & Trim	9-10
LED Flush Mounts	11-15
LED Puff Flush Mounts	15
LED Track Lighting	16-17

BATH LIGHTING

18

WALL SCONCES

19

OUTDOOR

LED Post Lanterns	20
LED Wall Lanterns	20-21

WRAPAROUNDS

22-23

STRIP LIGHTS

24-25

TROFFERS

26-27

HIGH BAYS

28-29

SECURITY / FLOOD LIGHTS

30

OTHER LED

Shop Lights	31
Waterproof Fixtures	31

INDEX

32-33



LEGEND

ADA COMPLIANT



AIRTIGHT



CAST ALUMINUM



DAMP LOCATION



DARK SKY



DLC CERTIFIED



ENERGY STAR RATED



INTERNET OF THINGS



MOUNT UP OR DOWN



TITLE 20 COMPLIANT



TITLE 24 COMPLIANT



WET LOCATION



INTEGRATED LED SLIM PANEL DOWNLIGHTS (WAFERS)




EV457Rxx50WH
EV685Rxx50WH
EV814RWMVWH50



EV457Sxx50WH
EV685Sxx50WH
EV814SWMVWH50
EV814SWMVK50WH



DRF6WHWH9105C



EVMP6HBMJ2W-I

Common Features

- *Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White lens
- 50,000 hr LED life
- White housing
- 90+ CRI
- 5-year warranty
- IC rated



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
120V and Triac Dimming								
EV457RWK50WH	4" Round 5CCT Slim Panel Downlight	See Above*	9.5 W	600 Lm	63 Lm/W	4.75"	0.41"	0.8 lbs.
EV457SWK50WH	4" Square 5CCT Slim Panel Downlight	See Above*	9.5 W	600 Lm	63 Lm/W	4.75"	0.41"	0.9 lbs.
EV685RWK50WH	6" Round 5CCT Slim Panel Downlight	See Above*	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.1 lbs.
EV685SWK50WH	6" Square 5CCT Slim Panel Downlight	See Above*	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.2 lbs.
DRF6WHWH9105C	6" Round 5CCT Wafer Downlight	See Above*	12 W	1000 Lm	83 Lm/W	7.25"	2.36"	1.2 lbs.
EVMP6HBMJ2W-I	6" New Construction Plaster Frame	—	—	—	—	14.88"	4.25"	1.46 lbs.
Universal Voltage 120-277V and 0-10V Dimming								
EV814SWMVK50WH	8" Square 5CCT Slim Panel Downlight	See Above*	18 W	1,400 Lm	79 Lm/W	8.85"	0.41"	1.7 lbs.
EV685RWMVWH50	6" Round Slim Panel Downlight	5000K	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.1 lbs.
EV685SWMVWH50	6" Square Slim Panel Downlight	5000K	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.2 lbs.
EV814RWMVWH50	8" Round Slim Panel Downlight	5000K	18 W	1,500 Lm	83 Lm/W	8.85"	0.41"	1.7 lbs.
EV814SWMVWH50	8" Square Slim Panel Downlight	5000K	18 W	1,500 Lm	83 Lm/W	8.85"	0.41"	1.7 lbs.

INTEGRATED LED BAFFLE KITS




EV26081WHxx



EV36081WHxx



EV490111WHxx



EVMPHB346

Common Features

- White housing
- White lens
- 120V input
- 90+ CRI
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EV26081WH30	2" Integrated LED Can Free Remodel Baffle Kit	3000K	8 W	550 Lm	69 Lm/W	2.5"	2.5"	0.9 lbs.
EV26081WH40	2" Integrated LED Can Free Remodel Baffle Kit	4000K	8 W	550 Lm	69 Lm/W	2.5"	2.5"	0.9 lbs.
EV36081WH30	3" Integrated LED Can Free Remodel Baffle Kit	3000K	8 W	600 Lm	75 Lm/W	4"	2.5"	0.9 lbs.
EV36081WH40	3" Integrated LED Can Free Remodel Baffle Kit	4000K	8 W	600 Lm	75 Lm/W	4"	2.5"	0.9 lbs.
EV490111WH30	4" Integrated LED Can Free Remodel Baffle Kit	3000K	11 W	900 Lm	82 Lm/W	4"	2.3"	0.9 lbs.
EV490111WH40	4" Integrated LED Can Free Remodel Baffle Kit	4000K	11 W	900 Lm	82 Lm/W	4"	2.3"	0.9 lbs.
EVMPHB346	Universal New Construction Frame for 3", 4", & 6" Can-Free Downlights	N/A	N/A	N/A	N/A	14.25"	1.88"	1.2 lbs.

INTEGRATED LED COMMERCIAL DOWNLIGHTS



EV61518MVK33WH
EV82022MVK33WH
EV103032MVK33WH

Common Features

- Selectable CCT: 3000K, 3500K, 4000K
- White acrylic lens
- White finish
- 90+ CRI
- 120V input
- 0-10V Dimming
- IC rated
- 50,000 hr LED life
- 5-year warranty




Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
EV61518MVK33WH	6" Commercial Downlight	7/10/18W	700/1000/1500 Lm	See Above	8.26"	5.23"	1.4 lbs.
EV82022MVK33WH	8" Commercial Downlight	10/15/22 W	1000/1500/2000 Lm	See Above	10.23"	5.87"	1.8 lbs.
EV103032MVK33WH	10" Commercial Downlight	20/25/32 W	2000/2500/3000 Lm	See Above	11.5"	6.38"	2.6 lbs.


Accessories



GRING06
GRING08
GRING10



PFRAMEGRID



PFRAMEJOIST

Model #	Description	Diameter Outer/Inner	Max Ceiling Cutout
GRING06	6" Goof Ring	8.9" / 6.31"	8"
GRING08	8" Goof Ring	12.5" / 8.5"	10.9375"
GRING10	10" Goof Ring	14.2" / 8.9"	12.375"

Model #	Description	Width	Height
PFRAMEGRID	Universal T-Grid Frame	23.75"	11.9"
PFRAMEJOIST	Universal Joist Frame	19.7"	12"

INTEGRATED LED CAN FREE TRIM W/REMOTE J-BOX



EV35062RFGWHxx



EV480102RFGWHxx



EV36082WHxx



EV490112WHxx



EV23552WHxx

Common Features

- White housing
- White lens
- 120V input
- 90+ CRI
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Beam Angle	Width	Height	Driver Width	Driver Height	Driver Depth	Ceiling Cutout
EV23552WH30	2" LED Floating Gimbal	3000K	5 W	350 Lm	40°	2.5"	1.625"	2"	1.75"	2.75"	2.125"
EV23552WH40	2" LED Floating Gimbal	4000K	5 W	350 Lm	40°	2.5"	1.625"	2"	1.75"	2.75"	2.125"
EV35062RFGWH30	3" LED Floating Gimbal	3000K	6 W	450 Lm	36°	4.25"	1.25"	3.375"	1.375"	3.375"	3.5"
EV35062RFGWH40	3" LED Floating Gimbal	4000K	6 W	450 Lm	36°	4.25"	1.25"	3.375"	1.375"	3.375"	3.5"
EV36082WH30	3" LED Floating Gimbal	3000K	8 W	600 Lm	36°	3"	2.3"	3.375"	1.375"	3.375"	3.5"
EV36082WH40	3" LED Floating Gimbal	4000K	8 W	600 Lm	36°	3"	2.3"	3.375"	1.375"	3.375"	3.5"
EV480102RFGWH30	4" LED Floating Gimbal	3000K	9 W	600 Lm	30°	4.875"	1.375"	3.375"	1.375"	3.5"	4.125"
EV480102RFGWH40	4" LED Floating Gimbal	4000K	9 W	600 Lm	30°	4.875"	1.375"	3.375"	1.375"	3.5"	4.125"
EV490112WH30	4" LED Floating Gimbal	3000K	12 W	900 Lm	30°	4"	2.3"	3.375"	1.375"	3.5"	4.125"
EV490112WH40	4" LED Floating Gimbal	4000K	12 W	900 Lm	30°	4"	2.3"	3.375"	1.375"	3.5"	4.125"

INTEGRATED LED RETROFIT TRIM 6" and 4" LED Gimbal Trim



EVL4742BWHxx



EVL6742BWHxx

Common Features

- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EVL4742BWH30	4" LED Gimbal Trim - White Trim	3000K	9 W	600 Lm	67 Lm/W	5"	2.8"	0.8 lbs.
EVL4742BWH40	4" LED Gimbal Trim - White Trim	4000K	9 W	650 Lm	72 Lm/W	5"	2.8"	0.8 lbs.
EVL6742BWH30	6" LED Gimbal Trim - White Trim	3000K	12.5 W	800 Lm	64 Lm/W	7.5"	2.8"	0.8 lbs.
EVL6742BWH40	6" LED Gimbal Trim - White Trim	4000K	12.5 W	850 Lm	68 Lm/W	7.5"	2.8"	0.8 lbs.

INTEGRATED LED RETROFIT TRIM



EVL4733CWHxx



EVL6733CWH27




EVL6733DWHxx
EVL6733DK50WH
EVL69093DK50WH
EVL61433DK50WH



EVL6733DK50BZ
EVL69093DK50BZ
EVL61433DK50BZ



EVL6733DK50BK
EVL69093DK50BK
EVL61433DK50BK



EVL6733DK50BK

Common Features

- *5 CCT Models: 2700K, 3000K, 3500K, and 4000K, 5000K
- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EVL4733CWH27	4" Deep Baffle - White Trim	2700K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733CWH30	4" Deep Baffle - White Trim	3000K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733CWH35	4" Deep Baffle - White Trim	3500K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733CWH40	4" Deep Baffle - White Trim	4000K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL4733CWH50	4" Deep Baffle - White Trim	5000K	7 W	600 Lm	86 Lm/W	5"	2.75"	0.8 lbs.
EVL6733CWH27	6" Deep Baffle - White Trim	2700K	8.5 W	700 Lm	82 Lm/W	7.5"	2.75"	0.8 lbs.
EVL6733DWH27	6" Baffle - White Trim	2700K	8 W	740 Lm	92 Lm/W	7.5"	2.00"	0.4 lbs.
EVL6733DWH30	6" Baffle - White Trim	3000K	8 W	740 Lm	92 Lm/W	7.5"	2.00"	0.4 lbs.
EVL6733DK50WH	6" 5CCT Baffle - White Trim	See Above*	8 W	740 Lm	92 Lm/W	7.5"	2.00"	0.4 lbs.
EVL6733DK50BN	6" 5CCT Baffle - Nickel Trim	See Above*	8 W	740 Lm	92 Lm/W	7.5"	2.00"	0.4 lbs.
EVL6733DK50BZ	6" 5CCT Baffle - Bronze Trim	See Above*	8 W	740 Lm	92 Lm/W	7.5"	2.00"	0.4 lbs.
EVL6733DK50BK	6" 5CCT Baffle - Black Trim	See Above*	8 W	740 Lm	92 Lm/W	7.5"	2.00"	0.4 lbs.
EVL69093DK50WH	6" 5CCT Baffle - White Trim	See Above*	11 W	1000 Lm	91 Lm/W	7.5"	2.00"	0.4 lbs.
EVL69093DK50BZ	6" 5CCT Baffle - Bronze Trim	See Above*	11 W	1000 Lm	91 Lm/W	7.5"	2.00"	0.4 lbs.
EVL69093DK50BK	6" 5CCT Baffle - Black Trim	See Above*	11 W	1000 Lm	91 Lm/W	7.5"	2.00"	0.4 lbs.
EVL61433DK50WH	6" 5CCT Baffle - White Trim	See Above*	14 W	1400 Lm	100 Lm/W	7.5"	2.00"	0.4 lbs.
EVL61433DK50BZ	6" 5CCT Baffle - Bronze Trim	See Above*	14 W	1400 Lm	100 Lm/W	7.5"	2.00"	0.4 lbs.
EVL61433DK50BK	6" 5CCT Baffle - Black Trim	See Above*	14 W	1400 Lm	100 Lm/W	7.5"	2.00"	0.4 lbs.

INTEGRATED LED RETROFIT TRIM



EVL61093T50WH



EVL61091T50WH



RB6WHWH8102C

Common Features


- *5 CCT Models: 2700K, 3000K, 3500K, 4000K, 5000K
 - 120V input
 - 50,000 hr LED life
 - Dimmable
 - 5-year warranty
 - IC rated
- NOTE: **Not T20/T24 compliant



Model #	Description	CCT	Wattage	Lumens	Efficacy	CRI	Width	Height	Weight
EVL61093T50WH	6" 5CCT Baffle – White Trim	See Above*	12 W	1000 Lm	83Lm/W	90+	7.36"	2.36"	0.4 lbs.
EVL61091T50WH	6" 5CCT Smooth – White Trim	See Above*	12 W	1000 Lm	83Lm/W	90+	7.36"	2.36"	0.4 lbs.
RB6WHWH8102C**	6" 2CCT Baffle – White Trim	3000K/4000K	11 W	1050 Lm	95Lm/W	80+	7.30"	2.10"	0.4 lbs.

LED DEDICATED HOUSING

4" & 6" LED Housing



EVR6SLICATB-N



EVR6LICATB



EVR6LICRAT



EVR6SLICRAT-N



EVR2000LA



EVR2000LR

Common Features

- 120V input
- IC rated
- 1-year warranty
- Suitable for 10AWG copper plated aluminum wire



Model #	Description	Width	Height
EVR6SLICATB-N	6" Recessed LED Housing, New Construction, Shallow, 10 AWG Wire	14"	5.5"
EVR6LICATB	6" Recessed LED Housing, New Construction	14"	7.5"
EVR6LICRAT	6" Recessed LED Housing, Remodel	11"	7.5"
EVR6SLICRAT-N	6" Recessed LED Housing, Remodel, Shallow, 10 AWG Wire	11"	5.5"
EVR2000LA	4" Recessed LED Housing, New Construction	14"	5.5"
EVR2000LR	4" Recessed LED Housing, Remodel	8.5"	5.5"

INCANDESCENT DEDICATED HOUSING

4" & 6" Incandescent Housing



EVRH5000SICAT



EVRH71CATB



EVRH71CRAT



EVRH2000BA



EVRH2000R

Common Features

- 120V input
- 1-year warranty
- IC rated
- Airtight

Model #	Description	Width	Height
EVRH5000SICAT	6" Recessed Housing, New Construction, Shallow	14"	5.5"
EVRH71CATB	6" Recessed Housing, New Construction	14"	7.5"
EVRH71CRAT	6" Recessed Housing, Remodel	11"	7.5"
EVRH2000BB	4" Recessed Housing, New Construction	14"	5.5"
EVRH2000R	4" Recessed Housing, Remodel	8.5"	5.5"

INCANDESCENT TRIMS



Model #	Description	Trim Finish	Width	Height
EVRT601WH	6" Open Trim	White	8"	0.5"
EVRT635WH	6" Airtight Baffle Trim	White	7.25"	5"
EVRT634WH	6" Baffle Trim - Phenolic Plastic	White	7.25"	3"
EVRT610WH	6" Baffle Trim - Phenolic Plastic	Black	7.25"	3"
EVRT610MBWH	6" Baffle Trim - Metal	Black	7.25"	3"
EVRT603WH	6" Eyeball Trim	White	7.7"	4"
EVRT201LWH	4" Baffle Trim	White	5.1"	2.5"
EVRT205WH	4" Eyeball Trim	White	5"	3"
EVRT432G2WH	4" Shower Trim	White	5"	2.5"

SURFACE MOUNT / RECESSED RETROFIT



RC7WHWH8102C

Features

- White acrylic lens
- White finish
- 80+ CRI
- 120V input
- Dimmable
- IC rated
- Tension springs and E26 adapter included
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
RC7WHWH8102C	7" Disk Light	12 W	1,000 Lm	3000K/4000K	7.3"	0.98"	0.4 lbs.

INTEGRATED LED DISK LIGHT



EVDSK46010CWHxx
EVDSK69015CWHxx
EVDSK81825CWHxx



EVDK690DWHxx



EVDK690DBZ30



EVDK690DBKxx

Common Features

- White acrylic lens
- White (WH), Bronze (BZ), and Black (BK) finishes
- 90+ CRI
- 120V input
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
EVDSK46010CWH27	5" Disk Light	10.1 W	600 Lm	2700K	6.25"	1.25"	0.4 lbs.
EVDSK46010CWH30	5" Disk Light	10.1 W	600 Lm	3000K	6.25"	1.25"	0.4 lbs.
EVDSK46010CWH40	5" Disk Light	10.1 W	600 Lm	4000K	6.25"	1.25"	0.4 lbs.
EVDSK69015CWH27	7" Disk Light	15 W	1,000 Lm	2700K	7"	1.25"	0.7 lbs.
EVDSK69015CWH30	7" Disk Light	15 W	1,000 Lm	3000K	7"	1.25"	0.7 lbs.
EVDSK69015CWH40	7" Disk Light	15 W	1,000 Lm	4000K	7"	1.25"	0.7 lbs.
EVDSK81825CWH27	9" Disk Light	25 W	1,700 Lm	2700K	9.5"	1.5"	0.8 lbs.
EVDSK81825CWH30	9" Disk Light	25 W	1,700 Lm	3000K	9.5"	1.5"	0.8 lbs.
EVDSK81825CWH40	9" Disk Light	25 W	1,700 Lm	4000K	9.5"	1.5"	0.8 lbs.
EVDK690DWH27	7" Disk Light	14.3 W	1,000 Lm	2700K	7.5"	1.4"	0.7 lbs.
EVDK690DWH30	7" Disk Light	14.3 W	1,000 Lm	3000K	7.5"	1.4"	0.7 lbs.
EVDK690DWH40	7" Disk Light	14.3 W	1,000 Lm	4000K	7.5"	1.4"	0.7 lbs.
EVDK690DBK30	7" Disk Light	14.3 W	1,000 Lm	3000K	7.5"	1.4"	0.7 lbs.
EVDK690DBK40	7" Disk Light	14.3 W	1,000 Lm	4000K	7.5"	1.4"	0.7 lbs.
EVDK690DBZ30	7" Disk Light	14.3 W	1,000 Lm	3000K	7.5"	1.4"	0.7 lbs.

INTEGRATED LED THIN DISK LIGHT



LED127



LED129

Common Features

- White acrylic lens
- White finish
- 120V input
- Dimmable with LED-rated dimmer switch
- 50,000 hr LED life
- 5-year warranty

Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
LED127	7" Disk Light	14 W	1,250 Lm	3000K	7"	1"	1.0 lb.
LED129	9" Disk Light	19 W	1,700 Lm	3000K	9"	1"	1.7 lbs.

INTEGRATED LED THIN DISK TRIM OPTIONS



LED1271-OSB
LED1291-OSB



LED1271-SP
LED1291-SP



LED1272-WP
LED1292-WP



LED1274-PN
LED1294-PN



LED1276-SB
LED1296-SB



LED1277-SB
LED1297-SB



LED1279-BK
LED1299-BK



LED1279-CH
LED1299-CH

9" Disk Light Trims

Model #	Finish	Width	Height
LED1271-OSB	Old Satin Brass	9.5"	1.25"
LED1271-SP	Satin Platinum	9.5"	1.25"
LED1272-WP	Weathered Pewter	9.25"	1.5"
LED1274-PN	Polished Nickel	9.5"	2.25"
LED1276-SB	Satin Bronze	9.5"	2.25"
LED1277-SB	Satin Bronze	11.5"	1.25"
LED1279-BK	Black	12"	1.25"
LED1279-CH	Chrome	12"	1.25"

12" Disk Light Trims

Model #	Finish	Width	Height
LED1291-OSB	Old Satin Brass	12"	1.25"
LED1291-SP	Satin Platinum	12"	1.25"
LED1292-WP	Weathered Pewter	11.25"	1.5"
LED1294-PN	Polished Nickel	11.5"	2.25"
LED1296-SB	Satin Bronze	11.5"	2.25"
LED1297-SB	Satin Bronze	13.5"	1.25"
LED1299-BK	Black	15.5"	2.25"
LED1299-CH	Chrome	15.5"	2.25"

INTEGRATED LED LOW PROFILE FLUSH MOUNT



LED1590L3-WH, LED1591L3-WH



LED1590L3-BK, LED1591L3-BK



LED1592L3-WH, LED1593L3-WH



LED1592L3-BK, LED1593L3-BK

Common Features

- 3000K CCT
- White acrylic lens
- 120V input
- Dimmable
- 30,000 hr LED life
- 3-year warranty



Model #	Description	Housing Finish	Lumens	Diameter	Height
LED1590L3-WH	5" Round Low Profile LED Flush Mount	White	550 Lm	5"	0.61"
LED1590L3-BK	5" Round Low Profile LED Flush Mount	Black	550 Lm	5"	0.61"
LED1591L3-WH	7" Round Low Profile LED Flush Mount	White	800 Lm	7"	0.63"
LED1591L3-BK	7" Round Low Profile LED Flush Mount	Black	800 Lm	7"	0.63"
LED1592L3-WH	9" Round Low Profile LED Flush Mount	White	1,300 Lm	9"	0.63"
LED1592L3-BK	9" Round Low Profile LED Flush Mount	Black	1,300 Lm	9"	0.63"
LED1593L3-WH	12" Round Low Profile LED Flush Mount	White	1,800 Lm	12"	0.63"
LED1593L3-BK	12" Round Low Profile LED Flush Mount	Black	1,800 Lm	12"	0.63"

NOTE: At time of press, not all specs were available for these items. Please contact your DF Pro sales manager for more details.


WIZ CONNECTED SMART INTEGRATED LED FLUSH MOUNTS



LED155xRGB-BN



LED1555RGB-WH



16 Million Colors
64,000 Shades of White
Over 20 Preloaded Scenes



Common Features

- 16 Million Colors
- Tunable White: 2200K-6500K
- White acrylic lens
- Voice control: works with Amazon Alexa, Google Assistant, Siri Shortcuts, and IFTT
- 120V input
- Dimmable via the WIZ app
- 30,000 hr LED life
- 3-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height	Weight
LED1552RGB-BN	12" Round Smart LED Flush Mount	Brushed Nickel	14 W	1,000 Lm	12"	3.75"	2.0 lbs.
LED1553RGB-BN	14" Round Smart LED Flush Mount	Brushed Nickel	23 W	1,400 Lm	14"	3.75"	2.7 lbs.
LED1554RGB-BN	16" Round Smart LED Flush Mount	Brushed Nickel	27 W	1,800 Lm	16"	4"	3.2 lbs.
LED1555RGB-WH	14" Round Smart LED Flush Mount	White	23 W	1,600 Lm	14"	4"	2.5 lbs.

INTEGRATED LED DC FLUSH MOUNTS



EV14xxC3C-34



EV14xxC3C-35



EV14xxC3C-43

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height	Weight
EV1410C3C-34	10" Round Flush Mount	Oil Rubbed Bronze	19 W	1,150 Lm	10.5"	3.5"	1.3 lbs.
EV1410C3C-35	10" Round Flush Mount	Brushed Nickel	19 W	1,150 Lm	10.5"	3.5"	1.3 lbs.
EV1410C3C-43	10" Round Flush Mount	Matte Black	19 W	1,150 Lm	10.5"	3.5"	1.3 lbs.
EV1412C3C-34	12" Round Flush Mount	Oil Rubbed Bronze	19 W	1,200 Lm	12"	4"	2.1 lbs.
EV1412C3C-35	12" Round Flush Mount	Brushed Nickel	19 W	1,200 Lm	12"	4"	2.1 lbs.
EV1412C3C-43	12" Round Flush Mount	Matte Black	19 W	1,200 Lm	12"	4"	2.1 lbs.
EV1414C3C-34	14" Round Flush Mount	Oil Rubbed Bronze	26 W	1,400 Lm	14"	4"	2.5 lbs.
EV1414C3C-35	14" Round Flush Mount	Brushed Nickel	26 W	1,400 Lm	14"	4"	2.5 lbs.
EV1414C3C-43	14" Round Flush Mount	Matte Black	26 W	1,400 Lm	14"	4"	2.5 lbs.
EV1416C3C-34	16" Round Flush Mount	Oil Rubbed Bronze	28 W	1,800 Lm	16"	4.25"	2.7 lbs.
EV1416C3C-35	16" Round Flush Mount	Brushed Nickel	28 W	1,800 Lm	16"	4.25"	2.7 lbs.
EV1416C3C-43	16" Round Flush Mount	Matte Black	28 W	1,800 Lm	16"	4.25"	2.7 lbs.

INTEGRATED LED FLUSH MOUNTS



EV1586C5-43

Features

- 5-CCT Selectable: 2700K, 3000K, 3500K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Dimmable
- 30,000 hr LED life
- 3-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height	Weight
EV1586C5-43	13" Round LED Flush Mount	Matte Black	25 W	1,400 Lm	13"	1.5"	**



EV1572C3A



EV1573C3A

Common Features


- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Depth	Height	Weight
EV1572C3A-342	15" Round LED Flush Mount	Matte Black with Brushed Nickel Accent	32 W	1,600 Lm	15.25"	15.25"	3"	3.8 lbs.
EV1573C3A-342	47" Linear LED Flush Mount	Matte Black with Brushed Nickel Accent	60 W	3,500 Lm	47"	10"	3.25"	10.3 lbs.



EV1583C3-43



EV1584C3-338

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 80+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Depth	Height	Weight
EV1583C3-43	44" Linear LED Flush Mount	Matte Black	55 W	4,000 Lm	44"	13"	6"	15.5 lbs.
EV1584C3-338	44" Linear LED Flush Mount	Gray with Brushed Gold Accent	52 W	4,000 Lm	44"	10.25"	3.75"	**

NOTE: **At time of press, not all specs were available for this item. Please contact your DF Pro sales manager for more details.

INTEGRATED LED FLUSH MOUNTS



EV1517L4-151

Features

- Glass shade
- 4000K CCT
- 80+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Depth	Height	Weight
EV1517L4-151	49" Linear LED Flush Mount	Natural Iron	59 W	4,100 Lm	49.25"	18.5"	4"	18.4 lbs.



EV3163C3B-43



EV31xxC3A-35



EV31xxC3A-43



EV1558C3-43

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty

NOTE: *Not T24 compliant



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height	Weight
EV3163C3B-43*	16" Round LED Flush Mount	Matte Black	30 W	1,700 Lm	16"	3.5"	3.6 lbs.
EV3162C3A-35	14" Round LED Flush Mount	Brushed Nickel	26 W	1,400 Lm	14"	3.5"	2.8 lbs.
EV3162C3A-43	14" Round LED Flush Mount	Matte Black	26 W	1,400 Lm	14"	3.5"	2.8 lbs.
EV3160C3A-35	10" Round LED Flush Mount	Brushed Nickel	19 W	1,100 Lm	10"	2.75"	1.4 lbs.
EV3160C3A-43	10" Round LED Flush Mount	Matte Black	19 W	1,100 Lm	10"	2.75"	1.4 lbs.
EV1558C3-43	16" Round LED Flush Mount	Matte Black	34 W	2,000 Lm	16"	5.25"	4.4 lbs.

INTEGRATED LED FLUSH MOUNTS



EV1424C3C-43



3200LEDC-35

Common Features

- White plastic lens
 - 120V input
 - Dimmable
 - 50,000 hr LED life
 - 5-year warranty
- NOTE:** *Not T24 compliant



Model #	Description	Housing Finish	Wattage	Lumens	CRI	Width	Height	Depth	Weight
EV1424C3C-35	24" Oval Flush Mount - Selectable CCT 3000K, 4000K, 5000K	Brushed Nickel	40 W	2,800 Lm	90+	24"	4.25"	13.5"	4.3 lbs.
EV1424C3C-43	24" Oval Flush Mount- Selectable CCT 3000K, 4000K, 5000K	Matte Black	40 W	2,800 Lm	90+	24"	4.25"	13.5"	4.3 lbs.
3200LEDC-35*	32" Oval Flush Mount - 3000K CCT	Brushed Nickel	45 W	3,100 Lm	80+	32.25"	4.75"	18"	7.6 lbs.
3200LEDC-43*	32" Oval Flush Mount - 3000K CCT	Matte Black	45 W	3,100 Lm	80+	32.25"	4.75"	18"	7.6 lbs.

INTEGRATED LED PUFF FLUSH MOUNTS



EV101xC5C-06



EV101xSC5C-06

Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White plastic lens
- White finish
- 120V input
- Triac dimming
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CRI	Wattage	Lumens	Width	Height	Weight	Title 24
EV1011C5C-06	11" Round Puff LED Flush Mount	80+	15 W	1200 Lm	10.75"	4"	0.9 lbs.	No
EV1014C5C-06	14" Round Puff LED Flush Mount	90+	25 W	1600 Lm	13.75"	4"	1.2 lbs.	Yes
EV1011SC5C-06	11" Square Puff LED Flush Mount	90+	19 W	1200 Lm	10.75"	3.25"	1.0 lb.	Yes
EV1014SC5C-06	14" Square Puff LED Flush Mount	90+	25 W	1600 Lm	13.75"	4"	2.4 lbs.	Yes

LED TRACK LIGHT / FLUSH MOUNT COMBO KIT



1049TFD3H-35

Features

- Brushed Nickel (35) finish
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 30,000 hr LED life
- 3-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
1049TFD3H-35	4-Head Track Kit/Flush Mount Combo with S-Shaped Bar	30 W	2,110 Lm	34"	7.5"	7.5"	3.7 lbs.

LED FIXED-HEAD TRACK LIGHTS



EVT102027B-35



EVT101727B-35



EVT101227B-35



EVT61047D3-05



EVT41052D3-35



EVT41052D3-43

Common Features

- Brushed Nickel (35), Black (05), Matte Black (43), or White (06) finishes
- 80+ CRI
- Triac dimming
- 120V input
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Width	Height	Depth	Weight
EVT101227B-35	4 Cylindrical Heads, Straight Bar	2700K	23 W	2,000 Lm	29.5"	6.0"	5.75"	2.5 lbs.
EVT101727B-35	4 Bullet Heads, Curved Bar	2700K	23 W	1,900 Lm	31.5"	6.5"	6"	2.5 lbs.
EVT102027B-35	4 Frosted Shade Heads, Straight Bar	2700K	23 W	1,900 Lm	29.5"	6"	4.5"	2.7 lbs.
EVT61047D3-05	6 Cylindrical Heads, 2 Straight Bars	3000K	29 W	2,700 Lm	52"	6.25"	5.25"	3.9 lbs.
EVT41052D3-35	4-Light LED Fixed Track	3000K	28 W	1,800 Lm	24.75"	7.5"	4.75"	2.5 lbs.
EVT41052D3-43	4-Light LED Fixed Track	3000K	28 W	1,800 Lm	24.75"	7.5"	4.75"	2.5 lbs.

INTEGRATED LED TRACK KITS

Rail and 3 LED Track Heads Included



EVT1042D3A-05



EVT1042D3A-06

Common Features

- Black (05) or White (06) finishes
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
EVT1042D3A-05	Small Step Cylinder LED Track Head	20 W	1,500 Lm	42"	7.25"	4.5"	2.8 lbs.
EVT1042D3A-06	Small Step Cylinder LED Track Head	20 W	1,500 Lm	42"	7.25"	4.5"	2.8 lbs.

Single LED Track Heads



EVT1030D3A-05



EVT1031D3A-06



EVT1032D3-05

Common Features

- Black (05) or White (06) finishes
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
EVT1030D3A-05	Small Step Cylinder LED Track Head	6 W	500 Lm	4"	5.5"	2.5"	0.5 lbs.
EVT1030D3A-06	Small Step Cylinder LED Track Head	6 W	500 Lm	4"	5.5"	2.5"	0.5 lbs.
EVT1031D3A-05	Medium Step Cylinder LED Track Head	12 W	850 Lm	5.25"	6.25"	3.5"	0.8 lbs.
EVT1031D3A-06	Medium Step Cylinder LED Track Head	12 W	850 Lm	5.25"	6.25"	3.5"	0.8 lbs.
EVT1032D3-05	Large Step Cylinder LED Track Head	18 W	1,280 Lm	6.5"	7"	4.5"	1.1 lbs.
EVT1032D3A-06	Large Step Cylinder LED Track Head	15 W	1,280 Lm	6.5"	7"	4.5"	1.1 lbs.

INTEGRATED LED PUFF FLUSH MOUNT BATH LIGHT



154xN3MV-35

Common Features

- White acrylic lens
- Brushed Nickel accent
- 3000K CCT
- 120V/277V input
- 80+ CRI
- 50,000 hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
1541N3MV-35	2' Linear LED Flush Mount Bath Light	25 W	2,200 Lm	24"	4.25"	6"	4.7 lbs.
1542N3MV-35	3' Linear LED Flush Mount Bath Light	30 W	2,700 Lm	36"	4.25"	6"	6.0 lbs.
1543N3MV-35	4' Linear LED Flush Mount Bath Light	40 W	3,700 Lm	47.75"	4.25"	6"	7.1 lbs.

INTEGRATED LED BATH VANITIES



LED68303-SP-T24



LED68204-SP

Common Features

- 2700K CCT
 - 120V input
 - 50,000 hr LED life
 - 3-year warranty
- NOTE: * Title 24 compliant & Dimmable



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED68303-SP-T24*	LED Bath Vanity	Satin Platinum	Satin White Glass	30 W	1,900 Lm	24"	5"	4.75"	5.7 lbs.
LED68304-SP-T24*	LED Bath Vanity	Satin Platinum	Satin White Glass	39 W	2,300 Lm	30"	5"	4.75"	6.5 lbs.
LED68203-SP	LED Bath Vanity	Satin Platinum	Satin White Glass	30 W	1,800 Lm	24"	5"	5"	5.9 lbs.
LED68204-SP	LED Bath Vanity	Satin Platinum	Satin White Glass	39 W	2,700 Lm	30"	5"	5"	7.0 lbs.

INTEGRATED LED WALL SCONCES



Common Features

- 2700K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year warranty

NOTE: * Not ADA compliant
** Not Energy Star, T24, or ADA Compliant



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED89802-BK**	LED Wall Sconce	Black	Clear Seedy Glass	21 W	900 Lm	14"	17"	6"	5.6 lbs.
LED6871-CH	LED Wall Sconce	Chrome	Etched Opal Glass	13 W	800 Lm	4.5"	13.75"	4"	3.0 lbs.
LED6871-SP	LED Wall Sconce	Satin Platinum	Etched Opal Glass	13 W	800 Lm	4.5"	13.75"	4"	3.0 lbs.
LED67801-SP-T24*	LED Wall Sconce	Satin Platinum	Frosted Glass	14 W	650 Lm	4.5"	9.75"	6.5"	6.0 lbs.



Common Features

- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year warranty

NOTE: * Not ADA Compliant



Model #	Description	Finish	Shade/Accent	CCT	Wattage	Lumens	Width	Height	Ext.	Weight
LED15011A-34	LED Wall Sconce	Oil Rubbed Bronze	Frosted Glass	2700K	10 W	800 Lm	7"	10"	3.5"	2.6 lbs.
LED15011A-35	LED Wall Sconce	Satin Platinum	Frosted Glass	2700K	10 W	800 Lm	7"	10"	3.5"	2.6 lbs.
LED6071-SP	LED Wall Sconce	Satin Platinum	Frosted Glass	2700K	10 W	700 Lm	6.25"	10.5"	3.5"	3.9 lbs.
LED6020A-AST*	LED Wall Sconce	Assorted Caps	Frosted Glass	3000K	9 W	1,200 Lm	13.25"	6.5"	6.5"	3.0 lbs.
LED33711-BNB*	LED Wall Sconce	Burnished Bronze	Opal Glass	3000K	13 W	550 Lm	9.25"	13.25"	4.25"	5.0 lbs.

INTEGRATED LED OUTDOOR POST LANTERNS



LED31136A-ORB



LED22436-BNB



LED32826-BNB



LED33436-ORB



LED32536-BNB

Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 3-year warranty
- 60,000 hr LED life

NOTE: * Not made from Cast Aluminum



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Weight
LED31136A-ORB	LED Post Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	300 Lm	9"	18.25"	7.0 lbs.
LED22436-BNB	LED Post Lantern	Burnished Bronze	White Opal Glass	13 W	750 Lm	9"	15.5"	4.9 lbs.
LED32826-BNB	LED Post Lantern	Burnished Bronze	Clear Seedy Glass	11 W	650 Lm	9"	17"	4.0 lbs.
LED33436-ORB*	LED Post Lantern	Oil Rubbed Bronze	Clear Seedy Glass	10 W	450 Lm	8.5"	16.5"	6.1 lbs.
LED32536-BNB	LED Post Lantern	Burnished Bronze	Clear Ribbed Glass	13 W	800 Lm	9"	14.5"	13.1 lbs.

INTEGRATED LED OUTDOOR DARK SKY WALL LANTERNS



LED34621-ORB
LED34631-ORB



LED23221-SV



LED32611-BNB
LED32621-BNB



LED33001-SP



LED33001-ORB

Common Features

- 120V input
- 3000K CCT
- 80+ CRI
- 60,000 hr LED life
- 3-year warranty

NOTE: * ADA compliant
** Energy Star rated and made from Cast Aluminum



Model #	Description	Finish	Diffuser	Wattage	Lumens	CRI	Width	Height	Extension	Weight
LED34621-ORB*	LED DS Wall Lantern	Oil Rubbed Bronze	Etched Glass	13 W	700 Lm	80+	7"	5"	3.5"	4.1 lbs.
LED34631-ORB*	LED DS Wall Lantern	Oil Rubbed Bronze	Etched Glass	13 W	700 Lm	80+	9"	5"	4"	4.1 lbs.
LED23221-SV	LED DS Wall Lantern	Silver	N/A	10 W	500 Lm	80+	8"	12"	9.5"	2.6 lbs.
LED32611-BNB**	LED DS Wall Lantern	Burnished Bronze	N/A	10 W	325 Lm	70+	6"	15.5"	5"	3.7 lbs.
LED32621-BNB**	LED DS Wall Lantern	Burnished Bronze	N/A	10 W	400 Lm	70+	7"	18"	6"	5.0 lbs.
LED33001-SP	LED DS Wall Lantern	Satin Platinum	Etched Glass	7.5 W	500 Lm	70+	4.5"	6"	4.75"	5.0 lbs.
LED33001-ORB	LED DS Wall Lantern	Oil Rubbed Bronze	Etched Glass	7.5 W	500 Lm	70+	4.5"	6"	4.75"	5.0 lbs.

INTEGRATED LED OUTDOOR WALL LANTERNS



D248L-50W-MB
D248L-70W-MB



LED34511-RT
LED34521-RT



LED32911-BBZ
LED32921-BBZ



LED31111A-ORB
LED31121A-ORB



LED22421-BNB
LED22431-BNB



LED33421-ORB
LED33431-ORB



LED33001C-SP



LED32211-BK



LED32311-FSN



7103LED-05

Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 50,000 hr LED life
- 3-year warranty

NOTES: * = does not qualify for Energy Star
** = ADA compliant



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Extension	Weight
D248L-50W-MB*	LED Wall Lantern	Matte Black	Etched White Glass	11 W	450 Lm	5.5"	12"	5"	1.5 lbs.
D248L-70W-MB*	LED Wall Lantern	Matte Black	Etched White Glass	21 W	850 Lm	7"	17.5"	6"	4.3 lbs.
LED34511-RT**	LED Wall Lantern	Rustique	Clear Seedy Glass	11 W	450 Lm	5.75"	12"	4"	3.6 lbs.
LED34521-RT	LED Wall Lantern	Rustique	Clear Seedy Glass	11 W	600 Lm	6.5"	15"	4.75"	4.9 lbs.
LED32911-BBZ	LED Wall Lantern	Burnished Bronze	Clear Crackle Glass	11 W	900 Lm	5.5"	11.75"	6.75"	5.0 lbs.
LED32921-BBZ	LED Wall Lantern	Burnished Bronze	Clear Crackle Glass	11 W	850 Lm	7"	17"	8.25"	9.0 lbs.
LED31111A-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	350 Lm	7"	13"	9.75"	3.9 lbs.
LED31121A-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	350 Lm	9"	16.25"	11.75"	3.9 lbs.
LED22421-BNB	LED Wall Lantern	Burnished Bronze	White Opal Glass	13 W	650 Lm	7"	11.5"	8.75"	4.4 lbs.
LED22431-BNB	LED Wall Lantern	Burnished Bronze	White Opal Glass	13 W	700 Lm	9"	14.5"	10.5"	7.4 lbs.
LED33421-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Seedy Glass	10 W	600 Lm	6.5"	10.25"	7.5"	4.6 lbs.
LED33431-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Seedy Glass	10 W	550 Lm	8.5"	12.75"	9.5"	7.0 lbs.
LED33001C-SP	LED Wall Lantern	Satin Platinum	Etched Glass Diffuser	10 W	800 Lm	4.5"	7.5"	4.75"	5.0 lbs.
LED32211-BK	LED Wall Lantern	Black	Frosted & Clear Glass	5.5 W	424 Lm	5.5"	8.75"	7"	3.1 lbs.
LED32311-FSN	LED Wall Lantern	Forged Sienna	Clear Glass	5.5 W	300 Lm	5.5"	10"	7"	8.9 lbs.
7103LED-05	LED Wall Lantern	Black	Clear Seedy Glass	6 W	220 Lm	6.5"	14"	7.5"	3.1 lbs.

INTEGRATED LED WRAPAROUNDS



WE104D140

Features

- White Housing
- 120V input
- Triac Dimming
- 50,000 hr LED life
- 5-year warranty

Model #	Description	CRI	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WE104D140	White Edge Lit Utility Wrap	80+	4000K	60 W	4,000 Lm	82 Lm/W	46"	4.2"	10"	7 lbs.



WL11100DM40
WL1165DM3095



WL0554DM50



WA304BL301

Common Features


- White Housing
- 120/277V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty
- Sensor available



Model #	Description	CRI	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WL0554DM50	4' x 5" Flush Mount MV Wraparound	83	5000K	60 W	5,000 Lm	82 Lm/W	48"	1.36"	5.13"	8.8 lbs.
WL11100DM40	4' x 11" Flush Mount MV Wraparound	83	4000K	100 W	10,000 Lm	100 Lm/W	48"	1.65"	11.3"	8.8 lbs.
WL1165DM3095	4' x 11" Flush Mount MV Wraparound	95	3000K	100 W	6,500 Lm	65 Lm/W	48"	1.65"	11.3"	8.8 lbs.
WA304BL301	3' x 4" Semi-Flush Mount MV Wraparound	83	4000K	33 W	3,000 Lm	91 Lm/W	36"	2.5"	4"	8.8 lbs.

LED T8 WRAPAROUNDS

LED T8 Lamps Included



WA09Txxxx

Common Features

- White Housing
- 120/277V input
- 83 CRI
- 50,000 hr LED life
- 5-year warranty
- Sensor available
- Only T8 tubes are DLC listed
- Battery Backup available - Add suffix "B" to any of the 4 models below




Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WA09T1840	4' x 9" 2-Light LED Flush Mount MV Wraparound	4000K	28 W	3,600 Lm	129 Lm/W	48"	3.25"	9"	8.8 lbs.
WA09T1850	4' x 9" 2-Light LED Flush Mount MV Wraparound	5000K	28 W	3,600 Lm	129 Lm/W	48"	3.25"	9"	8.8 lbs.

Accessory

Model #	Description	Voltage	Width	Height	Depth	Weight	Warranty
EVWA9T8	4' Wraparound Housing only Wired for use with Type B Single End powered LED T8 tubes only	120/277V	48"	3.25"	9"	8.8 lbs.	5-year

INTEGRATED LED MEDIUM STRIP LIGHTS



Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 0-10V Dimming
- 50,000 hr LED life
- 5-year warranty
- Sensor available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST4LSWDMDS	4' LED Medium Strip Light Selectable Wattage and CCT	3500K 4000K 5000K	34 W 38 W 45 W	4,400 Lm 5,000 Lm 5,900 Lm	129 Lm/W 132 Lm/W 131 Lm/W	48"	3.5"	3.4"	4.5 lbs.
ST8LSWDMDS	8' LED Medium Strip Light Selectable Wattage and CCT	3500K 4000K 5000K	65 W 75 W 90 W	8,450 Lm 9,750 Lm 11,700 Lm	130 Lm/W 130 Lm/W 130 Lm/W	96"	3.5"	3.4"	9.9 lbs.
ST8L74DMD40	8' LED Medium Strip Light	4000K	69.1 W	7,400 Lm	107 Lm/W	96"	3.5"	3"	10.3 lbs.
ST8L117DMD40	8' LED Medium Strip Light	4000K	90 W	11,700 Lm	130 Lm/W	96"	3.5"	3.4"	10.0 lbs.

INTEGRATED LED SLIM STRIP LIGHTS



ST4N48DMDxx



ST8N96DMDxx

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 0-10V Dimming
- 50,000 hr LED life
- 5-year warranty
- Sensor available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST4N40DMD35	4' LED Slim Strip Light	3500K	38 W	4,000 Lm	105 Lm/W	48"	2.75"	2"	5.6 lbs.
ST4N48DMD40	4' LED Slim Strip Light	4000K	43 W	5,000 Lm	116 Lm/W	48"	2.75"	2"	5.6 lbs.
ST4N48DMD50	4' LED Slim Strip Light	5000K	43 W	5,000 Lm	116 Lm/W	48"	2.75"	2"	5.6 lbs.
ST8N96DMD40	8' LED Slim Strip Light	4000K	84 W	10,000 Lm	119 Lm/W	96"	2.75"	2"	11.0 lb.
ST8N96DMD50	8' LED Slim Strip Light	5000K	84 W	10,000 Lm	119 Lm/W	96"	2.75"	2"	11.0 lb.

LED T8 STRIP LIGHTS

LED T8 Lamps Included



ST702Txxxx



ST704Txxxx

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 50,000 hr LED life
- 5-year warranty
- Sensor available
- Only T8 tubes are DLC listed
- For use with Type B, Single end powered LED T8 tubes only



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST702T1835	4' Strip, 2 LED Lamps	3500K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T1840	4' Strip, 2 LED Lamps	4000K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T1850	4' Strip, 2 LED Lamps	5000K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST704T1835	8' Strip, 4 LED Lamps	3500K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T1840	8' Strip, 4 LED Lamps	4000K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T1850	8' Strip, 4 LED Lamps	5000K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.
EVSS42T8	4' Strip Fixture - Housing Only	N/A	N/A	N/A	N/A	48"	2.75"	4"	4.2 lbs.
EVSS84T8	8' Strip Fixture - Housing Only	N/A	N/A	N/A	N/A	96"	2.75"	4"	8.4 lbs.

INTEGRATED LED HONEYCOMB TROFFER PANEL



HCP24BL50

Features


- White Housing
- 120/277V input
- 80+ CRI
- Sharp light cutoff angle
- 0-10V Dimming
- 50,000 hr LED life
- 5-year warranty

Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
HCP24BL50	2' X 4' Honeycomb Panel	4000K	42 W	5,000 Lm	119 Lm/W	48"	1.75"	24"	7.6 lbs.

WIZ CONNECTED SMART INTEGRATED LED TROFFER



EVTR24DI48DTWP



Features

- Control with the WIZ smart phone app
- Wi-Fi, cloud based
- No hub needed - easy setup
- White housing
- Dimming via the Wiz app
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
EVTR24DI48DTWP	2' X 4' LED Volumetric Troffer	Tunable	37 W	4,800 Lm	130 Lm/W	48"	3.625"	24"	20.0 lbs.

WHITE LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL30WD



TRS24BL50WD

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 0-10V Dimming
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
TRS22BL30WD	Shallow 2' x 2' White Lens Troffer	4000K	27 W	3,100 Lm	115 Lm/W	24"	1.75"	24"	11.0 lb.
TRS24BL50WD	Shallow 2' x 4' White Lens Troffer	4000K	43 W	5,100 Lm	119 Lm/W	48"	1.75"	24"	17.9 lbs.

PRISMATIC LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL20WD



TRS24BL40WD

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 0-10V Dimming
- Min ambient temp 0° C / 32° F
- Max ambient temp 40° C / 104° F
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
TRS22BL20PD	Shallow 2' x 2' White Lens Troffer	4000K	27 W	3,100 Lm	115 Lm/W	24"	1.75"	24"	11.0 lbs.
TRS24BL40PD	Shallow 2' x 4' White Lens Troffer	4000K	43 W	5,100 Lm	119 Lm/W	48"	1.75"	24"	17.9 lbs.

INTEGRATED LED ROUND GROW LIGHTS



GL11R150Mx

Common Features

- Black housing
 - 120° beam angle
 - 120/277V input
 - Dimmable 0-10V
 - 80+ CRI
 - 120V power cord included
 - 50,000 hr LED life
 - 5 year warranty
- NOTE: * = DLC listed



Model #	Description	CCT	Wattage	Lumens	Efficacy	Diameter	Height	Weight
GL11R150M	11" Round Vegetative Grow Light	3250K	150 W	24,000 Lm	160 Lm/W	11"	2"	6.0 lbs.
GL11R150MH*	11" Round Horticultural Grow Light	3325K	150 W	24,300 Lm	162 Lm/W	11"	2"	6.0 lbs.

INTEGRATED LED ROUND HIGH BAYS

High Efficiency - Utility Rebate Eligible



HBRxxDMDP50

Common Features

- Black housing
- Lenses Available
- 120/277V input
- Wire Guards Available
- 80+ CRI
- Battery Backup Available
- 50,000 hr LED life
- 5 year warranty

Model #	Description	CCT	Wattage	Lumens	Efficacy	Diameter	Height	Weight
HBR14DMDP50	9" Round High Bay	5000K	80 W	14,400 Lm	180 Lm/W	9"	2"	4.4 lbs.
HBR22DMDP50	11" Round High Bay	5000K	120 W	21,600 Lm	180 Lm/W	11"	2"	6.0 lbs.
HBR27DMDP50	11" Round High Bay	5000K	150 W	27,000 Lm	180 Lm/W	11"	2"	6.0 lbs.
HBR36DMDP50	11" Round High Bay	5000K	200 W	36,000 Lm	180 Lm/W	11"	2"	6.0 lbs.

INTEGRATED LED BACKLIT HIGH BAYS



HB2B13DMP50



HB2B19DMP50



HB4B28DMDP50

Common Features

- White housing
- 120/277V input
- 80+ CRI
- Power factor 0.99
- THD <20%
- Dimmable
- 50,000 hr LED life
- 5 year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
HB2B13DMP50	2' LED High Bay Backlit Fixture	5000K	91 W	12,800 Lm	141 Lm/W	24.75"	1.75"	11"	8.6 lbs.
HB2B19DMP50	2' LED High Bay Backlit Fixture	5000K	146 W	20,000 Lm	137 Lm/W	24.75"	1.75"	11"	8.6 lbs.
HB4B28DMDP50	4' LED High Bay Backlit Fixture	5000K	205 W	28,200 Lm	138 Lm/W	49.9"	3.67"	12.6"	16.8 lbs.

LED T8 HIGH BAYS

Housings - LED T8 Lamps Optional



HBA6Txxx

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Power factor 0.92
- THD <20%
- Only T8 tubes are DLC listed
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
HBA6T1835	High Bay, 6 LED T8 Lamps	3500K	86 W	10,800 Lm	126 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T1840	High Bay, 6 LED T8 Lamps	4000K	85 W	10,800 Lm	127 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T1850	High Bay, 6 LED T8 Lamps	5000K	84 W	10,800 Lm	128 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.

Accessories

Model #	Description	CCT	Wattage	Lumens
930-174-ES-1	4' replacement LED T8 Bulb	3500K	14 W	1,800 Lm
902-454-ES-1	4' replacement LED T8 Bulb	4000K	14 W	1,800 Lm
906-247-ES-1	4' replacement LED T8 Bulb	5000K	14 W	1,800 Lm

Model #	Description	Voltage	Width	Height	Depth	Weight	Warranty
EVHBA6T8	4' High Bay Housing Wired for use with Type B Single End powered LED T8 tubes only	120/277V	49"	2.75"	17"	16 lbs.	5-year

INTEGRATED LED SECURITY FLOOD LIGHTS



FL14NT50-48



FL17NT50-48



3F10NV57-48



3F10DV57-48

Common Features

- Bronze finish
- Tempered glass lens
- 120V input
- 100° beam angle
- Min starting temp 0° C / 32° F
- > 80 CRI
- 6KV surge protection
- 50,000 hr LED life
- 5-year warranty

NOTE: * IP65 Rated



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
FL14NT50-48	LED Security Flood Light	5000K	12 W	1,000 Lm	83 Lm/W	5.2"	4.9"	4.1"	0.8 lbs.
FL17NT50-48	LED Security Flood Light	5000K	24 W	2,200 Lm	92 Lm/W	5.2"	4.9"	4.1"	1.0 lb.
3F10NV57-48*	3-Head LED Security Flood Light	5700K	45 W	4,000 Lm	89 Lm/W	17.5"	7.5"	6.7"	3.8 lbs.
3F10DV57-48*	3-Head LED Security Flood Light - Dusk to Dawn	5700K	45 W	4,000 Lm	89 Lm/W	17.5"	7.5"	6.7"	3.8 lbs.



FL2016N40-06



FL2016N40-48

Common Features

- Available finishes (xx): White (06), or Bronze (48)
- 120V input
- Min starting temp 0° C / 32° F
- > 80 CRI
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
FL2016N40-xx	LED Security Flood Light	4000K	20 W	1,800 Lm	90 Lm/W	7"	7"	4.75"	2.2 lbs.

INTEGRATED LED WALL PACKS



WP3xxV50-48

Common Features

- Corrosion-resistant bronze powder coating
- Borosilicate glass prismatic shade
- 120/277V input
- 100° beam angle
- Min starting temp 0° C / 32° F
- > 80 CRI
- 6KV surge protection
- 50,000 hr LED life
- 5-year warranty



Model #	Description	BUG Rating	Dimming	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WP30PV50-48	LED Wall Pack	B1-U3-G3	0-10V	5000K	30 W	4,000 Lm	133 Lm/W	14.1"	9.2"	9"	8.4 lbs.
WP3BPV50-48	LED Wall Pack	B1-U3-G4	0-10V	5000K	45 W	6,200 Lm	138 Lm/W	14.1"	9.2"	9"	9.2 lbs.
WP3EPV50-48	LED Wall Pack	B2-U4-G3	0-10V	5000K	67 W	9,200 Lm	137 Lm/W	14.1"	9.2"	9"	9.8 lbs.

LED T8 SHOP LIGHTS

Power Cord and Plug Included. LED T8 Lamps Optional.



SL602Txxxx

Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Power factor 0.92
- Min ambient temp -20°C / -4°F
- Max ambient temp 40°C / 104°F
- THD <20%
- Only T8 tubes are DLC listed
- 50,000 hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
SL602T1840	2 Lamp, 4' Shop Light	4000K	28 W	3,600 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.
SL602T1850	2 Lamp, 4' Shop	5000K	28 W	3,600 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.

VAPOR TIGHT / BARN LIGHT



GL14R30130



AS1AD40-27

Common Features

- Power factor 0.99
- THD <20%
- 5-year warranty



Model #	Description	Voltage	CCT	Wattage	Lumens	Efficacy	CRI	Width	Height	Depth	Weight
GL14R30130	Integrated LED Vapor Tight	120/227V	3000K	22 W	3,000 Lm	136 Lm/W	80	14"	4"	14"	4.0 lbs.
AS1AD40-27	Integrated LED Barn Light	120V	4000K	31 W	5,000 Lm	161 Lm/W	70	7.6"	4.85"	11.7"	6.0 lbs.

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
1049TFD3H-35	16	EV23552WH40	5	EVDK81825CWH27	9	EVRT432G2WH	8
1541N3MV-35	18	EV26081WH30	3	EVDK81825CWH30	9	EVRT601WH	8
1542N3MV-35	18	EV26081WH40	3	EVDK81825CWH40	9	EVRT603WH	8
1543N3MV-35	18	EV3160C3A-35	14	EVHBA6T8	29	EVRT610MBWH	8
3200LEDC-35	15	EV3160C3A-43	14	EVL4733CWH27	6	EVRT610WH	8
3200LEDC-43	15	EV3162C3A-35	14	EVL4733CWH30	6	EVRT634WH	8
3F10DV57-48	30	EV3162C3A-43	14	EVL4733CWH35	6	EVRT635WH	8
3F10NV57-48	30	EV3163C3B-43	14	EVL4733CWH40	6	EVSS42T8	25
7103LED-05	21	EV35062RFGWH30	5	EVL4733CWH50	6	EVSS84T8	25
902-454-ES-1	29	EV35062RFGWH40	5	EVL4742BWH30	5	EVT101227B-35	16
906-247-ES-1	29	EV36081WH30	3	EVL4742BWH40	5	EVT101727B-35	16
930-174-ES-1	29	EV36081WH40	3	EV61091T50WH	7	EVT102027B-35	16
AS1AD40-27	31	EV36082WH30	5	EV61093T50WH	7	EVT1030D3A-05	17
D248L-5OW-MB	21	EV36082WH40	5	EV61433DK50BK	6	EVT1030D3A-06	17
D248L-7OW-MB	21	EV457RWK50WH	2	EV61433DK50BZ	6	EVT1031D3A-05	17
DRF6WHWH9105C	2	EV457SWK50WH	2	EV61433DK50WH	6	EVT1031D3A-06	17
EV1011C5C-06	15	EV480102RFGWH30	5	EVL6733CWH27	6	EVT1032D3-05	17
EV1011SC5C-06	15	EV480102RFGWH40	5	EV6733DK50BK	6	EVT1032D3A-06	17
EV1014C5C-06	15	EV490111WH30	3	EV6733DK50BN	6	EVT1042D3A-05	17
EV1014SC5C-06	15	EV490111WH40	3	EV6733DK50BZ	6	EVT1042D3A-06	17
EV103032MVK33WH	4	EV490112WH30	5	EV6733DK50WH	6	EV41052D3-35	16
EV1410C3C-34	12	EV490112WH40	5	EVL6733DWH27	6	EV41052D3-43	16
EV1410C3C-35	12	EV61518MVK33WH	4	EVL6733DWH30	6	EVT61047D3-05	16
EV1410C3C-43	12	EV685RWK50WH	2	EVL6742BWH30	5	EVTR24DI48DTWP	26
EV1412C3C-34	12	EV685RWMVWH50	2	EVL6742BWH40	5	EVWA9T8	23
EV1412C3C-35	12	EV685SWK50WH	2	EV69093DK50BK	6	FL14NT50-48	30
EV1412C3C-43	12	EV685SWMVWH50	2	EV69093DK50BZ	6	FL17NT50-48	30
EV1414C3C-34	12	EV814RWMVWH50	2	EV69093DK50WH	6	GL11R150M	28
EV1414C3C-35	12	EV814SWMVK50WH	2	EVMP6HBMJ2W-I	2	GL11R150MH	28
EV1414C3C-43	12	EV814SWMVWH50	2	EVMPHB346	3	GL14R30130	31
EV1416C3C-34	12	EV82022MVK33WH	4	EVR2000LA	7	GRING06	4
EV1416C3C-35	12	EVDK690DBK30	9	EVR2000LR	7	GRING08	4
EV1416C3C-43	12	EVDK690DBK40	9	EVR6LICATB	7	GRING10	4
EV1424C3C-35	15	EV69093DK50BZ	9	EVR6LICRAT	7	HB2B13DMP50	29
EV1424C3C-43	15	EVDK690DWH27	9	EVR6SLICATB-N	7	HB2B19DMP50	29
EV1517L4-151	14	EVDK690DWH30	9	EV69093DK50WH	7	HB4B28DMDP50	29
EV1558C3-43	14	EVDK690DWH40	9	EVRH2000BB	8	HBA6T1835	29
EV1572C3A-342	13	EVDK690DWH27	9	EVRH2000R	8	HBA6T1840	29
EV1573C3A-342	13	EVDK690DWH30	9	EVRH5000SICAT	8	HBA6T1850	29
EV1583C3-43	13	EVDK690DWH40	9	EVRH7ICATB	8	HBR14DMDP50	28
EV1584C3-338	13	EVDK69015CWH27	9	EVRH7ICRAT	8	HBR22DMDP50	28
EV1586C5-43	13	EVDK69015CWH30	9	EVRT201LWH	8	HBR27DMDP50	28
EV23552WH30	5	EVDK69015CWH40	9	EVRT205WH	8	HBR36DMDP50	28

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
HCP24BL50	26	LED32611-BNB	20	ST8L74DMD40	24
LED127	10	LED32621-BNB	20	ST8LSWMDSC	24
LED1271-OSB	10	LED32826-BNB	20	ST8N96DMD40	25
LED1271-SP	10	LED32911-BBZ	21	ST8N96DMD50	25
LED1272-WP	10	LED32921-BBZ	21	TRS22BL20PD	27
LED1274-PN	10	LED33001-ORB	20	TRS22BL30WD	27
LED1276-SB	10	LED33001-SP	20	TRS24BL40PD	27
LED1277-SB	10	LED33001C-SP	21	TRS24BL50WD	27
LED1279-BK	10	LED33421-ORB	21	WA09T1840	23
LED1279-CH	10	LED33431-ORB	21	WA09T1850	23
LED129	10	LED33436-ORB	20	WA304BL301	22
LED1291-OSB	10	LED33711-BNB	19	WE104D140	22
LED1291-SP	10	LED34511-RT	21	WL0554DM50	22
LED1292-WP	10	LED34521-RT	21	WL11100DM40	22
LED1294-PN	10	LED34621-ORB	20	WL1165DM3095	22
LED1296-SB	10	LED34631-ORB	20	WP30PV50-48	30
LED1297-SB	10	LED6020A-AST	19	WP3BPV50-48	30
LED1299-BK	10	LED6071-SP	19	WP3EPV50-48	30
LED1299-CH	10	LED67801-SP-T24	19		
LED15011A-34	19	LED68203-SP	18		
LED15011A-35	19	LED68204-SP	18		
LED1552RGB-BN	12	LED68303-SP-T24	18		
LED1553RGB-BN	12	LED68304-SP-T24	18		
LED1554RGB-BN	12	LED6871-CH	19		
LED1555RGB-WH	12	LED6871-SP	19		
LED1590L3-BK	11	LED89802-BK	19		
LED1590L3-WH	11	PFRAMEGRID	4		
LED1591L3-BK	11	PFRAMEJOIST	4		
LED1591L3-WH	11	RB6WHWH8102C	7		
LED1592L3-BK	11	RC7WHWH8102C	9		
LED1592L3-WH	11	SL602T1840	31		
LED1593L3-BK	11	SL602T1850	31		
LED1593L3-WH	11	ST4LSWMDSC	24		
LED22421-BNB	21	ST4N40DMD35	25		
LED22431-BNB	21	ST4N48DMD40	25		
LED22436-BNB	20	ST4N48DMD50	25		
LED23221-SV	20	ST702T1835	25		
LED31111A-ORB	21	ST702T1840	25		
LED31121A-ORB	21	ST702T1850	25		
LED31136A-ORB	20	ST704T1835	25		
LED32211-BK	21	ST704T1840	25		
LED32311-FSN	21	ST704T1850	25		
LED32536-BNB	20	ST8L117DMD40	24		

