

KENDAL
LIGHTING INC.

TABLE OF CONTENTS

Visual Index Page 6

CEILING FANS PAGE 21

FIXTURES PAGE 84

BATH PAGE 148

PORTABLES PAGE 184

Torchieres page 186

Floor Lamps page 192

Desk / Task Lamps page 206

TRACK LIGHTING PAGE 217

Integrated LED page 218

GU-10 page 227

Pars page 240

Low-Voltage page 243

Monopoints page 249

Track & Accessories page 257

Rail Kits & Cylinders page 262

ICONS

Throughout this catalog we have utilized a variety of important icons and finish codes to assist you with your lighting selections. Below is a key describing each of these icons in detail as well as a list of our extensive product finishes with abbreviated codes for easy reference.



These products provide the advantages of longer lasting, energy efficient LED technology.



This indicates ceiling fan models equipped with energy saving, silent running DC motors consuming 70% less power.



Designates Damp rated ceiling fans approved for use in sheltered outdoor applications.



ADA Compliant

These products conform to the standards and guidelines listed by the *Americans with Disabilities Act*.



Touch Control Sensor

Identifies Lamps utilizing touch control technology to power on/off and adjust brightness levels.



Timer

A 2, 4 or 8 hour timer feature is included in the remote control functionality of these fan models.




Natural Wind Setting (Remote)

The remote controls of these fans provide a natural wind setting which automatically varies speed within a selected range.

Finish Codes:

AB	Antique Brass	LV	Lava
AL	Aluminum	MATT	Matte
ALN	Amber Linen	MB	Marble
ARB	Architectural Bronze	MCB	Moroccan Black
AS	Amber Swirl	MO	Mocha
BAL	Brushed Aluminum	NAB	New Aged Brass
BLK	Black	NI	Natural Iron
BRS	Brass	OBB	Oil Brushed Bronze
BST	Brushed Steel	OCB	Oil Can Brass
CF	Carbon Fibre	ORB	Oil Rubbed Bronze
CH	Chrome	PN	Polished Nickel
DB	Dark Bronze	RB	Russet Bronze
DM	Dark Maple	RC	Russet Chestnut
DW	Dark Walnut	SF	Snowflake
FR	Frost	SN	Satin Nickel
GF	Gold Flake	SR	Sunfire Red
GWO	Grey Weathered Oak	SV	Silver
HY	Honey	VO	Vintage Oak
IB	Island Blue	WH	White
LN	Linen	WN	Walnut

LED



Energy Saving LED

To meet the growing demand for increased energy efficiency, Kendal Lighting employs the latest LED technology. Light Emitting Diode lights are up to 90% more efficient than traditional incandescent and fluorescent sources. LEDs convert 95% of the energy into light wasting only 5% as heat. Quality LED lights last up to 10 times longer, are more durable, and offer comparable or better light quality than other types of lighting. These features offer substantial savings in power and replacement costs.

LED Specifications

Selecting the right LED fixture can require attention to a few factors beyond simply choosing bulb base type and wattage, as with incandescent lighting.

Here's some of the specs this catalog provides to help you choose:

Watts (W)

Simply the amount of power or energy the light will consume.

Lumens (lm)

A lumen is a measure of the amount of visible light or brightness a light emits. The higher the number of lumens, the brighter the light.

Correlated Color Temperature (CCT)

This defines the color appearance of a white LED. CCT is measured in degrees Kelvin (K). A warm light is around 2700K, moving up through neutral white, to cool white at 5000K or more.

Lumens per Watt (lm/W)

A value indicating the efficiency of the light showing how much brightness is emitted for every watt of energy consumed.

Color Rendering Index (CRI)

To measure how accurately a light source illuminates the true colors of your surroundings and objects when compared to an incandescent light source or natural daylight.

ENERGY EFFICIENT CEILING FANS

DC Motors

A DC fan motor generates more power while using 70% less energy on average over AC models. Our DC fans are not just quiet, but virtually silent. Much lighter and generally more compact, these motors give us increased flexibility in contemporary design with slimmer, more contoured looks. Another advancement of these models is additional remote functionality offering 6 speeds, reverse and LED dimmers with some models featuring timers or variable breeze settings.

Ceiling Fan Energy Charts

To aid in finding the ideal fan for your application, we provide energy usage information for every model. These charts show the amount of Electricity the motor will draw, resulting airflow and efficiency at both HIGH SPEED and a "Weighted Average" reflecting the information on the FTC (Federal Trade Commission) Energy Guide labels. This column also includes an estimated cost per year. These figures do not include lights.

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	35 Watts	21 Watts
Airflow	6662 CFM	4360 CFM
Energy Costs	N/A	\$6 Per Year
Efficiency	190.3 CFM/Watt	209 CFM/Watt

Electricity

How many watts (W) of power the motor will draw.

Airflow

The amount of air the fan will move measured in cubic feet per minute (CFM).

Efficiency


Measures the amount of airflow created for every watt of power used (CFM/Watt).

Room Size

Up to 75 sq. ft

Fan Size: 20" - 36"


Good for: Bathrooms, Breakfast Nooks, Utility Rooms



Up to 175 sq. ft

Fan Size: 42" - 52"


Good for: Bedrooms, Kitchens, Dining Rooms



Up to 350 sq. ft

Fan Size: 52" - 60"


Good for: Large Bedrooms, Family Rooms, Media Rooms



More than 350 sq. ft

Fan Size: 60" or Larger

Good for: Great Rooms, Other Large Spaces



FAN ADVICE

Circulating the air in your space with the right Ceiling Fan will help to keep you comfortable and save on energy costs throughout the year. Here's a few recommendations to aid in the selection process.

Blade Span

Use the chart on the left as a guideline only. Ideally, the clearance from the end of the blades to the nearest wall should be at least 24 inches. For spaces larger than 400 sq. ft., consider using multiple Fans.

Vaulted Ceilings

Sloped Ceiling Canopy Kits are also available for applications with more pronounced angles. (See page 85)

Warm vs Cold Weather Settings



Your Ceiling Fan direction may be adjusted remotely or with a manual slide-switch on the motor housing. To optimize comfort and energy savings, we recommend the following settings:

Summer

Setting the fan blades to revolve in a counter-clockwise direction (as you look up at it) creates a cooling effect with a downward airflow.

Winter

A clockwise blade direction (as you look up at it) gently bring down warmer air from the ceiling along the walls.



VISUAL INDEX

FANS



Paladin - 60"
p. 22

LED DC DAMP



Mistral - 56"
p. 25

LED DC



Zephyrus - 60"
p. 27

LED DC



Titus - 60"
p. 29

LED DC



Max-5 - 52"
p. 30

LED DC



Juno - 54"
p. 31

LED DC



Trinity - 44"
p. 33

LED



Sirocco - 44"
p. 35

LED DC



Triton-44 - 44"
p. 37

LED



Triton - 52"
p. 38

LED



Buran - 46"
p. 39

LED



Radical - 60"
p. 40

DC

FANS



Axos - 52"
p. 41
LED



Mach 1 - 60" & 70"
p. 42
LED DC



Tango - 52"
p. 44
LED DC



Virtua - 52"
p. 46
LED DC



Zig - 52"
p. 47
LED



Trilon - 56"
p. 48
LED



Triax - 52"
p. 49
LED DC



Deuce - 52"
p. 50
LED DC



Celestra - 52"
p. 51
LED



Eris - 52"
p. 52
LED



Blade Runner - 54"
p. 54
LED DC



Vorion - 52"
p. 55
LED DC



Altair - 56"
p. 56
LED DC



Cylon - 50"
p. 58
LED DC



Triceptor - 60"
p. 59
LED DC

FANS



Phantom - 54"
p. 60

LED DC



Lopro - 52"
p. 62

LED DC



Sixty-seven - 60"
p. 63



Moderno - 42"
p. 64

LED



Scimitar - 44"
p. 66

LED



Antron - 42"
p. 67

LED



Enclave - 23"
p. 68

LED



Zeta - 52"
p. 70



Aires - 24"
p. 70



Studio 54 - 54"
p. 71



Fern Leaf - 52"
p. 72

DAMP



Builders Choice Collection - 52"
p. 73



Builders Choice Collection - 52"
p. 74



Builders Choice Collection - 42"
p. 76

FIXTURES



Black Ice
p. 85



Sprizzo
p. 86



Valante
p. 86



Callisto
p. 87



Knoll
p. 87



Razzle
p. 88




Sky
p. 88



Hoop
p. 89



Styx
p. 90



Verticals
p. 92



Calipso
p. 94



Geo
p. 96



Alina
p. 98



Alina Mini
p. 98



Vilia
p. 99



Vilia Mini
p. 99



Caladon
p. 100



Solana
p. 101



Medina
p. 101



Orion
p. 102

FIXTURES



Orion Grande
p. 103



Ambience
p. 104



Phoenix
p. 106



Cloe
p. 108



Serenio
p. 108



Saturn
p. 109



Axis
p. 109



Nuon
p. 110



Mystyke
p. 112



Quadron
p. 118



Flip
p. 122



Roundo
p. 122



Arc
p. 122



Satern
p. 123



Ultimor
p. 124



Serphus
p. 125



Wave
p. 126



Strait-up
p. 127



Solaro
p. 128



Fybra
p. 130

FIXTURES



Metro
p. 132



Milano
p. 134



Carina
p. 135



Lustra
p. 136



Shimera
p. 138



Politan
p. 140



Spumante
p. 142



Avila
p. 142



Maysen
p. 143



Lola
p. 144



Spectra
p. 145



Summit
p. 146



Pinnacle
p. 146

BATH



Rings
p. 149



Endura
p. 150



Sabra
p. 151



Oracle
p. 152



Angles
p. 152



Ice
p. 153



Glacier
p. 154



Astron
p. 156



Callavio
p. 159



Cerv
p. 162



Strate
p. 163



Ice-Lava
p. 165



Bazil
p. 166



Vega
p. 166



Cubix
p. 167



Lustra
p. 168



Shimera
p. 169



Crystorama
p. 170



Crys
p. 171



Solaro
p. 172

BATH



Fybra
p. 173



Madison
p. 174



Alina
p. 175



Candela
p. 175



Michaela
p. 176



Paramount
p. 178



Aurora
p. 180

PORTABLES



Ibiza
p. 186



Iggy
p. 187



Ella
p. 188



Varr
p. 189

PORTABLES



Ivvo
p. 190



Arcadia
p. 190




Splitz
p. 191



Ibiza
p. 192



Iggy
p. 193



Axoir
p. 194



Lahoya
p. 195



Revelation
p. 195



Pazz
p. 196



Voxx
p. 197



Torr
p. 198



Jexx
p. 199



Tavv
p. 200



Ionn
p. 200



Reco
p. 201



Wave
p. 202



Milan
p. 202



Arch
p. 203



Strait-up
p. 203



Oslo
p. 204

PORTABLES



Oslo Twins
p. 205



Ibiza
p. 206



Iggy
p. 206



Axoir
p. 207



Droidr
p. 207



Lahoya
p. 208



Revelation
p. 208



Voxx
p. 209



Torr
p. 210



Lumens
p. 210



Jexx
p. 211



Tavv
p. 212



Ionn
p. 212



Pazz
p. 213



Cee
p. 213



Zee
p. 214



Reco
p. 214



Arch
p. 215




Wave
p. 215



Milan
p. 216

PORTABLES



Strait-up
p. 216

TRACK LIGHTING



TLED-01
p. 218



TLED-02
p. 218



TLED-03
p. 219



TLED-04
p. 219



TLED-05
p. 220



TLED-06
p. 220



TLED-07
p. 221



TLED-08
p. 221



TLED-09
p. 222



TLED-10
p. 222



TLED-11DW
p. 223



TLED-12-DW
p. 223



TKLED-45
p. 224



TLED-45
p. 224



TLED-13
p. 226

TRACK LIGHTING



TLED-14
p. 226



TLGU-19
p. 227



TLGU-19G
p. 227



TLGU-28-32
p. 228



TLGU-33-37
p. 229



TLGU-38-44
p. 230



TLGU-23
p. 231



TLGU-22
p. 231



TLGU-27
p. 232



TLGU-24
p. 232



TLGU-17
p. 233



TLGU-13
p. 234



TLGU-12
p. 234



TLGU-3
p. 235



TLGU-2
p. 235



TLGU-10
p. 236



TLGU-4
p. 236



TLGU-15
p. 237



TLGU-26
p. 237



TLGU-25
p. 238



TLGU-18
p. 238



TLGU-21
p. 238



TLGU-21G
p. 238



TLGU-16
p. 239



TLGU-11
p. 239

TRACK LIGHTING



TLGU-9
p. 239



TLGU-6
p. 239



TL1601
p. 240



TL1603
p. 240



TL1603
p. 241



TL1701
p. 241



TLPR-20
p. 242



TLPR-30
p. 242



TL7401
p. 243



TL7301
p. 243



TL7201
p. 243



TL7101
p. 244



TL7101G
p. 244



TL7001
p. 244



TL6901
p. 245



TL6901G
p. 245



TL6801
p. 245



TL6701
p. 246



TL6601
p. 246



TL6501
p. 246



TL3201
p. 247



TL2201
p. 247



TL2001
p. 247



TL801
p. 247



TL201
p. 248

TRACK LIGHTING



TL101
p. 248



TL901
p. 248



MPGU-24
p. 249



MPGU-23
p. 249



MPGU-19
p. 250



MPGU-19G
p. 250



MPGU-17
p. 251



MPGU-9
p. 251



MPGU-6
p. 252



MPGU-4
p. 252



MPGU-3
p. 253



MPGU-2
p. 253



MPGU-26
p. 254



MPGU-15
p. 254



MP-1602
p. 255



MP-1603
p. 255



MP-901
p. 256




MP-801
p. 256

RAIL KITS



RK30
p. 262



RK31
p. 262



RK40
p. 262



RPK91
p. 264

RAIL CYLINDERS



RKC32-SN
p. 263



RKC33G-SN
p. 263



RKC33-SN
p. 263



RKC35-SN
p. 263

CEILING FANS



Aires	70
Altair	56
Antron	67
Axos	41
Blade Runner	54
Builder's Choice	73
Buran	39
Celestra	51
Cylon	58
Deuce	50
Enclave	68
Eris	52
Fern Leaf	72
Juno	31
Lopro	62
Mach-1	42
Max-5	30
Mistral	25
Moderno	64
Paladin	22
Phantom	60
Radical	40
Scimitar	66
Sirocco	35
Sixty-seven	63
Studio 54	71
Tango	44
Titus	29
Triax	49
Triceptor	59
Trilon	48
Trinity	33
Triton	38
Triton-44	37
Virtua	46
Vorion	55
Zephyrus	27
Zeta	70
Zig	47

The Designer's Choice Collection by Kendal Lighting is the culmination of over 35 years of experience in bringing superior quality and design to showrooms and consumers. Here you'll find a unique collection of distinctive models to enhance your surroundings with clean modern lines. Choose from an extensive assortment of styles and finishes to satisfy even the most discriminating tastes with a blend of aesthetics, efficiency, and performance.

Accessories	78
Remotes	80
Downrods	83

PALADIN 60"



Light Cap included

AC23660-BLK/GWO

Black with Grey Weathered Oak Blades

Features:

- Damp location rated
- DC motor
- 15W integrated LED light kit with white acrylic diffuser
- 3 ABS blades
- 6-speed hand-held remote control included with reverse, and LED dimmer
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No. of Blades	3
Blade Pitch	16°
Motor Size (mm)	120DC x 25
Motor Amps (High)	0.43
RPM (H/L)	150 / 51
Overall Height	13.1"
Blade to Ceiling	12"
Net Weight	10.3 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	15
CCT	3000K
lm	850
lm/W	49.4
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	30.4 Watts	19 Watts
Airflow	6050 CFM	3267 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	199 CFM/Watt	170 CFM/Watt



AC23660-BLK

Black with matching Blades



Light Cap included



included



RCTW-100

PALADIN 60"

LED

DC

DAMP



AC23660-SN/DW

Satin Nickel with Dark Walnut Blades



Light Cap included



AC23660-SN

Satin Nickel with matching Blades



Light Cap included



AC23660-SN/GWO

Satin Nickel with Grey Weathered Oak Blades



Light Cap included



MISTRAL 56"



LED

DC



AC23856-BLK

Black with matching Blades



AC23856-SN/DW

Satin Nickel with Dark Walnut Blades



AC23856-SN/GWO

Satin Nickel with Grey Weathered Oak Blades



AC23856-SN

Satin Nickel with matching Blades



included

RCTW-200

Features:

- DC motor
- 24W Integrated LED light kit with white acrylic diffuser
- 5 ABS blades
- 6-speed hand-held remote control included with reverse, LED dimmer and 2/4/8 hour timer feature
- Optional wall control also available - sold separately - Model # RCTW-200

Specifications:

No. of Blades	5
Blade Pitch	16°
Motor Size (mm)	156 x 12
Motor Amps (High)	0.50
RPM (H/L)	135 / 60
Overall Height	12"
Blade to Ceiling	10.8"
Net Weight	15 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	24
CCT	3000K
lm	1475
lm/W	61.5
CRI	90

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	35 Watts	21 Watts
Airflow	6662 CFM	4360 CFM
Energy Costs	N/A	\$6 Per Year
Efficiency	190.3 CFM/Watt	209 CFM/Watt



ZEPHYRUS 60"



LED

DC



AC23960-SN/GWO

Satin Nickel with Grey Weathered Oak Blades



AC23960-SN

Satin Nickel with matching Blades



AC23960-BLK

Black with matching Blades



AC23960-SN/DW

Satin Nickel with Dark Walnut Blades



included RCTW-200

Features:

- DC motor
- 24W Integrated LED light kit with white acrylic diffuser
- 4 ABS blades
- 6-speed hand-held remote control included with reverse, LED dimmer and 2/4/8 hour timer feature
- Optional wall control also available - sold separately - Model # RCTW-200

Specifications:

No. of Blades	4
Blade Pitch	12°
Motor Size (mm)	156 x 12
Motor Amps (High)	0.50
RPM (H/L)	140 / 60
Overall Height	12.3"
Blade to Ceiling	10.6"
Net Weight	14.5 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	24
CCT	3000K
lm	1450
lm/W	60.4
CRI	90

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	35 Watts	21 Watts
Airflow	7125 CFM	4144 CFM
Energy Costs	N/A	\$6 Per Year
Efficiency	203.6 CFM/Watt	198 CFM/Watt



TITUS 60"



LED

DC



AC24060-SN

Satin Nickel with matching Blades



AC24060-BLK

Black with matching Blades



AC24060-SN/DW

Satin Nickel with Dark Walnut Blades

Features:

- DC motor
- 16W Integrated LED light kit with white acrylic diffuser
- 5 ABS blades
- 6-speed hand-held remote control included with reverse, LED dimmer and 2/4/8 hour timer feature
- Optional wall control also available - sold separately - Model # RCTW-200

Specifications:

No. of Blades	5
Blade Pitch	13°
Motor Size (mm)	156 x 12
Motor Amps (High)	0.50
RPM (H/L)	124 / 56
Overall Height	13.1"
Blade to Ceiling	12.3"
Net Weight	15.6 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	16
CCT	3000K
lm	1005
lm/W	62.8
CRI	90

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	35 Watts	19 Watts
Airflow	7233 CFM	4351 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	206.7 CFM/Watt	227 CFM/Watt

included



RCTW-200



MAX-5 52"

LED DC



AC23452-BLK

Black with matching Blades

Features:

- DC motor
- 15W integrated LED light kit with white acrylic diffuser
- 5 ABS blades
- 6-speed hand-held remote control included with reverse, and LED dimmer
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No. of Blades	5
Blade Pitch	22°
Motor Size (mm)	120DC x 20
Motor Amps (High)	0.32
RPM (H/L)	100 / 40
Overall Height	13.6"
Blade to Ceiling	13.3"
Net Weight	13 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	15
CCT	3000K
lm	850
lm/W	49.4
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	21.6 Watts	18 Watts
Airflow	4237 CFM	3014 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	196.1 CFM/Watt	169 CFM/Watt



AC23452-SN

Satin Nickel with matching Blades



included



RCTW-100

JUNO 54"

LED

DC



AC23554-SN

Satin Nickel with matching Blades



AC23554-BLK

Black with matching Blades

Features:

- DC motor
- 15W integrated LED light kit with white acrylic diffuser
- 4 ABS blades
- 6-speed hand-held remote control included with reverse, and LED dimmer
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No. of Blades	4
Blade Pitch	20°
Motor Size (mm)	120DC x 20
Motor Amps (High)	0.35
RPM (H/L)	120 / 53
Overall Height	15.9"
Blade to Ceiling	14.1"
Net Weight	11.4 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	15
CCT	3000K
lm	850
lm/W	48.6
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	23.6 Watts	18 Watts
Airflow	3988 CFM	3646 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	169 CFM/Watt	202 CFM/Watt

included



RCTW-100





TRINITY 44"

LED



AC24144-SN/SN

Satin Nickel with matching Blades



AC24144-BLK/SN

Black & Satin Nickel with Black Blades



AC24144-WH/SN

White & Satin Nickel with White Blades

included



Features:

- 16W Integrated LED light kit with white acrylic diffuser
- 3 ABS blades
- 3-speed pull-out style remote control with light dimmer included

Specifications:


No. of Blades	3
Blade Pitch	12°
Motor Size (mm)	153 x 12
Motor Amps (High)	0.31
RPM (H/L)	213 / 117
Overall Height	14.5"
Blade to Ceiling	12.1"
Net Weight	12.1 lbs
Hanging System	Downrod
Reverse Control	Manual

LED Info

W	16
CCT	3000K
lm	1050
lm/W	65.6
CRI	90

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	38 Watts	26 Watts
Airflow	3467 CFM	2429 CFM
Energy Costs	N/A	\$7 Per Year
Efficiency	91.2 CFM/Watt	93 CFM/Watt



SIROCCO 44"



LED

DC



AC24344-SN/BLK

Satin Nickel and Black with Black Blades

Features:

- DC motor
- 16W Integrated LED light kit with white acrylic diffuser
- 3 ABS blades
- 6-speed hand-held remote control included with reverse, LED dimmer and 2/4/8 hour timer feature
- Optional wall control also available - sold separately - Model # RCTW-200



AC24344-WH

White with White Blades

Specifications:

No. of Blades	3
Blade Pitch	12°
Motor Size (mm)	153 x 8
Motor Amps (High)	0.35
RPM (H/L)	203 / 105
Overall Height	11.5"
Blade to Ceiling	9.5"
Net Weight	10.3 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	16
CCT	3000K
lm	1025
lm/W	64.1
CRI	90

FTC Energy Guide

	Standard	High Speed (excluding lights)	Weighted Average
Electricity		25 Watts	14 Watts
Airflow		4710 CFM	3121 CFM
Energy Costs		N/A	\$4 Per Year
Efficiency		188.4 CFM/Watt	226 CFM/Watt

included



RCTW-200





TRITON-44 44"

LED



AC22444-SN

Satin Nickel with Vintage Oak Blades



AC22444-BLK/SN

Black & Satin Nickel with Black Blades



AC22444-WH

White with White Blades

Features:

15W Integrated LED light kit with frosted lexan diffuser

3 Blades

3-Speed wall control with LED dimmer included

Optional hand-held transmitter also available - sold separately - Model # HC22452

Specifications:

No. of Blades	3
Blade Pitch	13.5°
Motor Size (mm)	153 x 13
Motor Amps (High)	0.41
RPM (H/L)	202 / 103
Overall Height	12.5"
Blade to Ceiling	10.1"
Net Weight	14.7 lbs
Hanging System	Downrod
Reverse Control	Manual

LED Info

W	15
CCT	3000K
lm	850
lm/W	46.3
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	46 Watts	32 Watts
Airflow	3245 CFM	2441 CFM
Energy Costs	N/A	\$9 Per Year
Efficiency	70.7 CFM/Watt	75 CFM/Watt

included



HC22452



TRITON 52"

LED

Features:

Integrated 15W LED light kit
 3 blades set to a 14° pitch
 3 speed wall mounted remote control included with light dimmer
 Optional hand-held transmitter also available - sold separately - Model # HC22452

Specifications:

No. of Blades:	3
Blade Pitch	14°
Motor Size (mm)	153 x 18
Motor Amps (High)	0.60
RPM (H/L)	205/108
Total Fan Height	12.5"
Blade to Ceiling	10.1"
Net Weight	14.8 lbs
Hanging System	Downrod
Reverse	Manual

LED Info

W	15
CCT	3000K
lm	850
lm/W	50.6
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	71 Watts	50.3 Watts
Airflow	6659 CFM	4335 CFM
Energy Costs	N/A	\$14 Per Year
Efficiency	93.8 CFM/Watt	86 CFM/Watt



AC22452-BLK/SN

Black & Satin Nickel with Black blades



AC22452-BLK/OCB

Black & Oilcan Brass with Black blades



AC22452-SN

Satin Nickel with Vintage Oak blades



included



HC22452

BURAN 46"

LED



AC24246-SN

Satin Nickel with matching Blades



AC24246-WH

White with White Blades

Features:

- 16W Integrated LED light kit with white acrylic diffuser
- 3 ABS blades
- 3-speed pull-out style remote control with light dimmer Included

Specifications:

No. of Blades	3
Blade Pitch	13°
Motor Size (mm)	153 x 12
Motor Amps (High)	0.40
RPM (H/L)	180 / 101
Overall Height	13"
Blade to Ceiling	11.4"
Net Weight	12.1 lbs
Hanging System	Downrod
Reverse Control	Manual

LED Info

W	16
CCT	3000K
lm	1010
lm/W	63.1
CRI	90

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	46 Watts	32 Watts
Airflow	4142 CFM	2760 CFM
Energy Costs	N/A	\$9 Per Year
Efficiency	90 CFM/Watt	87 CFM/Watt

included



RADICAL 60"

DC



AC23360-BLK

Black with matching blades

Features:

Silent running DC motor optimizes energy efficiency

6 speed hand-held remote control included with reverse function

Natural wind setting varies speed within selected range

Specifications:

No. of Blades	3
Blade Pitch	13°
Motor Size (mm)	130DCx8
Motor Amps (High)	0.39
RPM (H/L)	170 / 51
Overall Height	11.3"
Blade to Ceiling	8.8"
Net Weight	12.9 lbs
Hanging System	Downrod
Reverse Control	Remote



AC23360-SN/WN

Satin Nickel with Walnut blades

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	21.8 Watts	14 Watts
Airflow	6900 CFM	5019 CFM
Energy Costs	N/A	\$4 Per Year
Efficiency	350 CFM/Watt	371 CFM/Watt



included

Axos 52"

LED



AC22952-SN/VO
Satin Nickel with Vintage Oak blades



AC22952-BLK
Black with matching blades

Features:

Integrated 15W LED light kit
3 blades set to a 14° pitch
3 speed battery-operated wall mount remote control included with light dimmer
Optional hand-held transmitter also available - sold separately - Model # HC22452

Specifications:

No. of Blades	3
Blade Pitch	14°
Motor Size (mm)	153 x 18
Motor Amps (High)	0.59
RPM (H/L)	198 / 82
Overall Height	13.7"
Blade to Ceiling	10.6"
Net Weight	15.2 lbs
Hanging System	Downrod
Reverse Control	Manual

LED Info

W	15
CCT	3000K
lm	1300
lm/W	86.7
CRI	>80

FTC Energy Guide

	Standard	High Speed (excluding lights)	Weighted Average
Electricity		70.08 Watts	44.3 Watts
Airflow		4818 CFM	3482 CFM
Energy Costs		N/A	\$12 Per Year
Efficiency		68.8 CFM/Watt	79 CFM/Watt

included



HC22452



MACH-1 60"

LED DC



AC23160-BLK
Black with matching blades

Features:

- 15 watt integrated LED light kit
- Silent running DC motor optimizes energy efficiency
- 6 speed remote control included with hand-held transmitter, dimmer, and reverse
- 6 warp-free ABS blades
- Packaged with 2 downrods - 4.5" and 8"
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No. of Blades	6
Blade Pitch	12°
Motor Size (mm)	120DCx25
Motor Amps (High)	0.43
RPM (H/L)	125 / 51
Overall Height	12.8"
Blade to Ceiling	10.3"
Net Weight	13.4 lbs
Hanging System	Downrod
Reverse Control	Remote



AC23160-SN
Satin Nickel with matching blades

LED Info

W	15
CCT	3000K
lm	1250
lm/W	83.3
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	27 Watts	19 Watts
Airflow	6260 CFM	4432 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	231.9 CFM/Watt	233 CFM/Watt



included



RCTW-100



MACH-1 70"

LED

DC



AC23170-BLK

Black with matching blades



AC23170-SN

Satin Nickel with matching blades



included



RCTW-100

Features:

- 15 watt integrated LED light kit
- Silent running DC motor optimizes energy efficiency
- 6 speed remote control included with hand-held transmitter, dimmer, and reverse
- 6 warp-free ABS blades
- Packaged with 2 downrods - 4.5" and 8"
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No. of Blades	6
Blade Pitch	12°
Motor Size (mm)	120DCx25
Motor Amps (High)	0.48
RPM (H/L)	97 / 47
Overall Height	12.8"
Blade to Ceiling	10.3"
Net Weight	13.4 lbs
Hanging System	Downrod
Reverse Control	Remote

LED Info

W	15
CCT	3000K
lm	1250
lm/W	83.3
CRI	>80

FTC Energy Guide

	Standard	High Speed (excluding lights)
Electricity		34 Watts
Airflow		7055 CFM
Efficiency		210.6 CFM/Watt

TANGO 52"

LED DC



AC22852-BLK/CF

Black with "Carbon Fiber"
WaterGraphiX blades

Features:

- DC motor
- 2 curved ABS blades
- Integrated 15W LED light kit
- 6 speed remote control included with hand-held transmitter, dimmer, and reverse
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No. of Blades:	2
Blade Pitch	30°
Motor Size (mm)	120DC x 15
Motor Amps (High)	0.44
RPM (H/L)	149/51
Total Fan Height	12.1"
Blade to Ceiling	9.5"
Net Weight	11.9 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	1000
lm/W	63.4
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	30.4 Watts	18.6 Watts
Airflow	3995 CFM	3181 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	131.4 CFM/Watt	171 CFM/Watt



AC22852-SN

Satin Nickel with matching blades



included



RCTW-100

AC22852-SN/CF

Satin Nickel with "Carbon Fiber"
WaterGraphiX blades



AC22852-SN/BLK

Satin Nickel with Black blades




AC22852-BLK/SN

Black with Satin Nickel blades



AC22852-BLK

Black with matching blades



New **WaterGraphiX** Finish:
Carbon Fiber

VIRTUA 52"

LED DC



AC22752-SN

Satin Nickel with matching blades

Features:

- DC motor
- 3 ABS blades set to a 16° pitch
- Integrated 15W LED light kit
- 6 speed remote control included with hand-held transmitter, dimmer, and reverse
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No of Blades:	3
Blade Pitch	16°
Motor Size (mm)	120DC x 15
Motor Amps (High)	0.38
RPM (H/L)	147/52
Total Fan Height	11.4"
Blade to Ceiling	9.0"
Net Weight	12.1 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	800
lm/W	52.3
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	25.8 Watts	18.3 Watts
Airflow	3972 CFM	3140 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	154 CFM/Watt	172 CFM/Watt



AC22752-SN-CF


Satin Nickel with "Carbon Fiber" WaterGraphiX blades



included



RCTW-100



New **WaterGraphiX** Finish:
Carbon Fiber

ZIG 52"

LED



AC22552-SN

Satin Nickel with Vintage Oak blades



AC22552-NAB

New Aged Brass with Black blades

Features:

Integrated 18W LED light kit
3 blades set to a 14° pitch
3 Speed pull-out style remote control included with light dimmer, for use as a wall-mounted or hand-held transmitter

Specifications:

No. of Blades:	3
Blade Pitch	14°
Motor Size (mm)	153 x 18
Motor Amps (High)	0.46
RPM (H/L)	161/68
Total Fan Height	15.9"
Blade to Ceiling	11.5"
Net Weight	15.8 lbs
Hanging System	Downrod
Reverse	Manual

LED Info

W	18
CCT	3000K
lm	750
lm/W	78.0
CRI	90

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	54.1 Watts	14 Watts
Airflow	4291 CFM	3121 CFM
Energy Costs	N/A	\$4 Per Year
Efficiency	79.3 CFM/Watt	226 CFM/Watt

included



TRILON 56"

AC22656-OCB/BLK

Oilcan Brass & Black
with Black blades

LED

Features:

Integrated 15W LED light kit
3 blades set to a 14° pitch
3 speed wall mounted remote control
included with light dimmer
Optional hand-held transmitter
also available - sold separately -
Model # HC22452



included



HC22452

Specifications:

No. of Blades:	3
Blade Pitch	14°
Motor Size (mm)	153 x 18
Motor Amps (High)	0.63
RPM (H/L)	183/89
Total Fan Height	14.0"
Blade to Ceiling	8.5"
Net Weight	13.9 lbs
Hanging System	Downrod
Reverse	Manual

LED Info

W	15
CCT	3000K
lm	900
lm/W	53.2
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	75.1 Watts	49.4 Watts
Airflow	3920 CFM	3815 CFM
Energy Costs	N/A	\$14 Per Year
Efficiency	52.2 CFM/Watt	77 CFM/Watt



TRIAx 52"

AC22352-RC

Russet Chestnut
with matching blades

LED

DC

Features:

- DC motor
- 3 ABS blades set to a 16° pitch
- Integrated 15W LED light kit
- Packaged with 6" downrod
- 6 speed remote control included with hand-held transmitter, dimmer, and reverse

Specifications:

No. of Blades:	3
Blade Pitch	16°
Motor Size (mm)	120DC x 20
Motor Amps (High)	0.45
RPM (H/L)	152/84
Total Fan Height	13.8"
Blade to Ceiling	9.9"
Net Weight	12.8 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	700
lm/W	50.8
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	31.4 Watts	16 Watts
Airflow	5307 CFM	1760 CFM
Energy Costs	N/A	\$4 Per Year
Efficiency	169 CFM/Watt	110 CFM/Watt



DEUCE 52"

LED DC



AC22252-BLK/SN

Black & Satin Nickel with Black blades

Features:

- DC motor
- 2 ABS blades set to a 16° pitch
- Integrated 15W LED light kit
- Packaged with 6" downrod
- 6 speed remote control included with hand-held transmitter, dimmer, and reverse

Specifications:

No. of Blades:	2
Blade Pitch	20°
Motor Size (mm)	120DC x 20
Motor Amps (High)	0.34
RPM (H/L)	161/87
Total Fan Height	13.8"
Blade to Ceiling	9.9"
Net Weight	11.2 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	700
lm/W	50.4
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	24.5 Watts
Airflow	5261 CFM
Efficiency	214.8 CFM/Watt



AC22252-SN

Satin Nickel with matching blades



included

CELESTRA 52"



AC20952L-CH

Chrome with Silver blades
3 G9 base LED bulbs included

LED



AC20952-BLK/CH

Black & Chrome with Black blades
3 x 50W G9 (bulbs included with 1 extra)

Features:

Optic Crystal Light Kit

Wall-mounted remote control included with pull-out transmitter, 3 speeds, and light dimmer

Specifications:

No. of Blades:	4
Blade Pitch	14°
Motor Size (mm)	172 x 20
Motor Amps (High)	0.58
RPM (H/L)	189/76
Total Fan Height	14.2"
Blade to Ceiling	7.3"
Net Weight	19.8 lbs
Hanging System	Downrod
Reverse	Manual

LED Info (AC20952L-CH):

W	9
CCT	3000K
lm	900
lm/W	100
CRI	>80

FTC Energy Guide

	Standard	High Speed (excluding lights)	Weighted Average
Electricity		69 Watts	48.3 Watts
Airflow		5997 CFM	3575 CFM
Energy Costs		N/A	\$14 Per Year
Efficiency		86.4 CFM/Watt	74 CFM/Watt

included



ERIS 52"

LED



AC21852-SN

Satin Nickel with Walnut blades

Features:

- 21 watt LED light kit
- 3 blades are set to a 14° pitch
- 3 speed pull-out style remote control included with light dimmer

Specifications:

No. of Blades:	3
Blade Pitch	14°
Motor Size (mm)	153 x 18mm
Motor Amps (High)	0.45
RPM (H/L)	161/63
Total Fan Height	13.8"
Blade to Ceiling	11.0"
Net Weight	14.1 lbs
Hanging System	Downrod
Reverse	Manual

LED Info

W	21
CCT	3000K
lm	750
lm/W	34.4
CRI	90+

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	53.5 Watts	14 Watts
Airflow	4307 CFM	3121 CFM
Energy Costs	N/A	\$4 Per Year
Efficiency	80.5 CFM/Watt	226 CFM/Watt



AC21852-BLK/NAB

Black & New Aged Brass with Black blades



AC21852-OBB

Oil Brushed Bronze with Walnut blades



included



BLADE RUNNER 54"

LED DC



AC22054-BLK
Black with matching blades

Features:

- DC motor
- 20 watt LED light kit
- 5 warp-free ABS blades are set to a 16° pitch
- 6 speed remote control included with hand-held transmitter, light dimmer, and reverse

Specifications:

No. of Blades:	5
Blade Pitch	16°
Motor Size (mm)	188DC x 14
Motor Amps (High)	0.39
RPM (H/L)	152/70
Total Fan Height	10.3"
Blade to Ceiling	6.7"
Net Weight	18.0 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	20
CCT	3000K
lm	1000
lm/W	49.0
CRI	80+

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	28 Watts	13.7 Watts
Airflow	8427 CFM	5000 CFM
Energy Costs	N/A	\$4 Per Year
Efficiency	304.2 CFM/Watt	366 CFM/Watt



AC22054-RC
Russet Chestnut with matching blades



AC22054-SN
Satin Nickel with matching blades



included

VORION 52"

AC21952-SN

Satin Nickel with Walnut blades

LED

DC

Features:

- DC motor
- 15 watt LED light kit
- 3 Solid Carved Wood blades are set to a 14° pitch
- 6 speed remote control included with hand-held transmitter, light dimmer, and reverse

Specifications:

No. of Blades:	3
Blade Pitch	14°
Motor Size (mm)	120DC x 15
Motor Amps (High)	0.35
RPM (H/L)	161/81
Total Fan Height	11.5"
Blade to Ceiling	9.3"
Net Weight	11.0 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	850
lm/W	51.6
CRI	90+

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	25 Watts	19 Watts
Airflow	5639 CFM	3723 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	225.6 CFM/Watt	195 CFM/Watt

included



ALTAIR 60"

AC22160-SN

Satin Nickel with matching blades

LED

DC

Features:

DC motor

15 watt LED light kit

6 speed remote control included with hand-held transmitter, light dimmer, and reverse

3 warp-free ABS blades spanning a full 60" are available in Dark Maple or matching finishes



included

Specifications:

No. of Blades:	3
Blade Pitch	16°
Motor Size (mm)	120DC x 15
Motor Amps (High)	0.39
RPM (H/L)	175/75
Total Fan Height	13.2"
Blade to Ceiling	10.4"
Net Weight	14.1 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	800
lm/W	48.8
CRI	80+

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	28 Watts	21 Watts
Airflow	6135 CFM	4430 CFM
Energy Costs	N/A	\$6 Per Year
Efficiency	217.6 CFM/Watt	211 CFM/Watt





AC22160-SN/DM

Satin Nickel with Dark Maple blades



AC22160-ARB/DM

Architectural Bronze with Dark Maple blades



AC22160-ARB

Architectural Bronze with matching blades

CYLON 50"

LED DC



AC21750-SN

Satin Nickel with matching blades

Features:

- DC motor
- 15 watt LED light kit
- 3 warp-free ABS blades
- 6 speed remote control included with hand-held transmitter, light dimmer, and reverse
- Optional wall control also available - sold separately - Model # RCTW-100

Specifications:

No. of Blades:	3
Blade Pitch	14°
Motor Size (mm)	120DC x 15
Motor Amps (High)	0.45
RPM (H/L)	173/74
Total Fan Height	12.5"
Blade to Ceiling	10.5"
Net Weight	10.9 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	800
lm/W	53.3
CRI	80+

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	30 Watts	17 Watts
Airflow	5369 CFM	2449 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	179 CFM/Watt	140 CFM/Watt



AC21750-ARB

Architectural Bronze with matching blades



included



RCTW-100

TRICEPTOR 60"

LED

DC

included



Features:

- DC motor
- 15 watt LED light kit
- 3 warp-free ABS blades spanning 60 inches
- 6 speed remote control included with hand-held transmitter, light dimmer, and reverse

AC21560-SN

Satin Nickel with matching blades

Specifications:

No. of Blades:	3
Blade Pitch	14°
Motor Size (mm)	188DC x 14
Motor Amps (High)	0.29
RPM (H/L)	180/78
Total Fan Height	11.0"
Blade to Ceiling	9.1"
Net Weight	17.6 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	15
CCT	3000K
lm	900
lm/W	60
CRI	80+

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	20 Watts	9 Watts
Airflow	6241 CFM	3707 CFM
Energy Costs	N/A	\$2 Per Year
Efficiency	312 CFM/Watt	423 CFM/Watt



PHANTOM 54"

LED **DC**

Features:

- DC motor
- 12 watt LED light kit
- Light cap included
- 6 speed remote control included with hand-held transmitter, light dimmer, and reverse
- Ceiling mounted motor with shaft-drive system (height not adjustable - not compatible with sloped ceilings)
- 5 warp-free ABS blades available in Dark Maple or matching finishes
- Optional wall control also available - sold separately - Model # RCTW-100



Light Cap included



AC21454-SN/DM

Satin Nickel with Dark Maple blades

Specifications:

No. of Blades:	5
Blade Pitch	16°
Motor Size (mm)	120DC x 25
Motor Amps (High)	0.26
RPM (H/L)	177/75
Total Fan Height	21.5"
Blade to Ceiling	19.0"
Net Weight	18.5 lbs
Hanging System	Shaft Drive
Reverse	Remote

LED Info

W	12
CCT	3000K
lm	700
lm/W	58.3
CRI	80+

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	17 Watts
Airflow	5657 CFM
Efficiency	332.8 CFM/Watt



AC21454-SN

Satin Nickel with matching blades



included



RCTW-100



Light Cap included



Light Cap included



AC21454-ARB/DM

Architectural Bronze with
Dark Maple blades



AC21454-ARB

Architectural Bronze with matching blades



Light Cap included

LOPRO 52"

LED DC



AC21352-SN

Satin Nickel with matching blades

Features:

- DC motor
- 25 watt LED light kit - 1700 lumens
- Light cap included
- Low profile motor housing (only 3.5" high with glass, 2.75" with cap)
- 6 speed remote control included with hand-held transmitter, light dimmer, and reverse

Special Downrod required. Model #DR21352

Optional wall control also available - sold separately - Model # RCTW 100



Light Cap included



Low Profile motor housing

Specifications:

No. of Blades:	4
Blade Pitch	13°
Motor Size (mm)	120DC x 15
Motor Amps (High)	0.36
RPM (H/L)	195/76
Total Fan Height	11.0"
Blade to Ceiling	8.8"
Net Weight	14.1 lbs
Hanging System	Downrod
Reverse	Remote

LED Info

W	25
CCT	3000K
lm	1700
lm/W	68
CRI	80+

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	23.5 Watts	18 Watts
Airflow	5426 CFM	3939 CFM
Energy Costs	N/A	\$5 Per Year
Efficiency	230.9 CFM/Watt	222 CFM/Watt



AC21352-BLK

Black with matching blades



included



RCTW-100

SIXTY-SEVEN 60"



AC20760-SN

Satin Nickel with Silver blades



Light Cap included



AC20760-ARB

Architectural Bronze with matching blades



Light Cap included

included



Features:

- 7 blades with 60" span
- Integrated 75W mini-can light kit with Fresnel lens (bulb included with 1 extra)
- Light cap included
- Wall-mounted remote control included with pull-out transmitter, 3 speeds, light dimmer, and reverse

Specifications:

No. of Blades:	7
Blade Pitch	12°
Motor Size (mm)	153 x 25
Motor Amps (High)	0.64
RPM (H/L)	128/50
Total Fan Height	17.1"
Blade to Ceiling	12.6"
Net Weight	23.2 lbs
Hanging System	Downrod
Reverse	Remote

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	78 Watts
Airflow	5526 CFM
Efficiency	71.2 CFM/Watt

MODERNO 42"

LED

Features:

Integrated LED light kit with opal white glass shade

3 ABS blades with 22° pitch

Wall-mounted remote control included with pull-out transmitter, 3 speeds and LED light dimmer

AC19242L-SN
Satin Nickel with Silver blades

Specifications:

No. of Blades:	3
Blade Pitch	22°
Motor Size (mm)	153 x 18
Motor Amps (High)	0.40
RPM (H/L)	161/86
Total Fan Height	13.8"
Blade to Ceiling	8.7"
Net Weight	15.6 lbs
Hanging System	Downrod
Reverse	Manual

LED Info

W	18
CCT	3000K
lm	1200
lm/W	60.5
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	49 Watts	14 Watts
Airflow	4132 CFM	3121 CFM
Energy Costs	N/A	\$4 Per Year
Efficiency	85 CFM/Watt	226 CFM/Watt



included

AC19242L-BLK
Black with Black blades



AC19242L-OBB

Oil Brushed Bronze with matching blades



AC19242L-WH

White with White blades

SCIMITAR 44"

LED

Features:

LED mini-can light kit included with white glass shade

Wall-mounted remote control included with pull-out transmitter, 3 speeds and LED light dimmer

Specifications:

No. of Blades	3
Blade Pitch	14°
Motor Size (mm)	153 x 12
Motor Amps (High)	0.40
RPM (H/L)	237/127
Total Fan Height	14.8"
Blade to Ceiling	10.9"
Net Weight	13.0 lbs
Hanging System	Downrod
Reverse	Manual

LED Info

W	5
CCT	3000K
lm	580
lm/W	116
CRI	80

FTC Energy Guide

	Standard	High Speed (excluding lights)
Electricity		48 Watts
Airflow		3990 CFM
Efficiency		84 CFM/Watt



AC19544L-SN

Satin Nickel with Silver blades



AC19544L-ORB

Oil Rubbed Bronze with matching blades



AC19544L-WH

White with White blades



included

ANTRON 42"

LED

Features:

LED G9 Light kit included with white glass shade
 Remote control included with hand-held transmitter, 3 speeds and LED light dimmer



AC18842L-SN

Satin Nickel with Silver blades



AC18842L-WH

White with White blades

Specifications:

No. of Blades:	3
Blade Pitch	12°
Motor Size (mm)	120 x 25
Motor Amps (High)	0.50
RPM (H/L)	240/107
Total Fan Height	14.2"
Blade to Ceiling	9.1"
Net Weight	11.9 lbs
Hanging System	Downrod
Reverse	Manual

LED Info

W	6
CCT	3000K
lm	700
lm/W	116.7
CRI	>80

FTC Energy Guide

	Standard	High Speed (excluding lights)	Weighted Average
Electricity		61 Watts	41.3 Watts
Airflow		3759 CFM	2405 CFM
Energy Costs		N/A	\$12 Per Year
Efficiency		62 CFM/Watt	58 CFM/Watt



included

ENCLAVE 23"

LED

Features:

7 metal blades with 60° pitch

Requires 10 foot minimum blade to floor clearance

Optional decorative bottom cover sold separately (Model #'s **GD17723-NI, GD17723-SN**)

LED G9 Light kit included with white glass shade

Wall-mounted remote control included with pull-out transmitter, 3 speeds, and LED light dimmer

Non Reversible



AC17723L-NI
Natural Iron finish

Specifications:

No. of Blades:	7
Blade Pitch	60°
Motor Size (mm)	153 x 15
Motor Amps (High)	0.34
RPM (H/L)	292/145
Total Fan Height	12.4"
Blade to Ceiling	8.9"
Net Weight	27.2 lbs
Hanging System	Downrod
Reverse	No

LED Info

W	6
CCT	3000K
lm	700
lm/W	116.7
CRI	>80

FTC Energy Guide

Standard	High Speed (excluding lights)	Weighted Average
Electricity	41 Watts	29.1 Watts
Airflow	2451 CFM	1442 CFM
Energy Costs	N/A	\$8 Per Year
Efficiency	60.4 CFM/Watt	50 CFM/Watt



Decorative bottom cover sold separately



included



AC17723L-SN

Satin Nickel finish



Decorative bottom cover sold separately

ZETA 52"

Features:

Integrated 2 x 50W mini-can light kit with opal white glass (bulb included with 1 extra)

RC8000 wall-mounted remote control included with pull-out transmitter, 3 speeds, and light dimmer

Specifications:

No. of Blades:	4
Blade Pitch	20°
Motor Size (mm)	172 x 20
Motor Amps (High)	0.64
RPM (H/L)	134/57
Total Fan Height	13.5"
Blade to Ceiling	8.9"
Net Weight	18.5 lbs
Hanging System	Downrod
Reverse	Manual



AC18652-SN

Satin Nickel with Silver blades



included

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	77.0 Watts
Airflow	5552 CFM
Efficiency	72.1 CFM/Watt

AIRES 24"

Features:

Light kit and remote control adaptable
Pull chain operation with manual reverse
Dual mounting system

Specifications:

No. of Blades:	4
Blade Pitch	20°
Motor Size (mm)	153 x 8
Motor Amps (High)	0.48
RPM (H/L)	317/150
Total Fan Height	12.3"
Blade to Ceiling	9.8"
Net Weight	9.7 lbs
Hanging System	Dual Mount
Reverse	Manual



AC16324-SN

Satin Nickel with Royal Walnut blades

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	57.0 Watts
Airflow	1895 CFM
Efficiency	33.6 CFM/Watt

STUDIO 54 – 54"



AC8354-BST

Brushed Steel with matching blades



AC8354-NI

Natural Iron with matching blades

Features:

- 3 metal blades with 54" span
- Light kit and remote control adaptable
- Pull chain operation with manual reverse

Requires 10 foot minimum blade to floor clearance

Specifications:

No. of Blades:	3
Blade Pitch	15°
Motor Size (mm)	188 x 15
Motor Amps (High)	0.75
RPM (H/L)	242/60
Total Fan Height	13.6"
Blade to Ceiling	12.0"
Net Weight	15.4 lbs
Hanging System	Downrod
Reverse	Manual

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	79.0 Watts
Airflow	8303 CFM
Efficiency	105.4 CFM/Watt

FERN LEAF

52"

AC13152-ORB

Oil Rubbed Bronze with Oak Fern Leaf blades

DAMP

Features:

- Approved for damp location
- 5 ABS blades with 15° pitch
- Light kit and remote control adaptable
- Pull chain operation with manual reverse
- Dual mounting system

Specifications:

No. of Blades:	5
Blade Pitch	15°
Motor Size (mm)	172 x 17
Motor Amps (High)	0.56
RPM (H/L)	183/64
Total Fan Height	14.4"
Blade to Ceiling	12.2"
Net Weight	22.4 lbs
Hanging System	Dual Mount
Reverse	Manual

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	67.0 Watts
Airflow	5150 CFM
Efficiency	77.2 CFM/Watt



BUILDER'S CHOICE COLLECTION 52"


Features:

- 3 x 20W (max.) Candelabra Light Kit with White Glass included (installation optional)
- bulbs not included
- Pull chain operation with manual reverse (remote control adaptable)
- Dual mounting system



AC6952-SN

Satin Nickel with Silver /
White Switch blades



Specifications:

No. of Blades:	5
Blade Pitch	12°
Motor Size (mm)	153x12
Motor Amps (High)	0.55
RPM (H/L)	179/62
Total Fan Height	14.2"
Blade to Ceiling	9.8"
Net Weight	16.3 lbs
Hanging System	Dual Mount
Reverse	Manual

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	50 Watts
Airflow	4900 CFM
Efficiency	99.0 CFM/Watt

BUILDER'S CHOICE COLLECTION 52"



AC6852-SN

Satin Nickel with Silver / White Switch blades

Features:

Light kit and remote control adaptable
 Pull chain operation with manual reverse
 Dual mounting system

Specifications:

No. of Blades:	5
Blade Pitch	12°
Motor Size (mm)	153x12
Motor Amps (High)	0.55
RPM (H/L)	179/62
Total Fan Height	11.9"
Blade to Ceiling	9.9"
Net Weight	13.6 lbs
Hanging System	Dual Mount
Reverse	Manual



AC6852-ORB

Oil Rubbed Bronze with matching blades

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	50.0 Watts
Airflow	4900 CFM
Efficiency	99.0 CFM/Watt



AC6852-BLK

Matte Black with Black blades



AC6852-WH

White with White blades

BUILDER'S CHOICE COLLECTION 42"



AC6842-SN

Satin Nickel with Silver / White Switch blades

Features:

- Light kit and remote control adaptable
- Pull chain operation with manual reverse
- Dual mounting system

Specifications:

No. of Blades:	5
Blade Pitch	12°
Motor Size (mm)	153x8
Motor Amps (High)	0.45
RPM (H/L)	210/86
Total Fan Height	11.2"
Blade to Ceiling	9.6"
Net Weight	10.7 lbs
Hanging System	Dual Mount
Reverse	Manual

FTC Energy Guide

Standard	High Speed (excluding lights)
Electricity	45.0 Watts
Airflow	4400 CFM
Efficiency	98.0 CFM/Watt



AC6842-ORB

Oil Rubbed Bronze with matching blades



AC6842-BLK
Matte Black with Black blades



AC6842-WH
White with White blades

ACCESSORIES

LK4000-WH

White

Bowl style faux alabaster glass
3 x 60W candelabra (not included)
Ht: 5" Wd: 12"



LK5000-NI

Natural Iron

LK5000-WH

White (not shown)

Bowl style faux alabaster glass
3 x 60W A15 (not included)
Ht: 6" Wd: 12"



LK6952-AB

Antique Brass

LK6952-WH









White (not shown)

Bowl style frost white glass
3 x 60W candelabra (not included)
Ht: 6" Wd: 12"





Allows fan installation on vaulted ceilings with angles up to 45° (12/12 pitch)

	ARB		PN
	MATT/BLK		RC
	NAB		SN
	ORB		WH

Sloped Ceiling Canopy Kit

SCCARB

Architectural Bronze

SCCMATT/BLK

Matte Black

SCCNAB

New Aged Brass

SCCORB

Oil Rubbed Bronze

SCCPN

Polished Nickel

SCCRC

Russet Chestnut

SCCSN

Satin Nickel

SCCWH

White (pictured)

REMOTE POSSIBILITIES

Canopy Style Receiver
Adjustable RF Code (16 different settings)
3 speeds and full range light dimmer
Last setting memory
Motor max.: 1A / Light max.: 300W
Spare transmitters available - Model #
HC2000 (sold separately)

RC2000

Remote Control with Hand-Held transmitter



Canopy Style Receiver
Adjustable RF Code (16 different settings)
3 speeds and full range light dimmer
Last setting memory
Master on/off switch
Mounts in wall switch box
Motor max.: 1A / light max.: 300W
Compatible with HC2000 hand-held
transmitter (sold separately)

RC5000

Remote Control with Wall-Mounted transmitter



Remote module is easily removed from
pocket of wall plate to function as hand
held transmitter
White Wall plate mounts to single gang
wall switch box or direct to drywall
LED control button
Replaceable long life battery included
Canopy style receiver
Adjustable RF Code (16 different settings)
3 speeds and full range light dimmer
Last setting memory
Motor max.: 1A / light max.: 300W
Secondary transmitter available - Model #
RCT-8000

RC8000

Remote Control with Wall-Mounted Pull-Out transmitter



Mounts in wall switch box
4 Speeds
Slider control
White finish
Decora style (wall plate included)
1.25A max.

FC1

Fan Motor Speed Control with Slider





FC1R
Rotary Fan Motor Speed Control

Mounts in wall switch box
4 Speeds
Rotary dial control
White finish
White wall plate included
1.25A max.



FC2
(with incandescent dimmer)
FC2L
(with LED dimmer)
Fan motor speed and light dimmer
controls with dual sliders

Mounts in single wall switch box
Dual sliders
4 speeds
Full range dimmer
White finish
Requires 3 wire + ground installation
Decora style (wall plate included)
Motor max.: 1.25A, Light max.: 300W



RCT5
Secondary Wall Mounted Remote Transmitter

For use with existing remote receivers
Allows 3 speed and light dimmer control
from 2nd location
Adjustable RF Code (16 different
settings)
Mounts in wall switch box
Battery powered - no wiring required
(battery included)
Includes interchangeable white and ivory
face plates



RCT6
Secondary Wall Mounted Remote Transmitter

For use with existing Remote receivers
Allows 3 speed, Light Dimmer, and
Reverse* function control from 2nd
location (* motor must have reverse
module)
Adjustable RF Code (16 different settings)
Mounts in Wall Switch box
Battery Powered - No Wiring Required
(battery included)
Includes interchangeable White and Ivory
face plates



RCT7
Secondary Wall Mounted Remote Transmitter

For use with existing remote receivers
Allows 3 speed, reverse* function, and
independent up & down light dimmer
control from 2nd location (* motor must
have reverse module)
Adjustable RF Code (16 different
settings)
Mounts in wall switch box
Battery powered - no wiring required
(battery included)
Includes interchangeable white and ivory
face plates

REMOTE POSSIBILITIES

Transmitter only.
Receiver not included.
To be used with existing receiver with wall mounted transmitter
Battery operated (included)
Compatible fan models: AC22444, AC22452, AC22656, AC22952

HC22452

Optional hand-held control for compatible fans with wall controls



Transmitter only.
Receiver not included.
To be used with existing receiver with hand-held transmitter
Battery operated (Included)
Compatible fan models: AC23452, AC23554, AC23660, AC23170, AC23160, AC22852, AC22752, AC21750, AC21454, AC21352

RCTW - 100

Optional wall control for compatible fans with hand-held transmitters



Transmitter only.
Receiver not included.
To be used with existing receiver with hand-held transmitter.
Battery operated (included)
Compatible fan models: AC23856, AC23960, AC24060, AC24344

RCTW - 200

Optional wall control for compatible fans with hand-held transmitters



DOWNRODS



DOWNRODS

Our standard decorative Downrods have a 1/2 inch inside diameter (3/4" o.d. or outside diameter). Select from a wide array of lengths and finishes on this chart and guide to match any of our Ceiling Fans to your Ceiling Height.

Finish		12"	18"	24"	30"	36"	48"	60"	72"
Architectural Bronze		DR12-ARB	DR18-ARB	DR24-ARB	DR30-ARB	DR36-ARB	N/A	N/A	N/A
Black (Matte)		DR12-BLK/ MATT	DR18-BLK/ MATT	DR24-BLK/ MATT	DR30-BLK/ MATT	DR36-BLK/ MATT	DR48-BLK/ MATT	DR60-BLK/ MATT	DR72-BLK/ MATT
Brushed Steel		DR12-BST	DR18-BST	DR24-BST	DR30-BST	DR36-BST	DR48-BST	DR60-BST	DR72-BST
Chrome		DR12-CH	DR18-CH	DR24-CH	DR30-CH	DR36-CH	DR48-CH	DR60-CH	DR72-CH
Natural Iron		DR12-NI	DR18-NI	DR24-NI	DR30-NI	DR36-NI	DR48-NI	DR60-NI	DR72-NI
New Aged Brass		DR12-NAB	DR18-NAB	DR24-NAB	DR30-NAB	DR36-NAB	DR48-NAB	DR60-NAB	DR72-NAB
Oil Brushed Bronze		DR12-OBB	DR18-OBB	DR24-OBB	DR30-OBB	DR36-OBB	DR48-OBB	DR60-OBB	DR72-OBB
Oilcan Brass		DR12-OCB	DR18-OCB	DR24-OCB	DR30-OCB	DR36-OCB	DR48-OCB	DR60-OCB	DR72-OCB
Oil Rubbed Bronze		DR12-ORB	DR18-ORB	DR24-ORB	DR30-ORB	DR36-ORB	DR48-ORB	DR60-ORB	DR72-ORB
Polished Nickel		DR12-PN	DR18-PN	DR24-PN	DR30-PN	DR36-PN	DR48-PN	DR60-PN	DR72-PN
Russet Chestnut		DR12-RC	DR18-RC	DR24-RC	DR30-RC	DR36-RC	DR48-RC	DR60-RC	DR72-RC
Satin Nickel		DR12-SN	DR18-SN	DR24-SN	DR30-SN	DR36-SN	DR48-SN	DR60-SN	DR72-SN
White		DR12-WH	DR18-WH	DR24-WH	DR30-WH	DR36-WH	DR48-WH	DR60-WH	DR72-WH

Guide:								
Ceiling Height	8 ft.	9 ft.	10 ft.	11 ft.	12 ft.	13 ft.	14 ft.	15 ft.
Dowrod Length	Standard	12"	18"	24"	36"	48"	60"	72"

— FIXTURES

Alina	98
Alina Mini	98
Ambience	104
Arc	122
Avila	142
Axis	109
Black Ice	85
Caladon	100
Calipso	94
Callisto	87
Carina	135
Cloe	108
Flip	122
Fybra	131
Geo	96
Hoop	89
Knoll	87
Lola	144
Lustra	136
Maysen	143
Medina	101
Metro	132
Milano	134
Mystyke	112
Nuon	110
Orian	102
Orian Grande	103
Phoenix	106
Pinnacle	146
Politan	140
Quadron	118
Razzle	88
Roundo	122
Saturn	123
Saturn	109
Sereno	108
Serphus	125
Shimera	138
Sky	88
Solana	101
Solaro	128
Spectra	145
Sprizzo	86
Spumante	142
Strait-up	127
Styx	90
Summit	146
Ultimor	124
Valante	86
Verticals	92
Vilia	99
Vilia Mini	99
Wave	126



The right fixture can adorn, energize, and even transform a room setting with a convergence of style and utility creating a simple and subdued presence or a bold and striking crowning element. This chapter features a multifaceted pageantry of shapes & sizes, types, textures, tones, and finishes to achieve design objectives of any application or setting with contemporary flair.

BLACK ICE


LED

Features:

Linear LED Pendants in a Black Finish with
Glacier Glass

Color Temp: 3000K, CRI: 80

5 Year Warranty



PF239-BLK

Black



PF209-BLK

Black



PF208-BLK

Black

PF208-BLK

OAW: 24" 20W 1900 lm

OAH-Max/Min: 85"/6"

PF209-BLK

OAW: 32" 30W 2700 lm

OAH-Max/Min: 83"/6"

PF239-BLK

OAW: 39" 40W 3300 lm

OAH-Max/Min: 83"/6"

SPRIZZO

Features

Two-layer Metal shade
3 x 60W med. base (not incl.)
OAW: 12.5"
Pendant only Ht: 15"
OAH-Max/Min: 53.5"/17.5"
Swivel and rods included (2x6", 2x12")
10 ft. of wire (extra rods available)



PF256-BRS

Brass



PF256-BLK

Black



PF256-SN

Satin Nickel

VALANTE

Features:

Laser cut metal shade
1 x 60W med. base (not incl.)
Shade Wd: 4"
Pendant only Ht: 18"
Adjustable socket position
OAH-Max/Min: 137"/25"



PF258-SN

Satin Nickel



PF258-BLK

Black



PF260-BLK

Black

CALLISTO

Features:

Metal shade with opal white glass

1 x 60W med. base (not incl.)

Shade Width: 4"

Pendant only Ht: 12.25"

OAH-Max/Min: 50.5"/14.75"

Swivel and Rods included (2x6", 2x12")

10 ft. of wire (extra rods available)



PF260-BRS

Brass



PF260-SN

Satin Nickel



PF261-WH

White

KNOLL

Features:

Laser Cut Metal Shade

1 x 60W med. base (not incl.)

Shade Wd: 4"

Pendant only Ht: 19"

Adjustable socket position

OAH-Max/Min: 138"/26"



PF261-BLK

Black



PF261-SN

Satin Nickel

RAZZLE

Features:

Gold Flake Shade
1 x 100W med. base (bulb not included)
Shade width: 8", Ht: 12"
Swivels and rods included (2x6", 2x12")
OAH-Max/Min: 49.5"/14.5"
10 ft. of wire (extra rods available)



PF183-BLK/GF

Black & Gold Flake



PF184-BRS/GF

Brass & Gold Flake

SKY

Features:

Metal shade
1 x 100W med. base (not incl.)
Shade Wd: 12.4"
Pendant only Ht: 9"
OAH-Max/Min: 127"/10.5"



PF263-BLK/SN

Black & Satin Nickel



PF264-BRS/BLK

Brass & Black



PF262-BLK/BRS

Black & Brass

HOOP

LED

Features:

Dual Spiral LED Pendants in a Black & Chrome finish
Color Temp: 3000K, CRI: ≥80
5 Year Warranty



PF200-BLK/CH

Black & Chrome



PF199-BLK/CH

Black & Chrome

PF200-BLK/CH

OAW: 30"
OAH-Max/Min: 124.25"/10.5"
57W
1500 lm

PF199-BLK/CH

OAW: 24"
OAH-Max/Min: 122.75"/8.5"
48W
1300 lm

STYKX

LED

Features:

- Black & Chrome Finish
- Color temp: 3000K, CRI: ≥80
- Swivels and extra rods - included (2x6", 2x12")
- OAH-Max/Min: 43.5"/8.1"
- 5 year warranty



PF198-BLK/CH
Black & Chrome



PF197-BLK/CH
Black & Chrome



PF196-BLK/CH
Black & Chrome

PF196-BLK/CH
2 Tier 24" 32W 900 lm

PF197-BLK/CH
2 Tier 30" 38W 1000 lm

PF198-BLK/CH
2 Tier 36" 50W 1400 lm

STYKX

LED

Features:

- Black & Chrome Finish
- Color Temp: 3000K, CRI: ≥80
- Swivels and extra rods - included (2x6", 2x12")
- OAH-Max/Min: 40.8"/5.3"
- 5 year warranty

PF195-BLK/CH

Black & Chrome



PF194-BLK/CH

Black & Chrome



PF193-BLK/CH

Black & Chrome



PF193-BLK/CH

1 Tier	24"	16W	600 lm
--------	-----	-----	--------

PF194-BLK/CH

1 Tier	30"	19W	700 lm
--------	-----	-----	--------

PF195-BLK/CH

1 Tier	36"	25W	800 lm
--------	-----	-----	--------

VERTICALS

LED

Features:

LED Pendants in a Black Finish
 Color Temp: 3000K, CRI: ≥80
 5 Year Warranty



PF205-6LPE-BLK

6 Light - Black
 OAH-Max/Min: 49.75"/19.75"

PF205-20LPE-BLK

OAW: 30" 57W 1500 lm

PF205-7LPE-BLK

OAW: 36" 21W 700 lm

PF205-6LPE-BLK

OAW: 8.25" 19W 700 lm

Swivel and Extra Rods incl. (2x6", 2x12")



PF205-7LPE-BLK

7 Light - Black
 OAH-Max/Min: 95.5"/19.75"



PF205-20LPE-BLK

20 Light - Black
 OAH-Max/Min: 86.5"/14"



CALIPSO

LED

Features:

LED Pendants in a Black & Brass Finish with White Glass Globes
Color Temp: 3000K, CRI: 80
5 Year Warranty




PF211-6L-BLK/BRS

6 Light - Black & Brass



PF211-10L-BLK/BRS

10 Light - Black & Brass



PF211-8L-BLK/BRS

8 Light - Black & Brass

PF211-10L-BLK/BRS

OAW: 45" 55W 5400 lm
Max OAH: 91.3", Min: 13.8"

PF211-6L-BLK/BRS

OAW: 33.5" 35W 3500 lm
Max OAH: 90.6", Min: 12.2"

PF211-8L-BLK/BRS

OAW: 33.7" 45W 4700 lm
Max OAH: 130.9", Min: 22"



GEO

LED

Features:

LED Fixtures in a Black or Chrome finish with Clear Acrylic
Color Temp: 3000K, CRI: ≥80
5 year warranty



PF213-9LPA-BLK

9-Light Pan
Black



PF213-9LPA-CH

9-Light Pan
Chrome


PF213-9LPA-BLK
PF213-9LPA-CH

OAW: 25" 50W 1800 lm
OAH-Max/Min: 124"/7"



PF213-3LPA-CH

3-Light Pan
Chrome



PF213-3LPA-BLK

3-Light Pan
Black



PF213-1LPE-CH

1-Light Pendant
Chrome



PF213-1LPE-BLK

1-Light Pendant
Black



PF213-3LBR-CH

3-Light Bar
Chrome



PF213-3LBR-BLK

3-Light Bar
Black

PF213-1LPE-BLK
PF213-1LPE-CH

OAW: 5.5" 6W 350 lm
OAH-Max/Min: 124.5"/7"

PF213-3LBR-BLK
PF213-3LBR-CH

OAW: 26" 17W 900 lm
OAH-Max/Min: 85"/7"

PF213-3LPA-BLK
PF213-3LPA-CH

OAW: 14" 17W 900 lm
OAH-Max/Min: 124"/7"

ALINA

Features:

Med. Base Pendant with 12" Metal Shade
100W max. (bulb not incl.)
OAH: 54" (max. - adjustable)
OAW: 13"
Pendant only Ht: 15.5"
Swivels and rods included (2x6", 2x12")
10 ft. of wire (extra rods available)



PF116-BRS

Brass



PF116-BLK

Black



PF116-CH

Chrome

ALINA MINI

Features:

Med. Base Pendant with 8" Metal Shade
100W max. (bulb not incl.)
OAH: 49" (max. - adjustable)
OAW: 9"
Pendant only Ht: 10.5"
Swivels and rods included (2x6", 2x12")
10 ft. of wire (extra rods available)



PF117-CH

Chrome



PF117-BLK

Black



PF117-BRS

Brass



PF120-BLK/BRS

Black & Brass

VILIA

Features:

Med. Base Two-Tone Pendant with 12" Metal Shade
100W max. (bulb not incl.)
OAH: 54" (max. - adjustable)
OAW: 13"
Pendant only Ht: 15.5"
Swivels and rods included (2x6", 2x12")
10 ft. of wire (extra rods available)



PF119-BRS/BLK

Brass & Black



PF121-BLK/SN

Black & Satin Nickel



PF125-BLK/BRS

Black & Brass

VILIA MINI

Features:

Med. Base Two-Tone Pendant with 8" Metal Shade
100W max. (bulb not incl.)
OAH: 49" (Max. - adjustable)
OAW: 9"
Pendant only Ht: 10.5"
Swivels and rods included (2x6", 2x12")
10 ft. of wire (extra rods available)



PF124-BRS/BLK

Brass & Black



PF126-BLK/SN

Black & Satin Nickel

CALADON

Features:

Med. Base Metal & Glass Pendant

100W max. (bulb not incl.)

OAW - 10"

Pendant only Ht: 14"

10 ft. of wire



PF137-BRS

Brass



PF137-BLK

Black



PF137-CH

Chrome



PF137-SN

Satin Nickel



PF114-BLK

Black

SOLANA

Features:

Med. Base Pendant with 12" Glass
100W max. (bulb not incl.)
OAH: 54" (max. - adjustable)
OAW: 13"
Pendant only Ht: 15.5"
Swivels and rods included (2x6", 2x12")
10 ft. of wire (extra rods available)



PF114-BRS

Brass



PF138-BLK/BRS

Black & Brass

MEDINA

Features:

Med. Base Two-Tone Pendant with 12"
Metal Shade
100W max. (bulb not incl.)
OAW - 12"
Pendant only Ht: 13"
10 ft. of wire



PF140-BRS/BLK

Brass & Black

ORIAN

Features:


Med. Base Two-Tone Pendant with 12"
Metal Shade

100W max. (bulb not incl.)

OAW - 12"

Pendant only Ht: 9.5"

10 ft. of wire



PF132-CH/BLK

Chrome & Black



PF129-BLK/BRS

Black & Brass



PF130-SN/BLK

Satin Nickel & Black



PF131-BRS/BLK

Brass & Black

ORIAN GRANDE

Features:

Med. Base Two-Tone Pendant with 16"
Metal Shade

100W max. (bulb not incl.)

OAW - 16"

Pendant only Ht: 12"

10 ft. of wire



PF134-SN/BLK

Satin Nickel & Black



PF135-BRS/BLK

Brass & Black



PF133-BLK/BRS

Black & Brass

AMBIENCE

Features:

G9 Fixtures in a Black & Brass Finish with White Glass globes

G9 / 40W max. (bulbs not incl.)

Swivels and rods included with all pendants (2x6", 2x12")

10 ft. of wire (extra rods available)



PF100-1L-BLK/BR

1 Light
Black & Brass



PF100-13L-BLK/BR

13 Light
Black & Brass

PF100-13L-BLK/BR

13-Light Pendant

4" globes

OAH: 56", OAW: 25", Depth: 25"

PF100-1L-BLK/BR

1-Light Pendant

6" globe

OAH: 46.5"

PF100-4L-BLK/BR

4-Light Pendant or Semi-Flush
(Convertible)

4" globes

OAH: 48", OAW: 24", Depth: 24"



PF100-4L-BLK/BR

4 Light
Black & Brass

— AMBIENCE



PF100-8L-BLK/BRS

8 Light
Black & Brass



PF100-2LWL-BLK/BRS

2 Light Wall
Black & Brass



PF100-5L-BLK/BRS

5 Light
Black & Brass

PF100-8L-BLK/BRS

8-Light Pendant
4" globes
OAH: 58", Length: 44", Depth: 24"

PF100-2LWL-BLK/BRS

2-Light Wall Sconce
4" globes
OAH: 19", OAW: 4.7"
Ext: 4.9"

PF100-5L-BLK/BRS

5-Light Pendant
4" globes
OAH: 58", Length: 44", Depth: 24"

PHOENIX

Features:

G9 Fixtures in a Black Finish with
White Glass Globes

G9 / 40W max. (bulbs not incl.)

Swivels and rods included

10 ft. of wire on pendants

6 ft. of wire on bars (extra rods available)



PF101-1L-BLK

1 Light
Black

PF101-12L-BLK

12-Light Pendant

6" globes

OAH: 54", OAW: 34"

Rods included: 2x6", 2x12"

PF101-1L-BLK

1-Light Pendant

6" globe

OAH: 44"

Rods included: 2x6", 2x12"


PF101-3LBR-BLK

3-Light Bar

6" globes

OAH: 41", OAW: 26"

Rods included: 3x6", 3x12"



PF101-12L-BLK


12 Light
Black



PF101-3LBR-BLK


3 Light Bar
Black

PHOENIX



PF101-7L-BLK

7 Light
Black



PF101-5LBR-BLK

5 Light Bar
Black

PF101-7L-BLK

7-Light Pendant
6" globes
OAH: 54", OAW: 25"
Rods included: 2x6", 2x12"

PF101-5LBR-BLK

5-Light Bar
6" globes
OAH: 37", OAW: 46"
Rods included: 5x6", 5x12"
2 m of wire

CLOE

Features:

1-Light G9
Borosilicate Glass & Crystal Pendants
G9 / 40W max. (bulbs not incl.)
Glass - H: 12", W: 4"
10 ft. of wire



PF108-BRS

Brass



PF108-BLK

Black



PF108-CH

Chrome

SERENO

Features:

1-Light G9 Pendants with Clear
and White glass
G9 / 40W max. (bulbs not incl.)
OAH: 126" OAW: 8"



PF147-SN

Satin Nickel



PF147-BRS

Brass



PF147-BLK

Black

SATURN

Features:

Med. Base Metal & Glass Pendant
100W max. (bulb not incl.)
OAW - 13"
Pendant only Ht: 8"
10 ft. of wire



PF128-BLK

Black



PF128-BRS

Brass



PF110-BLK/BRS

Black & Brass

AXIS

Features:

1-Light Med. Base Pendant
60W max. (Bulb not incl.)
Shade - H: 9", W: 5.5"
10 ft. of wire



**PF110-
BRS/BLK**

Brass & Black



**PF110-
SN/BLK**

Satin Nickel
& Black

NUON

PF150 Features:

G9 Fixture Family in a Black Finish with
White Glass

G9 / 25W max. (bulbs not incl.)



PF150-1L-BLK

1 Light
Black

PF150-5LPA-BLK

5-Light Pan

OAH: 122" OAW: 14"

PF150-1L-BLK

1-Light Pendant

OAH: 122" OAW: 4.7"

PF150-3LPA-BLK

3-Light Pan

OAH: 122" OAW: 12"



PF150-3LPA-BLK

3 Light Pan
Black



PF150-5LPA-BLK

5 Light Pan
Black

NUON



PF150-5LBR-BLK

5 Light Bar
Black



PF150-3LBR-BLK

3 Light Bar
Black



PF150-9LPA-BLK

9 Light Pan
Black

PF150-9LPA-BLK

9-Light Pan
OAH: 122" OAW: 20"

PF150-5LBR-BLK

5-Light Bar
OAH: 83" OAW: 38"

PF150-3LBR-BLK

3-Light Bar
OAH: 83" OAW: 27"

MYSTYKE

LED

Features:

Single LED Pendants in Black or Chrome
Finishes with Frosted Acrylic Globes
Color Temp: 3000K, CRI: 80
5 Year Warranty

PF145-1LM-BLK (medium)

PF145-1LM-CH (medium)

1-Light 6" Globe

OAW: 5.9" 10W 950 lm

Max OAH: 125 (Adjustable)

PF145-1LS-BLK (small)

PF145-1LS-CH (small)

1-Light 4.75" Globe

OAW: 5.9" 8W 550 lm

Max OAH: 126 (Adjustable)



PF145-1LM-BLK

1-Light (medium)
Black



PF145-1LM-CH

1-Light (medium)
Chrome



PF145-1LS-BLK

1-Light (small)
Black



PF145-1LS-CH

1-Light (small)
Chrome

MYSTYKE

LED



PF145-5LBR-BLK

5-Light Bar
Black



PF145-5LBR-CH

5-Light Bar
Chrome



PF145-3LBR-BLK

3-Light Bar
Black



PF145-3LBR-CH

3-Light Bar
Chrome

Features:

LED Pendant Bars in Black or Chrome
Finishes with Frosted Acrylic Globes
Color Temp: 3000K, CRI: 80
5 Year Warranty

PF145-5LBR-BLK

PF145-5LBR-CH

5 x 4.75" Globe Bar

OAW: 36" 30W 1800 lm

Max OAH: 86" (Adjustable)

PF145-3LBR-BLK

PF145-3LBR-CH

3 x 4.75" Globe Bar

OAW: 20.5" 18W 1150 lm

Max OAH: 86" (Adjustable)

MYSTYKE

LED

Features:

LED Pendant Pans in Black or Chrome
Finishes with Frosted Acrylic Globes
Color Temp: 3000K, CRI: 80
5 year warranty

PF145-3LPA-BLK

PF145-3LPA-CH

3 x 4.75" Globe Pan

OAW: 13.5" 18W 1150 lm

Max OAH: 125" (Adjustable)



PF145-3LPA-CH

3-Light Pan
Chrome



PF145-3LPA-BLK

3-Light Pan
Black


MYSTYKE

LED



PF145-5LPA-CH

5-Light Pan
Chrome



PF145-5LPA-BLK

5-Light Pan
Black

PF145-5LPA-BLK
PF145-5LPA-CH

2x4.75" + 3x6" Globe Pan

OAW: 18" 36W

2300 lm

Max OAH: 126" (Adjustable)

MYSTYKE


LED

Features:

9-Light LED Pendant Pans in Black or Chrome Finishes with Frosted Acrylic Globes

Color Temp: 3000K, CRI: 80

5 year warranty



PF145-9LPA-BLK

9-Light Pan
Black



PF145-9LPA-CH

9-Light Pan
Chrome

PF145-9LPA-BLK
PF145-9LPA-CH

3x4" + 3x4.75" + 3x6" Globe Pan

OAW: 22" 56W 3500 lm


Max OAH: 126" (Adjustable)

MYSTYKE

LED

PF145-13L Features:

LED 13-Light Cluster Pendants in a Chrome or Black finish with Frosted Acrylic globes
Color Temp: 3000K, CRI: 80
5 year warranty



PF145-13L-CH

13-Light Cluster Pendant
Chrome



PF145-13L-BLK

13-Light Cluster Pendant
Black

PF145 13L-BLK PF145 13L-CH

13 x 4" Globes

OAW: 17.5" 52W 3100 lm

Max OAH: 153" (Adjustable)

QUADRON

LED

Features:

Rectangular 1 Light LED Pendants in an Aluminum or Black Finish

3 sizes

OAH: 47.2" max.

Canopy L: 12.5" x W: 4.3"

Dimmable

5 year warranty

SMALL

Pendant only size:
Ht: 7" x Wd: 12"



PF93-1LS-AL

Aluminum



PF93-1LS-BLK

Black



PF93-1LL-AL

Aluminum



PF93-1LL-BLK

Black



PF93-1LM-AL

Aluminum

MEDIUM

Pendant only size:
Ht: 12" x Wd: 12"



PF93-1LM-BLK

Black

LED Info

W	9
CCT	3000K
lm	450
CRI	>80

QUADRON


LED




PF93-3LPA-BLK
Black



PF93-3LPA-AL
Aluminum



PF93-3LBR-AL
Aluminum



PF93-3LBR-BLK
Black

PF93-3LPA Features:

3 Light Rectangular LED Square Pan
Pendant Fixture in an Aluminum or
Black Finish

OAH: 47.2" max.

Canopy L: 12.5" x W: 12.5"

Dimmable

5 year warranty

Pendant only sizes:

1 @ 7" x 12"

1 @ 12" x 12"

1 @ 18" x 12"

LED Info

W	27
CCT	3000K
lm	1350
CRI	>80

PF93-3LBR Features:

3 Light Rectangular LED Pendant Bar in
an Aluminum or Black Finish

OAH: 47.2" max.

Canopy L: 27.5" x W: 4.3"

Dimmable

5 year warranty

Pendant only sizes:

1 @ 7" x 12"

1 @ 12" x 12"

1 @ 18" x 12"

LED Info

W	27
CCT	3000K
lm	1350
CRI	>80

QUADRON

LED

PF93 4LBR Features:

4 Light Rectangular LED Pendant Bar in an Aluminum or Black Finish

OAH: 59" max.

Canopy L: 36" x W: 4.3"

Dimmable

5 year warranty

Pendant only sizes:

2 @ 7" x 12"

2 @ 12" x 12"

LED Info

W	36
CCT	3000K
lm	1800
CRI	>80




PF93-4LBR-AL

Aluminum



PF93-4LBR-BLK

Black



PF93-5LBR-BLK

Black

PF93-5LBR Features:

5 Light Rectangular LED Pendant Bar in an Aluminum or Black Finish

OAH: 59" max.

Canopy L: 42" x W: 4.3" 18"

Dimmable

5 year warranty

Pendant only sizes:

2 @ 7" x 12"

3 @ 12" x 12"

LED Info

W	45
CCT	3000K
lm	2250
CRI	>80



PF93-5LBR-AL

Aluminum

QUADRON

LED

Features:

5 Light Rectangular LED Square Pan
Pendant fixture in an Aluminum or
Black Finish
OAH: 59" max.
Canopy L: 20" x W: 20"
Dimmable
5 year warranty



PF93-5LPA-AL

Aluminum



PF93-5LPA-BLK

Black

Pendant only sizes:

1 @ 7" x 12"
2 @ 12" x 12"
2 @ 18" x 12"

LED Info

W	27
CCT	3000K
lm	1350
CRI	>80

FLIP

LED

Features:

LED Swing Arms in an Aluminum or Black Finish

Max. Ext: 21.5"

180° horizontal pivot with 3 vertical adjustment points

9W, Color Temp: 3000K, CRI: 80

AL: 560 lm

BLK: 520 lm

5 year warranty



SA100-AL
Aluminum



SA100-BLK
Black

ROUND

LED

Features:

LED Swing Arms in an Aluminum or Black finish

Max. Ext: 21"

180° horizontal pivot with 3 vertical adjustment points

9W, Color Temp: 3000K, CRI: 80

AL: 560 lm

BLK: 520 lm

5 year warranty



SA101-AL
Aluminum



SA101-BLK
Black

ARC

LED

Features:

LED Swing Arms in an Aluminum or Black Finish

Max. Ext: 21"

180° horizontal pivot with 2 vertical adjustment points

9W, Color Temp: 3000K, CRI: 80

AL: 550 lm

BLK: 400 lm

5 year warranty



SA102-AL
Aluminum



SA102-BLK
Black

SATERN

LED

Features:

LED ring pendants in a Chrome finish featuring optic crystal jewel insets. Dimmable 5 year warranty



PF8730-CH
Chrome



PF8724-CH
Chrome

Specifications PF8730-CH:

30" Pendant:
OAH: 77" max.
OAW: 30"

LED Info

W	50
CCT	3000K
lm	2500
CRI	81+

Specifications PF8724-CH:

24" Pendant
OAH: 77" max.
OAW: 24"

LED Info

W	41
CCT	3000K
lm	2000
CRI	81+

ULTIMOR

LED

Features:

LED Pendant Bar in an Oilcan Brass, Silver or Black finish, all with Chrome end caps

OAH: 80" (max.)

OA Length: 36"

Canopy L: 10.6" x W: 4.4" (at ceiling)

Pendant only L: 36" x W: 9.25" x Ht: 6"

Dimmable

5 year warranty



PF9636-OCB/CH

Oilcan Brass with Chrome End Caps



PF9636-BLK/CH

Black with Chrome End Caps



PF9636-SV/CH

Silver with Chrome End Caps

LED Info

W	40
CCT	3000K
lm	1350
CRI	82

SERPHUS

LED

Features:

LED Pendant Bar in a Chrome or Black finish
OAH: 75" (max.)
OA Length: 36"
Canopy L: 9" x W: 5" (at ceiling)
Pendant only L: 36" x W: 7" x Ht: 1.6"
Dimmable
5 year warranty



PF9736-BLK

Black



PF9736-CH

Chrome

LED Info

W	38
CCT	3000K
lm	1900
CRI	82

WAVE

LED

Features:

Chrome finish with White acrylic
Dimmable
5 year warranty

Specifications PF8142-CH:

42" Pendant
OAH: 87" max.
OAW: 42.5"

LED Info

W	29
CCT	3000K
lm	1200
CRI	82+



PF8142-CH

Chrome



Matching Portables - Pg. 215

Specifications PF8114FL-CH:

14" Flushmount
OAH: 3.25" max.
OAW: 13.5"

LED Info

W	9
CCT	3000K
lm	650
CRI	82+



PF8114FL-CH

Chrome

WAVE



PF8112WLI-CH

Chrome
Light directed inward



PF8112WLO-CH

Chrome
Light directed outward

Features:

Chrome finish with white acrylic
Dimmable
5 year warranty

Specifications:

12" Wall Sconce
OAH: 12.25"
OAW: 5.5"
Extension: 4.75"

LED Info

W	9
CCT	3000K
lm	500
CRI	82+



PF7913WLI-CH

Chrome
Light directed inward



Matching Portables - Pg. 216



PF7913WLO-CH

Chrome
Light directed outward

STRAIT-UP

LED

Features:

Chrome finish with white acrylic
Dimmable
5 year warranty

Specifications:

13" Wall Sconce
OAH: 13.5" max.
OAW: 5.5"
Extension: 3.5" (ADA compliant)

LED Info

W	10
CCT	3000K
lm	500
CRI	82+

SOLARO

Features:

Pendant Fixtures in a Chrome finish with decorative mesh shades featuring optic crystal jewel insets

50W / G9 bulbs included - *open fixture rated*

Shade diameter: 5"



Matching Vanities - Pg. 172



PF40-1LPE-CH

Chrome



PF40-9LPA-CH

Chrome

Specifications:

PF40-1LPE-CH

1 Light Pendant
OAH: 124" max.
OAW: 5"

PF40-9LPA-CH

9 Light Pan
OAH: 124" max.
OAW: 22"

SOLARO

PF40-3LBR-CH

3 Light Bar
OAH: 84" max.
OAW: 24"

PF40-5LBR-CH

5 Light Bar
OAH: 84" max.
OAW: 34"



PF40-3LBR-CH

Chrome



PF40-5LBR-CH

Chrome



PF40-3LPA-CH

Chrome



PF40-5LPA-CH

Chrome

PF40-3LPA-CH

3 Light Pan
OAH: 124" max.
OAW: 11"

PF40-5LPA-CH

5 Light Pan
OAH: 124" max.
OAW: 16"

FYBRA

Features:

Bars, Pans, and Single Pendant in a Chrome finish featuring stretched glass fibers encased in clear glass globes
50W / G9 bulbs included - open fixture rated
Glass shade diameter: 4.75"



Matching Vanities - Pg. 173



PF41-1LPE-CH

Chrome

Specifications:

PF41-1LPE-CH

1 Light Pendant:
OAH: 124" max.
OAW: 5"

PF41-9LPA-CH

9 Light Pan
OAH: 124" max.
OAW: 22"



PF41-9LPA-CH

Chrome

PF41-3LBR-CH

3 Light Bar
OAH: 84" max.
OAW: 24"

PF41-5LBR-CH

5 Light Bar
OAH: 84" max.
OAW: 34"



PF41-3LBR-CH

Chrome



PF41-5LBR-CH

Chrome



PF41-3LPA-CH

Chrome



PF41-5LPA-CH

Chrome

PF41-3LPA-CH

3 Light Pan
OAH: 124" max.
OAW: 11"

PF41-5LPA-CH

5 Light Pan
OAH: 124" max.
OAW: 16"

METRO



PF44-1LPE-CH

Chrome



PF44-5LBR-CH

Chrome

Features:

Bars, Pans, and Single Pendant in a Chrome finish with clear outer glass shades surrounding inner optic crystal cube

50W / G9 bulbs included - open fixture rated

Shade width: 4.75"

PF44-1LPE-CH

1 Light Pendant

OAH: 124" max.

OAW: 5"

PF44-5LBR-CH

5 Light Bar

OAH: 84" max.

OAW: 38"



PF44-3LPA-CH
Chrome



PF44-3LBR-CH
Chrome



PF44-5LPA-CH
Chrome



PF44-3LPA-CH
3 Light Pan
OAH: 124" max.
OAW: 13"

PF44-3LBR-CH
3 Light Bar
OAH: 84" max.
OAW: 24"

PF44-5LPA-CH
5 Light Pan
OAH: 124" max.
OAW: 16"

MILANO

Features:

Pendants in a Chrome finish featuring optic crystal jewel insets

50W / G9 bulbs included - open fixture rated

Swivel and Extension Rods included with Pendants: 2x6" + 2x12" + 2x24" = 84"




PF60-8L26-CH

Chrome



PF60-8L21-CH

Chrome



PF60-4L16-CH

Chrome

Specifications:

PF60-8L26-CH

8 Light Pendant

OAH: 96" max.

OAW: 26"

PF60-8L21-CH

8 Light Pendant

OAH: 95.5" max.

OAW: 21"

PF60-4L16-CH

4 Light Pendant

OAH: 96" max.

OAW: 17"

CARINA

Features:

Optic Crystal Pendants, Flush Mount and Semi-Flush in a Chrome finish


50W / G9 bulbs included - open fixture rated

6 ft. of wire on Pendants - OAH: 78"



PF64-9L23-CH

Chrome



PF64-6L20-CH

Chrome



PF64-6L16-CH

Chrome

Specifications:

PF64-9L23-CH

9 Light Pendant

OAW: 23"

PF64-6L20-CH

6 Light Pendant

OAW: 20"

PF64-6L16-CH

6 Light Pendant

OAW: 16"

LUSTRA

Features:

Bars, Pans, and Single Pendant in a Chrome finish with cylindrical optic crystal shades

50W / G9 bulbs included - open fixture rated

Crystal shade Ht.: 3.5", Dia.: 4.25"



Matching Vanities - Pg. 168



PF61-1LPE-CH

Chrome

Specifications:

PF61-9LPA-CH

9 Light Pan:
OAH: 124" max.
OAW: 22"

PF61-1LPE-CH

1 Light Pendant:
OAH: 124" max.
OAW: 5.5"



PF61-9LPA-CH

Chrome

LUSTRA

PF61-3LBR-CH

3 Light Bar
OAH: 84" max.
OAW: 24"

PF61-3LPA-CH

3 Light Pan
OAH: 124"
OAW: 11"



PF61-3LBR-CH

Chrome



PF61-3LPA-CH

Chrome



PF61-5LBR-CH

Chrome



PF61-5LPA-CH

Chrome

PF61-5LBR-CH

5 Light Bar
OAH: 84" max.
OAW: 34"

PF61-5LPA-CH

5 Light Pan
OAH: 124" max.
OAW: 16"

SHIMERA

Features:

Bars, Pans, and Single Pendant in a Chrome finish with cubic Optic Crystal shades

50W / G9 bulbs included - open fixture rated

Crystal shade Ht.: 3.5", Width: 4.5"



Matching Vanities - Pg. 169



PF62-1LPE-CH

Chrome

PF62-9LPA-CH

9 Light Pan:
OAH: 124" max.
OAW: 22"

PF62-1LPE-CH

1 Light Pendant
OAH: 124" max.
OAW: 5.5"



PF62-9LPA-CH

Chrome

SHIMERA

PF62-3LBR-CH

3 Light Bar
OAH: 84" max.
OAW: 24"

PF62-3LPA-CH

3 Light Pan
OAH: 124"
OAW: 11"



PF62-3LBR-CH

Chrome



PF62-3LPA-CH

Chrome



PF62-5LBR-CH

Chrome



PF62-5LPA-CH

Chrome

PF62-5LBR-CH

5 Light Bar
OAH: 84" max.
OAW: 34"

PF62-5LPA-CH

5 Light Pan
OAH: 124" max.
OAW: 16"


POLITAN

Features:

Bars, Pans, and Single Pendant in a Chrome finish with clear outer glass shades surrounding chains of optic crystal suspended in a cube pattern

50W / G9 bulbs included - open fixture rated

Shade Ht.: 7.5", Width: 4.75"



PF63-1LPE-CH

Chrome

Specifications:

PF63-9LPA-CH

9 Light Pan
OAH: 118" max.
OAW: 22"

PF63-1LPE-CH

1 Light Pendant:
OAH: 118" max.
OAW: 5"



PF63-9LPA-CH

Chrome

POLITAN

PF63-3LBR-CH

3 Light Bar
OAH: 79" max.
OAW: 26"

PF63-3LPA-CH

3 Light Pan
OAH: 118"
OAW: 7.5"




PF63-3LBR-CH

Chrome



PF63-3LPA-CH

Chrome



PF63-5LBR-CH

Chrome



PF63-5LPA-CH

Chrome

PF63-5LBR-CH

5 Light Bar
OAH: 79" max.
OAW: 40"

PF63-5LPA-CH

5 Light Pan
OAH: 118" max.
OAW: 16"

SPUMANTE

Features:

Single Pendant in a Chrome or Satin Nickel Finish featuring Bubble Glass Lens

Bulb: 50W / GU-10 * (not included)

* Recommended bulb: LED GU-10


Shade width: 4.75"

Specifications:**PF55-1LPE-CH****PF55-1LPE-SN**

1 Light Pendant:

OAH: 120" max.

OAW: 5"

**PF55-1LPE-CH**

Chrome

**PF55-1LPE-SN**

Satin Nickel

AVILA

Features:

1 Light Pendant

Bulb: 50W / GU-10 (not included)

Shade width: 3", Ht: 16"

Specifications:**PF56-1LPE-CH****PF56-1LPE-SN**


1 Light Pendant

OAH: 135" max.

OAW: 5"

**PF56-1LPE-SN**

Satin Nickel


**PF56-1LPE-CH**

Chrome

MAYSEN

Maysen Features:

- 1 Light Cement shade Pendants
- Bulb: 100W med. base - (not included)
- Swivel and extension rods included
(2 x 6" + 2 x 12" = 36")
- 10 feet of wire
- Extra extension rods available in 24" and 36" lengths
- Model #'s: **ER740-24-SN, ER740-36-SN**



PF66-1LPE-SN
Satin Nickel



PF67-1LPE-SN
Satin Nickel



PF69-1LPE-SN
Satin Nickel

Specifications:**PF66-1LPE-SN**

Shade Wd: 5.5"
Ht: 8"
OAH: 46"

PF67-1LPE-SN

Shade Wd: 5.5"
Ht: 12"
OAH: 50"

PF69-1LPE-SN

Shade Wd: 11.75"
Ht: 11"
OAH: 49"

LOLA



PF57-1LGU-CH

Chrome

PF57-1LGU Features:

1 Light Pendant with top & bottom cylindrical clear glass shades

Bulb: 50W / GU-10 (not included)

Shade width: 2.75", Ht: 12"

OAH: 87.5" max.

OAW: 5"

PF57-1LPR Features:

1 Light Pendant with top & bottom cylindrical clear glass shades

Bulb: 50W / Par 20 (not included)

Shade width: 3.5", Ht: 12"

OAH: 87.5" max.

OAW: 5"



PF57-1LPR-SN

Satin Nickel



PF57-1LPR-CH

Chrome



PF57-1LGU-SN

Satin Nickel

SPECTRA

Group 1 Pendant glassware & shades: fits fixture models HPF760

RG55 Ht: 5", Wd: 5" **RG56** Ht: 6", Wd: 4" **RG57** Ht: 5", Length: 5", Wd: 3.5"

			
RG55-MCB Moroccan Black	RG56-MCB Moroccan Black	RG57-AS Amber Swirl	RG57-IB Island Blue
			
RG55-MO Mocha	RG56-SR Sunfire Red	RG57-LN Linen	RG57-MB Marble
			
RG55-SF Snow Flake	RG56-WH White	RG57-MCB Moroccan Black	RG57-SF Snow Flake
			
		RG57-SR Sunfire Red	RG57-WH White

Holder only
Glass shades
Sold Separately

Features:

1-Light Line-voltage Halogen Pendant in a Satin Nickel finish with multiple glass shade options

50W / G9 bulb included - open fixture rated

OAH: 114" max. (without shade)

OAW: 5"



HPF760-SN
Satin Nickel

SUMMIT (730)

Features:

1 Light Line-voltage Cord-style Pendant in a Satin Nickel Finish with multiple glass options

Bulb: 100W med. base - (not included)

OAH: 126" max.

10 feet of wire

Fits all GROUP-3 Glassware (sold separately)



IPF730-SN

Satin Nickel



IPF740-SN

Satin Nickel

Holder only
Glass shades
Sold Separately

PINNACLE (740)

Features:

1 Light Line-voltage Rod-style Pendant with multiple glass options

Bulb: 100W med. base - (not included)

Swivel and Extension rods included (2 x 6" + 2 x 12" = 36")

OAH: 44" (without shade)

10 feet of wire

Extra Extension rods available in 24" and 36" lengths - Model # **ER740***

* Extra Extension rod ordering # example: **ER740-24-CH** (24"-Chrome)

Fits all GROUP-3 Glassware (sold separately)



IPF740-CH

Chrome



IPF740-ORB

Oil Rubbed Bronze

Group 3 Pendant glassware & shades: fits fixture models **IPF730** and **IPF740**

RG730

Ht: 16", Wd: 6"



RG730-1
Amber Swirl

RGO-730/740

Oblong shape glass

Ht: 11.5", Wd: 5"



RGO-730/740-ALN
Amber Linen



RGO-730/740-SF
Snow Flake



RGO-730/740-WH
White

RGC-730/740

Cylinder shape glass

Ht: 12", Wd: 4"



RGC-730/740-LN
Linen



RGC-730/740-LV
Lava



RGC-730/740-MO
Mocha



RGC-730/740-SF
Snow Flake



RGC-730/740-WH
White

RGS-730/740

Square shape glass

Ht: 12", Wd: 4"



RGS-730/740-AS
Amber Swirl



RGS-730/740-HY
Honey



RGS-730/740-LV
Lava



RGS-730/740-MCB
Moroccan Black



RGS-730/740-MO
Mocha



RGS-730/740-WH
White

BATH

Alina	175
Angles	152
Astron	156
Aurora	180
Bazil	166
Callavio	159
Candela	175
Cerv	162
Crys	171
Crystorama	170
Cubix	167
Endura	150
Fybra	173
Glacier	154
Ice	153
Ice-Lava	165
Lustra	168
Madison	174
Michaela	176
Oracle	152
Paramount	178
Rings	149
Sabra	151
Shimera	169
Strate	163
Solaro	172
Vega	166



The right Vanity is an essential component in achieving a fresh and inviting harmony with your décor. Flatter the mood with the ambience of a statement horizontal or the cross-illumination of shadow-free dual verticals. Choose from an extensive selection of sizing and looks to achieve your inspiration.

RINGS

LED



VF1836-CH



VF1836-BLK

Features:

LED Vanities in a Black or Chrome Finish with White Acrylic Lenses

OAH: 5", Ext: 3.75" (ADA Compliant)

Color Temp: 3500K

5 year warranty

VF1836

OAW: 36" 39W 3500 lm

VF1830

OAW: 30" 30W 2800 lm

VF1824

OAW: 24" 26W 2300 lm



VF1830-BLK



VF1830-CH



VF1824-CH



VF1824-BLK

ENDURA

LED

Features:

Black or Chrome Finishes with Opal White Glass

OAH: 4.5", Ext: 4.1"

IP44 Rated, Color Temp: 3000K

5 year warranty

VF2523-BLK

OAW: 23" 18W 1300 lm

VF2523-CH

OAW: 23" 18W 1650 lm

VF2531-BLK

OAW: 31" 23W 1650 lm

VF2531-CH

OAW: 31" 23W 2100 lm



VF2523-CH



VF2523-BLK



VF2531-BLK



VF2531-CH

SABRA

LED



VF2323-BLK



VF2323-CH



VF2331-CH



VF2331-BLK

Features:

Black or Chrome Finishes with Clear Ribbed Glass over Acrylic

OAH: 4.5", Ext: 4.5"

IP44 Rated, Color Temp: 3000K

5 year warranty

VF2323-BLK

OAW: 23" 18W 1050 lm

VF2323-CH

OAW: 23" 18W 1400 lm

VF2231-BLK

OAW: 31" 23W 1250 lm

VF2231-CH

OAW: 31" 23W 1750 lm

ORACLE



Features:

Chrome Finish with White Acrylic Lenses
OAH: 5", Ext: 2.4" (ADA Compliant)
Color Temp: 3500K
5 year warranty

VF2024		
OAW: 24"	26W	2000 lm

VF2030		
OAW: 30"	30W	2200 lm

VF2036		
OAW: 36"	36W	2800 lm



VF2024-CH



VF2030-CH



VF2036-CH

ANGLES



Features:

Chrome finish with Angled White Acrylic Lenses
OAH: 4.9", Ext. angles from 2.6" to 2.1"
(ADA Compliant)
Color Temp: 3500K
5 year warranty

VF2224		
OAW: 24"	26W	2200 lm

VF2230		
OAW: 30"	30W	2710 lm

VF2236		
OAW: 36"	36W	2850 lm



VF2224-CH



VF2230-CH



VF2236-CH





Features:

LED Vanities with Rectangular Water Grain Glass in a Chrome or Black Finish
Ext: 3.2" (ADA Compliant)

Specifications:

VF9600-2L



2-Light
OAH: 14.2" OAW: 4.7" 10 W 550 lm

VF9600-3L

3-Light
OAH: 9.5" OAW: 19" 15 W 800 lm

VF9600-4L

4-Light
OAH: 9.5" OAW: 26" 20 W 1000 lm



GLACIER



Features:

2-Light LED Wall Lights in a Black or Chrome Finish with 6 glass options

Specifications:

OAH: 14" OAW: 4.75" 11W 750 lm
Ext: 2" (ADA Compliant)



How to Order (Model # Example):

VF1300-3CH

VF	1300-	3	CH
Vanity Flair	Series	Glass Code#	Finish (Chrome)

VF1300-1BLK	Black	Glass #1
VF1300-1CH	Chrome	Glass #1
VF1300-2BLK	Black	Glass #2
VF1300-2CH	Chrome	Glass #2
VF1300-3BLK	Black	Glass #3
VF1300-3CH	Chrome	Glass #3



Glass #4

Rippled Ice Glass (Frosted)



VF1300-4CH

VF1300-4BLK

Glass #6

Fossilized Ice Glass (Frosted)



VF1300-6CH

VF1300-6BLK

Glass #5

Fossilized Ice Glass



VF1300-5BLK

VF1300-5CH

How to Order (Model # Example):

VF1300-6BLK

VF	1300-	6	BLK
Vanity Flair	Series	Glass Code#	Finish (Black)

VF1300-4BLK	Black	Glass #4
VF1300-4CH	Chrome	Glass #4
VF1300-5BLK	Black	Glass #5
VF1300-5CH	Chrome	Glass #5
VF1300-6BLK	Black	Glass #6
VF1300-6CH	Chrome	Glass #6

ASTRON



Features VF9800 Series:

LED Vanities in a Chrome Finish with 6 glass options

OAH: 6.25"

Ext: 3.2" (ADA Compliant)

3-Light

- VF9803-1CH Glass #1
- VF9803-2CH Glass #2
- VF9803-3CH Glass #3
- VF9803-4CH Glass #4
- VF9803-5CH Glass #5
- VF9803-6CH Glass #6

4-Light

- VF9804-1CH Glass #1
- VF9804-2CH Glass #2
- VF9804-3CH Glass #3
- VF9804-4CH Glass #4
- VF9804-5CH Glass #5
- VF9804-6CH Glass #6

5-Light

- VF9805-1CH Glass #1
- VF9805-2CH Glass #2
- VF9805-3CH Glass #3
- VF9805-4CH Glass #4
- VF9805-5CH Glass #5
- VF9805-6CH Glass #6

How to Order: (Model # Example):

VF9803-2CH

VF	980	3-	2	CH
Vanity Flair	Series	# of Lights	Glass Code#	Finish (Chrome)

Specifications:

VF9803

3-Light
OAW: 20" 1350 lm

VF9804

4-Light
OAW: 27" 1800 lm

VF9805

5-Light
OAW: 35" 2300 lm

Glass #1 Icelandic Rock Glass



VF9803-1CH (3-Light)




VF9804-1CH (4-Light)



VF9805-1CH (5-Light)

Glass #2 Icelandic Rock Glass (Frosted)



VF9803-2CH (3-Light)



VF9804-2CH (4-Light)





VF9805-2CH (5-Light)

Glass #3
Rippled Ice Glass

ASTRON



VF9803-3CH (3-Light)




VF9804-3CH (4-Light)




VF9805-3CH (5-Light)

Glass #4
Rippled Ice Glass (Frosted)



VF9803-4CH (3-Light)



VF9804-4CH (4-Light)



VF9805-4CH (5-Light)

Features VF9800 Series:

LED Vanities in a Chrome Finish with 6 glass options

OAH: 6.25"

Ext: 3.2" (ADA Compliant)

3-Light

- VF9803-1CH Glass #1
- VF9803-2CH Glass #2
- VF9803-3CH Glass #3
- VF9803-4CH Glass #4
- VF9803-5CH Glass #5
- VF9803-6CH Glass #6

4-Light

- VF9804-1CH Glass #1
- VF9804-2CH Glass #2
- VF9804-3CH Glass #3
- VF9804-4CH Glass #4
- VF9804-5CH Glass #5
- VF9804-6CH Glass #6

5-Light

- VF9805-1CH Glass #1
- VF9805-2CH Glass #2
- VF9805-3CH Glass #3
- VF9805-4CH Glass #4
- VF9805-5CH Glass #5
- VF9805-6CH Glass #6

How to Order: (Model # Example):

VF9803-4CH

VF	980	3-	4	CH
Vanity Flair	Series	# of Lights	Glass Code#	Finish (Chrome)

Specifications:

VF9803

3-Light
OAW: 20" 1350 lm

VF9804

4-Light
OAW: 27" 1800 lm

VF9805

5-Light
OAW: 35" 2300 lm

ASTRON



Features VF9800 Series:

LED Vanities in a Chrome Finish with 6 glass options

OAH: 6.25"

Ext: 3.2" (ADA Compliant)

3-Light

- VF9803-1CH Glass #1
- VF9803-2CH Glass #2
- VF9803-3CH Glass #3
- VF9803-4CH Glass #4
- VF9803-5CH Glass #5
- VF9803-6CH Glass #6

4-Light

- VF9804-1CH Glass #1
- VF9804-2CH Glass #2
- VF9804-3CH Glass #3
- VF9804-4CH Glass #4
- VF9804-5CH Glass #5
- VF9804-6CH Glass #6

5-Light

- VF9805-1CH Glass #1
- VF9805-2CH Glass #2
- VF9805-3CH Glass #3
- VF9805-4CH Glass #4
- VF9805-5CH Glass #5
- VF9805-6CH Glass #6

How to Order: (Model # Example):

VF9804-6CH

VF	980	4-	6	CH
Vanity Flair	Series	# of Lights	Glass Code#	Finish (Chrome)

Specifications:

VF9803

3-Light
OAW: 20" 1350 lm


VF9804

4-Light
OAW: 27" 1800 lm


VF9805

5-Light
OAW: 35" 2300 lm

Glass #5 Fossilized Ice Glass



VF9803-5CH (3-Light)



VF9804-5CH (4-Light)



VF9805-5CH (5-Light)

Glass #6 Fossilized Ice Glass (Frosted)



VF9803-6CH
(3-Light)



VF9804-6CH (4-Light)



VF9805-6CH (5-Light)

Glass #1
Icelandic Rock Glass



CALLAVIO



Features VF9900:

Linear LED Vanities in a Chrome or Black Finish with 4 glass options

3-Light

VF9903-1BLK	3-Light	Glass #1
VF9903-2BLK	3-Light	Glass #2
VF9903-1CH	3-Light	Glass #1
VF9903-2CH	3-Light	Glass #2
VF9903-5CH	3-Light	Glass #5
VF9903-6CH	3-Light	Glass #6

4-Light

VF9904-1BLK	4-Light	Glass #1
VF9904-2BLK	4-Light	Glass #2
VF9904-1CH	4-Light	Glass #1
VF9904-2CH	4-Light	Glass #2
VF9904-5CH	4-Light	Glass #5
VF9904-6CH	4-Light	Glass #6



VF9903-1BLK (3-Light)



VF9903-1CH (3-Light)



VF9904-1CH (4-Light)



VF9904-1BLK (4-Light)

How to Order: (Model # Example):

VF9904-1BLK

VF	990	4-	1	BLK
Vanity Flair	Series	# of Lights	Glass Code#	Finish (Black)

Specifications:

OAH: 4.75"

Ext: 2.5" (ADA Compliant)

3-Light: OAW: 24" 1300 lm

4-Light: OAW: 32" 1850 lm

CALLAVIO



Features VF9900:

Linear LED Vanities in a Chrome or Black Finish with 4 glass options

3-Light

VF9903-1BLK	3-Light	Glass #1
VF9903-2BLK	3-Light	Glass #2
VF9903-1CH	3-Light	Glass #1
VF9903-2CH	3-Light	Glass #2
VF9903-5CH	3-Light	Glass #5
VF9903-6CH	3-Light	Glass #6

4-Light

VF9904-1BLK	4-Light	Glass #1
VF9904-2BLK	4-Light	Glass #2
VF9904-1CH	4-Light	Glass #1
VF9904-2CH	4-Light	Glass #2
VF9904-5CH	4-Light	Glass #5
VF9904-6CH	4-Light	Glass #6

Glass #2 Icelandic Rock Glass (Frosted)



VF9903-2BLK (3-Light)



VF9903-2CH (3-Light)



VF9904-2CH (4-Light)



VF9904-2BLK (4-Light)

How to Order: (Model # Example):

VF9904-2BLK

VF	990	4-	2	BLK
Vanity Flair	Series	# of Lights	Glass Code#	Finish (Black)

Specifications:

OAH: 4.75"

Ext: 2.5" (ADA Compliant)

3-Light: OAW: 24" 1300 lm

4-Light: OAW: 32" 1850 lm

Glass #5
Fossilized Ice Glass



VF9903-5CH (3-Light)



VF9904-5CH (4-Light)

Glass #6
Fossilized Ice Glass (Frosted)



VF9903-6CH (3-Light)



VF9904-6CH (4-Light)

CALLAVIO



Features VF9900:

Linear LED Vanities in a Chrome or Black Finish with 4 glass options

3-Light

VF9903-1BLK	3-Light	Glass #1
VF9903-2BLK	3-Light	Glass #2
VF9903-1CH	3-Light	Glass #1
VF9903-2CH	3-Light	Glass #2
VF9903-5CH	3-Light	Glass #5
VF9903-6CH	3-Light	Glass #6

4-Light

VF9904-1BLK	4-Light	Glass #1
VF9904-2BLK	4-Light	Glass #2
VF9904-1CH	4-Light	Glass #1
VF9904-2CH	4-Light	Glass #2
VF9904-5CH	4-Light	Glass #5
VF9904-6CH	4-Light	Glass #6

How to Order: (Model # Example):

VF9903-6CH

VF	990	3-	6	CH
Vanity Flair	Series	# of Lights	Glass Code#	Finish (Chrome)

Specifications:

OAH: 4.75"

Ext: 2.5" (ADA Compliant)

3-Light: OAW: 24" 1300 lm

4-Light: OAW: 32" 1850 lm

CERV

LED

Features:

Chrome Finish with White Acrylic
Dimmable
5 year warranty



VF7730-CH

Chrome



VF7724-CH

Chrome



VF7718-CH

Chrome

VF7730-CH:

OAW: 30"
OAH: 4.25"
Ext.: 4.25"

LED Info:

W	30
CCT	3000K
lm	1195
CRI	82+

VF7724-CH:

OAW: 24"
OAH: 4.25"
Ext.: 4.25"

LED Info:

W	26
CCT	3000K
lm	1005
CRI	82+

VF7718-CH:

OAW: 18"
OAH: 4.25"
Ext.: 4.25"

LED Info:

W	20
CCT	3000K
lm	800
CRI	82+

STRATE

LED

Features:

Chrome Finish with White Acrylic
Dimmable
5 year warranty



VF7830-CH

Chrome



VF7824-CH

Chrome



VF7818-CH

Chrome

VF7830-CH:

OAW: 30"
OAH: 4.25"
Ext.: 4.25"

LED Info:

W	30
CCT	3000K
lm	1285
CRI	82+

VF7824-CH:

OAW: 24"
OAH: 4.25"
Ext.: 4.25"

LED Info:

W	26
CCT	3000K
lm	1025
CRI	82+

VF7818-CH:

OAW: 18"
OAH: 4.25"
Ext.: 4.25"

LED Info:

W	20
CCT	3000K
lm	800
CRI	82+



ICE-LAVA

LED



VF9200-1L-CH

Chrome



VF9200-2L-CH

Chrome



VF9200-3L-CH

Chrome



VF9200-4L-CH

Chrome



VF9200-5L-CH

Chrome

Features:

LED Vanities in a Chrome Finish featuring Ice-Lava Glass

Ht: 6.7"

Ext: 3.1" (ADA compliant)

Dimmable

5 year warranty

VF9200-1L-CH:

1 Light Vanity or Sconce

Wd: 6.7"

LED Info:

W	9
CCT	3000K
lm	350
CRI	>80

VF9200-2L-CH:

2 Light Vanity

Wd: 15"

LED Info:

W	16
CCT	3000K
lm	700
CRI	>80

VF9200-3L-CH:

3 Light Vanity

Wd: 23"

LED Info:

W	27
CCT	3000K
lm	1050
CRI	>80

VF9200-4L-CH:

4 Light Vanity

Wd: 31"

LED Info:

W	33
CCT	3000K
lm	1350
CRI	>80

VF9200-5L-CH:

5 Light Vanity

Wd: 39"

LED Info:

W	39
CCT	3000K
lm	1650
CRI	>80

BAZIL

Features:

G9 Vanities in a Chrome Finish with Crystal Glass

(G9 40W max. - bulbs not incl.)

OAH: 5.25", Ext: 5.75"

VF1000-3L-CH

3-Light

OAW: 20"

VF1000-4L-CH

4-Light

OAW: 28"

VF1000-5L-CH

5-Light

OAW: 35"



VF1000-3L-CH



VF1000-4L-CH



VF1000-5L-CH

VEGA

Features:

G9 Vanities with Black Finish with White Glass

(G9 50W max. - Bulbs not incl.)

OAH: 5.25", Ext: 5.75"

VF1200-3L-BLK

3-Light

OAW: 20"

VF1200-4L-BLK

4-Light

OAW: 27"

VF1200-5L-BLK

5-Light

OAW: 35"



VF1200-3L-BLK



VF1200-4L-BLK



VF1200-5L-BLK

CUBIX

Features:

G9 Vanities in a Chrome Finish with Etched Glass

(G9 40W max. - bulbs not incl.)

OAH: 5.25", Ext: 5.75"

VF1100-3L-CH

3-Light

OAW: 20"

VF1100-4L-CH

4-Light

OAW: 28"


VF1100-5L-CH

5-Light


OAW: 35"




Glass Detail



VF1100-3L-CH



VF1100-4L-CH



VF1100-5L-CH

LUSTRA

Features:

Vanity series in a Chrome Finish featuring cylindrical shades encrusted with Optic Crystal Jewels

50W / G9 - open fixture rated (not included)

OAH: 6"

Ext: 6"

Matching Fixtures - Pg. 136-137



VF7100-1L-CH

Chrome



VF7100-2L-CH

Chrome



VF7100-3L-CH

Chrome



VF7100-4L-CH

Chrome



VF7100-5L-CH

Chrome

VF7100-1L-CH:

1 light Vanity or Wall Sconce - 6"

VF7100-2L-CH:

2 light Vanity 12"

VF7100-3L-CH:

3 light Vanity 20"

VF7100-4L-CH:

4 light Vanity 28"

VF7100-5L-CH:

5 light Vanity 36"

SHIMERA



VF7200-1L-CH

Chrome



VF7200-2L-CH

Chrome



VF7200-3L-CH

Chrome



VF7200-4L-CH

Chrome



VF7200-5L-CH

Chrome

Features:


Vanity series in a Chrome Finish featuring cubic shades encrusted with Optic Crystal Jewels

50W / G9 - open fixture rated (not included)

OAH: 6"

Ext: 6"

Matching Fixtures - Pg. 138-139



VF7200-1L-CH:

1 light Vanity or Wall Sconce - 6"

VF7200-2L-CH:

2 light Vanity 12"

VF7200-3L-CH:

3 light Vanity 20"

VF7200-4L-CH:

4 light Vanity 28"

VF7200-5L-CH:

5 light Vanity 36"

CRYSTORAMA

Features:

Chrome Finish with Optic Crystals encased in Clear Glass

Bulb: 50W / G9 (not included)



VF7400-1L-CH

Chrome



VF7400-2L-CH

Chrome




VF7400-3L-CH

Chrome



VF7400-4L-CH

Chrome



VF7400-5L-CH

Chrome

VF7400-1L-CH:

1 light Vanity or Wall Sconce

OAW: 6"

OAH: 6.25"

Ext.: 6"

VF7400-2L-CH:

2 light Vanity

OAW: 14"

OAH: 5.75"

Ext.: 6"

VF7400-3L-CH:

3 light Vanity

OAW: 22"

OAH: 5.75"

Ext.: 6"

VF7400-4L-CH:

4 light Vanity

OAW: 29"

OAH: 5.75"

Ext.: 6"

VF7400-5L-CH:

5 light Vanity

OAW: 36"

OAH: 5.75"

Ext.: 6"



VF4200-1L-CH



VF4200-2L-CH



VF4200-3L-CH



VF4200-4L-CH



VF4200-5L-CH

Features:

Vanity series with Chrome finished ringlets encasing Optic Crystal Jewels

Specifications:

50W / G9 - open fixture rated
(not included)

OAH: 6"

Ext: 5.75"

VF4200-1L-CH:

1 Light - 6"

VF4200-2L-CH:

2 Light - 12"

VF4200-3L-CH:

3 Light - 20"

VF4200-4L-CH:

4 Light - 28"

VF4200-5L-CH:


5 Light - 36"

SOLARO

Features:

Vanity series in a Chrome Finish with Decorative Mesh shades featuring Optic Crystal Jewel insets

Matching Fixtures - Pg. 128-129



VF4000-1L-CH



VF4000-2L-CH



VF4000-3L-CH



VF4000-4L-CH



VF4000-5L-CH

Specifications:

50W / G9 - open fixture rated (not included)

OAH: 6"

Ext: 5.75"

VF4000-1L-CH:

1 Light 6"

VF4000-2L-CH:

2 Light 12"

VF4000-3L-CH:

3 Light 20"

VF4000-4L-CH:

4 Light 28"

VF4000-5L-CH:

5 Light 36"

FYBRA

Features:

Vanity series in a Chrome Finish featuring stretched glass fibers encased in Clear Glass globes

Matching Fixtures - Pg. 130-131



VF4100-1L-CH



VF4100-2L-CH



VF4100-3L-CH



VF4100-4L-CH



VF4100-5L-CH



Specifications:

50W / G9 - open fixture rated
(not included)

OAH: 6"

Ext: 5.75"

VF4100-1L-CH:

1 light - 6"

VF4100-2L-CH:

2 light - 12"

VF4100-3L-CH:

3 light - 20"

VF4100-4L-CH:

4 light - 28"

VF4100-5L-CH:

5 light - 36"

MADISON

Features:

Vanity series in a Chrome or Satin Nickel Finish with squared White Glass



May be mounted horizontally or vertically



VF3400-2L-CH
2 Light - Chrome



VF3400-2L-SN
2 Light - Satin Nickel



VF3400-1L-SN
1 Light - Satin Nickel



VF3400-1L-CH
1 Light - Chrome

Specifications:

60W med. base BT15 or T10
(not included)

Ext: 5"

1 Light:

OAH: 8"

OA Width: 5"

2 Light:

OAH: 15.75"

OA Width: 5"

May be mounted horizontally or vertically

ALINA

Features:

Vanity series in a Chrome or Satin Nickel Finish with cylindrical Gloss White Glass



May be mounted horizontally or vertically

Specifications:

2 x 60W T10 (not included)
OA Width: 4.75"
OAH: 18"
Ext: 3" (ADA compliant)



VF3800-2L-CH

Chrome



VF3800-2L-SN

Satin Nickel

CANDELA

Feature:

2 Light Vanity or Wall Sconce in a Chrome Finish with cylindrical White Glass

Specifications:

60W / G9 - open fixture rated (not included)
2 Light
OA Width: 4.5"
OAH: 10"
Ext: 3"



VF3700-2L-CH

MICHAELA

Features:

Vanity series in a Chrome Finish with Curved Bubble Glass



VF3000-7L-CH

Chrome



VF3000-6L-CH

Chrome



VF3000-5L-CH

Chrome

Specifications:

60W / G9 - open fixture rated
(not included)

OAH: 5.25"

VF3000-7L-CH:

7 Light 42" Ext: 5.25"

VF3000-6L-CH:

6 Light 36" Ext: 5"

VF3000-5L-CH:

5 Light 30" Ext: 4.75"

VF3000-4L-CH:

4 Light 24" Ext: 4.75"



VF3000-4L-CH

Chrome

MICHAELA

Features:

Vanity series in a Satin Nickel Finish with Curved Bubble Glass



VF3000-6L-SN

Satin Nickel



VF3000-5L-SN

Satin Nickel



VF3000-4L-SN

Satin Nickel

Specifications:

60W / G9 - open fixture rated
(not included)

OAH: 5.25"

VF3000-6L-SN:

6 Light 36" Ext: 5"

VF3000-5L-SN:

5 Light 30" Ext: 4.75"

VF3000-4L-SN:

4 Light 24" Ext: 4.75"

PARAMOUNT



Features:

Vanity series in a Chrome Finish with Curved White Glass



VF2500WH-6L-CH



VF2500WH-5L-CH



VF2500WH-4L-CH



VF2500WH-3L-CH



May be mounted horizontally or vertically

Specifications:

60W / G9 - open fixture rated (not included)

OAH: 5"

Ext: 3.5" (ADA compliant)

May be mounted horizontally or vertically

VF2500WH-6L-CH:

6 Light 36"

VF2500WH-5L-CH:

5 Light 30"

VF2500WH-4L-CH:

4 Light 22"

VF2500WH-3L-CH:

3 Light 15"

PARAMOUNT



Features:

Vanity series in a Chrome Finish with Curved Linen Glass



VF2500-6L-CH



VF2500-5L-CH



VF2500-4L-CH



VF2500-3L-CH



May be mounted horizontally or vertically

Specifications:

60W / G9 - open fixture rated (not included)

OAH: 5"

Ext: 3.5" (ADA compliant)

May be mounted horizontally or vertically

VF2500-6L-CH:

6 Light 36"

VF2500-5L-CH:

5 Light 30"

VF2500-4L-CH:

4 Light 22"

VF2500-3L-CH:

3 Light 15"

AURORA



Features:

Vanity series in a Satin Nickel Finish with Linen Glass



VF2400-1L-SN



VF2400-4L-SN



VF2400-5L-SN



VF2400-6L-SN



VF2400-7L-SN

Specifications:

60W / G9 - open fixture rated
(not included)

OAH: 6.5"

Ext: 3.75" (ADA compliant)

VF2400-1L-SN:

1 Light 8"

VF2400-4L-SN:

4 Light 24"

VF2400-5L-SN:

5 Light 30"

VF2400-6L-SN:

6 Light 36"

VF2400-7L-SN:


7 Light 42"

AURORA



Features:

Vanity series in a Chrome Finish with Linen Glass



VF2400-1L-CH



VF2400-4L-CH



VF2400-5L-CH



VF2400-6L-CH



VF2400-7L-CH

Specifications:

60W / G9 - open fixture rated (not included)

OAH: 6.5"

Ext: 3.75" (ADA compliant)

VF2400-1L-CH:

1 Light 8"

VF2400-4L-CH:

4 Light 24"

VF2400-5L-CH:

5 Light 30"

VF2400-6L-CH:

6 Light 36"

VF2400-7L-CH:

7 Light 42"

AURORA



Features:


Vanity series in a Satin Nickel Finish with White Glass



VF2400WH-4L-SN



VF2400WH-5L-SN



VF2400WH-6L-SN

Specifications:

60W / G9 - open fixture rated (not included)

OAH: 6.5"

Ext: 3.75" (ADA compliant)

VF2400WH-4L-SN:

4 Light 24"

VF2400WH-5L-SN:

5 Light 30"

VF2400WH-6L-SN:

6 Light 36"



AURORA



Features:

Vanity series in a Chrome Finish with White Glass



VF2400WH-1L-CH



VF2400WH-4L-CH



VF2400WH-5L-CH



VF2400WH-6L-CH



VF2400WH-7L-CH

Specifications:

60W / G9 - open fixture rated
(not included)

OAH: 6.5"

Ext: 3.75" (ADA compliant)

VF2400WH-1L-CH:

1 Light 8"

VF2400WH-4L-CH:

4 Light 24"

VF2400WH-5L-CH:

5 Light 30"

VF2400WH-6L-CH:

6 Light 36"

VF2400WH-7L-CH:

7 Light 42"

PORTABLES



An inspired medley of functional forms providing task or ambient lighting while adding a decorative accent to contemporary interiors. Our diverse selection offers desk, table or floor models utilizing the latest LED technology in a spectrum of designs from strong verticals to flowing curves fashioned with versatility and durability surpassing industry standards.

Torchiere

Arcadia	190
Ella	188
Ibiza	186
Iggy	187
Ivvo	190
Splitz	191
Varr	189

Floor Lamps

Arch	203
Axoir	194
Ibiza	192
Iggy	193
Ionn	200
Jexx	199
Lahoya	195
Milan	202
Oslo	204
Oslo Twins	205
Pazz	196
Reco	201
Revelation	195
Strait-up	203
Tavv	200
Torr	198
Voxx	197
Wave	202

Task / Desk Lamps

Arch	215
Axoir	207
Cee	213
Droidr	207
Ibiza	206
Iggy	206
Ionn	212
Jexx	211
Lahoya	208
Lumens	210
Milan	216
Pazz	213
Reco	214
Revelation	208
Strait-up	216
Tavv	212
Torr	210
Voxx	209
Wave	215
Zee	214



IBIZA

LED

Features:

- LED Torchiere with Reading Light
- Pivoting uplight
- Dual push-button dimmers with memory
- 5 year warranty



TC5020 - Black - Alternate View

Specifications:

- Uplight: 18W, 1300 lm
- Reading Light: 6W, 500 lm
- Color Temp: 3000K, CRI: ≥80
- Ht: 72"
- Base meas.: 10.6" x 10.6"K


Matching Floor Lamp

FL5020 - page 192

Matching Desk Lamp

PTL5020 - page 206

TORCHIERES



TC5020-DB
Dark Bronze



TC5020-SN
Satin Nickel



TC5020-BLK
Black

LED

Features:

- LED Torchiere with Reading Light
- Pivoting uplight
- Dual push-button dimmers with memory
- 5 year warranty



TC5021 - Satin Nickel - Alternate View



TC5021-BLK

Black



TC5021-SN

Satin Nickel

Specifications:

- Uplight: 18W, 1400 lm
- Reading Light: 6W, 500 lm
- Color Temp: 3000K, CRI: ≥80
- Ht: 72"
- Base diameter: 10.2"

Matching Floor Lamp

FL5021 - page 193

Matching Desk Lamp

PTL5021 - page 206

ELLA

LED

Features:

LED Torchiere with Reading Light
Uplight pivots in any direction
Fully adjustable reading light
Dual hand dimmers offer independent
uplight and reading light control
5 year warranty



TC5012 - Alternate Views



TC5012-BLK/SN
Black with Satin Nickel



TC5012-SN
Satin Nickel

Specifications:

Uplight: 30W, 2800 lm
Reading Light: 5W, 500 lm
Color Temp: 3000K, CRI: ≥ 80
Ht: 72"
Base meas.: 10.6" x 10.6"

VARR

LED



Features:

- LED Torchiere with Reading Light
- 25 Watt uplight with adjustable angle
- 10 Watt reading light swivels vertically
- Dual 3-way touch dimmers
- 5 year warranty



TC5001-BAL
Brushed Aluminum



TC5001-BLK
Black



Specifications:

- Uplight: 25W, 2000 lm
- Reading Light: 10W, 500 lm
- Color Temp: 3000K, CRI: 80+
- Ht: 72"
- Base meas.: 10" x 10"

IWO (TC4096)

LED

Features:

LED Torchiere in a Satin Nickel finish
Uplight angle adjustable
Foot dimmer control
5 year warranty

Specifications:

24W, 2080 lm
Color Temp: 3000K, CRI: 80+
Ht: 72"
Base dia.: 10

TC4096 - Alternate Views



ARCADIA (TC5013)

LED

Features:

LED Torchiere with Reading Light in a Satin Nickel finish
Dual-Pivot Uplight
Fully adjustable reading light
Dual push-button dimmers with last setting memory
5 year warranty

Specifications:

Uplight: 30W, 2400 lm
Reading Light: 5W, 500 lm
Color Temp: 3000K, CRI: ≥80
Ht: 72"
Base dia.: 12.9"



TC5013 - Alternate Views



TC4096-SN
Satin Nickel



TC5013-SN
Satin Nickel

SPLITZ

LED

Features:

Matching concave disc shaped Uplight and Reading Light head
Each side of split top shade swivels independently
Dual push-button dimmers with last setting memory
Multi-directional reading light aiming capability
5 year warranty

Specifications:

Uplight: 30W, 2100 lm
Reading Light: 6W, 500 lm
Color Temp: 3000K, CRI: 80+
Ht: 72"



TC4090-SN
Satin Nickel



showing split shade

IBIZA

LED

Features:

- LED Floor Lamps in a Black or Satin Nickel finish
- Push-button dimmer with memory
- Multi-directional aiming capability



FLOOR LAMPS



FL5020-BLK
Black



FL5020-SN
Satin Nickel

Specifications:

- 6W, 600 lm
- Color Temp: 3000K, CRI: ≥80
- Ht: 60"
- Base meas.: 8.3" x 8.3"

Matching Torchiere

TC5020 - page 186

Matching Desk Lamp

PTL5020 - page 206

Features:

- LED Floor Lamps in a Black or Satin Nickel finish
- Push-button dimmer with memory
- Multi-directional aiming capability



FL5021-SN

Satin Nickel

FL5021-BLK

Black

Specifications:

- 6W, 600 lm
- Color Temp: 3000K, CRI: ≥80
- Ht: 59"
- Base dia.: 9.1"

Matching Torchiere

TC5021 - page 187

Matching Desk Lamp

PTL5021 - page 206

AXOIR



Features:

LED Floor Lamps in a Black or Aluminum finish

3 Level touch control

Multi-directional aiming capability



FL5017-BLK

Black

FL5017-AL

Aluminum

Specification:

10W, 550 lm

Color Temp: 3000K, CRI: ≥80

Ht: 54"


Base meas.: 9.4" x 6.7"

Matching Desk Lamp:

PTL5017 - page 207



FL5015-BLK/SN
Black & Satin Nickel



FL5015-SN
Satin Nickel



FL5016-BLK
Black

LAHOYA (5015)

LED

Features:

Color Changing LED Floor Lamps in a Black & Satin Nickel or Satin Nickel finish
Push dimmer control with last setting memory
Multi-directional aiming capability
5 year warranty

Colour Changing LED

Specifications:

10W, 800 lm
Color Temp: 2000-4000K, CRI: ≥80
Ht: 45"
Base dia.: 9.1"

Matching Desk Lamp:

PTL5015 - page 208

REVELATION (5016)

LED

Features:

Color Changing LED Floor Lamp in a Black finish
Push dimmer control with last setting memory
Multi-directional aiming capability
5 year warranty

Colour Changing LED

Specifications:

10W, 800 lm
Color Temp: 2000-4000K, CRI: ≥80
Ht: 46"
Base dia.: 9.8"

Matching Desk Lamp:

PTL5016 - page 208

PAZZ



Features:

- LED Floor Lamps in a Black or Brushed Aluminum finish
- 2 adjustment points
- 3-way touch dimmer
- 5 year warranty



FL5003-BAL
Brushed Aluminum

FL5003-BLK
Black

Specifications:


- 7W, 500 lm
- Color Temp: 3000K, CRI: >80
- Ht: 56"
- Base meas.: 8" x 8"

Matching Desk Lamp:

PTL5003 - page 213

Features:

LED Floor Lamps in a Black, Silver or Oilcan Brass finish
Foot dimmer control
5 year warranty



FL5008-SV

Silver



FL5008-BLK

Black



FL5008-OCB

Oilcan Brass

Specifications:

21W, 700 lm
Color Temp: 3000K, CRI: 82
Ht: 57.5"
Base length: 12.6"

Matching Desk Lamps:

PTL5008 - page 209

TORR




Features:

LED Floor Lamps in a Black or Brushed Aluminum finish

Head easily adjusts vertically on stem along with full horizontal rotation

3-way touch dimmer

5 year warranty



FL5004-BAL

Brushed Aluminum



FL5004-BLK

Black

Specifications:

8W, 500 lm

Color Temp: 3000K, CRI: 80+

Ht: 60"

Base dia.: 9"

Matching Desk Lamp:

PTL5004 - page 210

LED



Features:

- Anodized LED Floor Lamps in a Russet Bronze, Brushed Aluminum or Black Anodized finish
- 2 vertical adjustment points featuring 180° horizontal swivel head
- 3-way touch dimmer
- 5 year warranty




FL5002-RB

Russet Bronze



FL5002-BAL

Brushed Aluminum



FL5002-BLK

Black

Specifications:

- 8W, 500 lm
- Color Temp: 3000K, CRI: 80+
- Ht: 54"
- Base dia.: 9"

Matching Desk Lamps:

PTL5002 - page 211

TAW (FL4094)

LED

Features:


LED Floor Lamp in a Satin Nickel finish
Push dimmer control with last setting memory
Multi positional flex neck
5 year warranty

Specifications:


8W, 650 lm
Color Temp: 3000K, CRI: 80+
OAH: 60"
Base meas.: 7.1" x 10.2"

Matching Desk Lamp:

PTL4094 - page 212



FL4094-SN
Satin Nickel



FL4095-SN
Satin Nickel

IONN (FL4095)

LED

Features:

LED Floor Lamp in a Satin Nickel finish
Push dimmer control with last setting memory
Multi positional flex neck
5 year warranty

Specifications:

8W, 650 lm
Color Temp: 3000K, CRI: 80+
OAH: 60"
Base dia.: 9.1"

Matching Desk Lamp:

PTL4095 - page 212

RECO

LED




Features:

LED Floor Lamps in an Russet Bronze, Aluminum or Black Anodized finish


3 level touch dimmer

5 year warranty




FL8449-RB

Russet Bronze



FL8449-AL

Aluminum



FL8449-BLK

Black

Specifications:

10W, 750 lm

Color Temp: 3000K, CRI: 80+

Ht: 49"

Base dimensions: 6.7" x 9.5"

Matching Desk Lamps:

PTL8420 - page 214

WAVE (FL8162)

LED



Features:

LED Floor Lamp in a Chrome finish with White acrylic diffuser

Control: 3 level touch

5 year warranty

Specifications:

29W, 1480 lm

Color Temp: 3000K, CRI: 82+

Ht: 62"

Base dia.: 10"

Matching Table Lamp:

PTL8116 - page 215

MILAN (FL4092)

LED

Features:

LED Floor Lamp in an Chrome finish with Clear Mesh diffusers

Four 5W LEDs with adjustable angle

Control: On/off foot switch (not dimmable)

5 year warranty

Specifications:

20W, 800 lm

Color Temp: 3000K, CRI: 83

Ht: 65"

Matching Table Lamp:

PTL4092 - page 216



FL8162-CH

Chrome



FL4092-CH

Chrome



FL8060-CH

Chrome



FL7963-CH

Chrome

ARCH (FL8060)

LED



Features:

LED Floor Lamp in a Chrome finish with
White acrylic diffuser

Control: 3 level touch

5 year warranty

Specifications:

29W, 1480 lm

Color Temp: 3000K, CRI: 82+

Ht: 60"

Base dia.: 10"

Matching Table Lamp:

PTL8015 - page 215

STRAIT-UP (FL7963)

LED



Features:

LED Floor Lamp in a Chrome finish with
White acrylic diffuser

Control: 3 level touch

5 year warranty

Specifications:

29W, 1480 lm

Color Temp: 3000K, CRI: 82+

Ht: 63"

Base dia.: 10"

Matching Table Lamp:

PTL7916 - page 216

OSLO

Features:

Halogen Floor Lamps in an
Antique Brass or Satin Nickel finish
Bulb: 50W G9 (included)
LED compatible
Control: On/off toggle
Multi-directional aiming capability



FL4048-AB
Antique Brass



FL4048-SN
Satin Nickel

Specifications:

Ht: 53"
Base diameter: 9"
Stem Height: 41"
Arm Length: 21"

OSLO TWINS

Features:

2-Light Halogen Floor Lamps in an
Antique Brass or Satin Nickel finish

Bulb: 2 x 50W G9 (included)

LED compatible

Control: Dual on/off toggles

Multi-directional aiming capability



FL4048-2-SN

Satin Nickel



FL4048-2-AB

Antique Brass

Specifications:

Ht:	55"
Base diameter:	10"
Stem Height:	41"
Arm Length:	21"

IBIZA

TASK / DESK LAMPS

LED

Features:

LED Task / Desk Lamps in a Black or Satin Nickel finish

Push-button dimmer with memory

Multi-directional aiming capability

USB charging port on base (5W)

Specifications:

6W, 650 lm

Color Temp: 3000K, CRI: ≥80

Ht: 25"

Base meas.: 6.7" x 6.7"

Matching Torchiere

TC5020 - page 186

Matching Floor Lamp

FL5020 - page 192



PTL5020-BLK

Black



PTL5020-SN

Satin Nickel

IGGY

LED

Features:

LED Task or Desk Lamps in a Black or Satin Nickel finish

Push-button dimmer with memory

Multi-directional aiming capability

USB charging port on base (5W)

Specifications:

6W, 650 lm

Color Temp: 3000K, CRI: ≥80

Ht: 25"

Base dia.: 5.9"

Matching Torchiere

TC5021 - page 187

Matching Floor Lamp

FL5021 - page 193



PTL5021-BLK

Black



PTL5021-SN

Satin Nickel

AXOIR

LED



Features:

LED Task / Desk Lamps in a Black or Satin Nickel finish

3 Level touch control

Multi-directional aiming capability

Wireless

Specifications:

10W, 600 lm

Color Temp: 3000K, CRI: ≥80

Ht: 21"

Base meas.: 7.1" x 4.7"

Matching Floor Lamp:

FL5017 - page 194



PTL5017-AL

Aluminum



PTL5017-BLK

Black



Wireless Phone Charger
(phone must have wireless charger capability)

DROIDR

LED



Features:

Task Lamp

Color changing LED task lamp in a Silver (SV) or Black (BLK) finish

4 step color changing

Control: 4 level memory touch dimmer

Colour changing LED

Specifications:

Stem Ht.: 15"

Arm length: 14.5"

Base meas.: 5.9" x 4.7"

LED Info:

W: 8

CCT: 3000K, 4000K,
5000K, 6000K

lm: 600



PTL5018-SV

Silver



PTL5018-BLK

Black

LAHOYA

LED

Features:

Color Changing LED Task / Desk Lamps in a Black & Satin Nickel or Satin Nickel finish

Push dimmer control with Last Setting Memory

Multi-directional aiming capability

5 year warranty

Colour changing LED

USB charging port on base (5W)

Specifications:

10W, 800 lm

Color Temp: 2000-4000K, CRI: ≥80

Ht: 24"

Base dia.: 5.9"

Matching Floor Lamp:

FL5015 - page 195



PTL5015-BLK/SN

Black with Satin Nickel

PTL5015-SN

Satin Nickel

REVELATION

LED

Features:

Color Changing LED Task / Desk Lamp in a Black finish

Push dimmer control with Last Setting Memory

Multi-directional aiming capability

5 year warranty

Colour changing LED

USB charging port on base (5W)

Specifications:

10W, 800 lm

Color Temp: 2000-4000K, CRI: ≥80

Ht: 10.5"

Base dia.: 5.9"

Matching Floor Lamp:

FL5016 - page 122



PTL5016-BLK

Black



PTL5008-BLK

Black



PTL5008-OCB

Oilcan Brass



PTL5008-SV

Silver

Features:

- LED Table Lamps in a Black, Silver or Oilcan Brass finish
- 3 level touch dimmer
- 5 year warranty

Specifications:

- 13W, 500 lm
- Color Temp: 3000K, CRI: 82
- Ht: 19.6"
- Base L x W: 7.1" x 4.8"

Matching Floor Lamps:

FL5008 - page 197

TORR



Features:

LED Task / Desk Lamps in a Black or Brushed Aluminum finish
Head easily adjusts vertically on stem along with full horizontal rotation
3-way touch dimmer
5 year warranty

Specifications:

8W, 500 lm
Color Temp: 3000K, CRI: 80+
Ht: 20"
Base dia.: 7"

Matching Floor Lamp:

FL5004 - page 198



PTL5004-BLK

Black



PTL5004-BAL

Brushed Aluminum

LUMENS



Features:

LED Task / Desk Lamps in a Black or Silver & Black Finish
LED touch display
Control: 4 level touch

Specifications:

Stem Ht.: 17"
Arm length: 9.6"
Head dia.: 7.9"
Base dia.: 7.9"

LED Info:

W	14
CCT	3000K
lm	800



PTL5019-BLK

Black



LED Touch Display



PTL5019-SV/BLK

Silver

LED



Features:

- Anodized LED Desk / Task Lamps in a Russet Bronze, Brushed Aluminum or Black Anodized finish
- 2 vertical adjustment points featuring 180° horizontal swivel head
- 3-way touch dimmer
- 5 year warranty



PTL5002-BAL
Brushed Aluminum



PTL5002-BLK
Black



PTL5002-RB
Russet Bronze



Specifications:

- 8W, 500 lm
- Color Temp: 3000K, CRI: 80+
- Ht: 16"
- Base dia.: 7"

Matching Floor Lamps:

FL5002 - page 199

TAW

LED

Features:

LED Task / Desk Lamp in a Satin Nickel finish

Push dimmer control with Last Setting Memory

Multi positional flex neck

5 year warranty

Specifications:

8W, 650 lm

Color Temp: 3000K, CRI: 80+

OAH: 22"

Base Dim.: 4.7" x 6.5"

Matching Floor Lamp:

FL4094 - page 200



PTL4094-SN

Satin Nickel

IONN

LED

Features:

LED Task / Desk Lamp in a Satin Nickel finish

Push dimmer control with Last Setting Memory

Multi positional flex neck

5 year warranty

Specifications:

8W, 650 lm

Color Temp: 3000K, CRI: 80+

OAH: 22"

Base Dia.: 7.1"

Matching Floor Lamp:

FL4095 - page 200



PTL4095-SN

Satin Nickel



PTL5003-BAL
Brushed Aluminum

PAZZ



Features:

LED Task / Desk Lamp in a Brushed Aluminum and Black finish
2 adjustment points
3-way touch dimmer
5 year warranty

Specifications:

7W, 450 lm
Color Temp: 3000K, CRI: >80
Ht: 17"
Base dia.: 7"

Matching Floor Lamp:

FL5003 - page 196



PTL8518-AL
Aluminum

PTL8518-BLK
Black

CEE



Features:

LED Task / Desk Lamps in an Aluminum or Black Anodized finish
3 level touch dimmer
5 year warranty

Specifications:

6W, 425 lm
Color Temp: 3000K, CRI: 80+
Ht: 18"
Base dimensions: 2" x 8.8"

ZEE



Features:

LED Task / Desk Lamps in an Aluminum or Black Anodized finish

3 level touch dimmer

5 year warranty

Specifications:

10W, 750 lm

Color Temp: 3000K, CRI: 80+

Ht: 18"

Base dimensions: 2" x 17.4"



PTL8618-AL

Aluminum

PTL8618-BLK

Black

RECO



Features:

LED Task / Desk Lamps in an Aluminum or Black Anodized finish

3 level touch dimmer

5 year warranty

Specifications:

10W, 750 lm

Color Temp: 3000K, CRI: 80+

Ht: 20"

Base dimensions: 5.5" x 8"

Matching Floor Lamps:

FL8449 - page 201



PTL8420-AL

Aluminum

PTL8420-BLK

Black



PTL8015-CH

Chrome

ARCH

LED



Features:

LED Table Lamp in a Chrome finish with
White acrylic diffuser
Control: 3 level touch
5 year warranty

Specifications:

14W, 700 lm
Color Temp: 3000K, CRI: 82+
Ht: 15"
Base dia.: 6"

Matching Floor Lamp:

FL8060 - page 203



PTL8116-CH

Chrome

WAVE

LED



Features:

LED Table Lamp in a Chrome finish with
White acrylic diffuser
Control: 3 level touch
5 year warranty

Specifications:

11W, 600 lm
Color Temp: 3000K, CRI: 82+
Ht: 16"
Base dia.: 6"

Matching Floor Lamp:

FL8162 - page 202

MILAN

LED

Features:

LED Table Lamp in an Chrome finish with
with Clear Mesh diffusers

Two 5W LEDs with adjustable angle

Control: In-line on/off switch
(not dimmable)

5 Year Warranty

Specifications:

10W, 550 lm

Color Temp: 3000K, CRI: 83

Ht: 16.5"

Matching Floor Lamp:

FL4092 - page 202



PTL4092-CH

Chrome

STRAIT-UP

LED



Features:

LED Table Lamp in a Chrome finish with
White acrylic diffuser

Control: 3 level touch

5 year warranty

Specifications:

11W, 600 lm


Color Temp: 3000K, CRI: 82+

Ht: 16"

Base dia.: 6"

Matching Floor Lamp:

FL7963 - page 203



PTL7916-CH

Chrome

TRACK LIGHTING



Integrated LED Cylinders	218
LED Track Lighting Kits	224
Integrated LED Cylinders	226
GU-10 Cylinders	227
PAR Cylinders	240
Low Voltage Cylinders	243
GU-10 Monopoints	249
PAR Monopoints	255
Low Voltage Monopoints	256
Track & Accessories	257
Rail Kits Line Voltage	262
Rail Cylinders Line Voltage	263
Pendant Rail Kits	264
Rail Kit Accessories	266

This section showcases our broad expanse of luminaires for both Rail and Linear Track systems utilizing numerous lamping options. A full range of accessories allow the versatility to adapt to any application. Our easy locking system allows heads to be quickly positioned at any point along the Track channel. Dual axis horizontal rotation and vertical pivot maximizes aiming capability.

INTEGRATED LED CYLINDERS

TLED-01

Features:

Cree® XLamp® COB LED
 Dimmer compatible (with TRIAC controls)
 38° beam spread - 24° and 60° degree
 lenses available.
 Model #'s: **BSL1-24** and **BSL1-60**

Specifications:

Head length: 3.7"
 Dia.: 2.4"
 OAH: 6" (max.)

LED Info:

W	10
CCT	3000K
lm	870
lm/W	87.0
CRI	83+



TLED-01-WH
White



TLED-01-BST
Brushed Steel



TLED-01-BLK
Black

TLED-02

Features:

Cree® XLamp® COB LED
 Dimmer compatible (with TRIAC controls)
 38° beam spread - 24° and 60° degree
 lenses available.
 Model #'s: **BSL23-24** and **BSL23-60**

Specifications:

Head length: 3.7"
 Dia.: 2.2"
 OAH: 6"

LED Info:

W	8
CCT	3000K
lm	700
lm/W	87.5
CRI	83+



TLED-02-WH
White



TLED-02-BST
Brushed Steel



TLED-02-BLK
Black

TLED-03

Features:

Cree® XLamp® COB LED
Dimmer compatible (with TRIAC controls)
38° beam spread - 24° and 60° degree lenses available.

Model #'s: **BSL23-24** and **BSL23-60**

Specifications:

Head length: 3.7"

Dia.: 2.2"

OAH: 6" (max.)

LED Info:

W	9
CCT	3000K
Im	890
Im/W	105
CRI	83+



TLED-03-WH

White



TLED-03-BST

Brushed Steel



TLED-03-BLK

Black

TLED-04

Features:

Cree® XLamp® COB LED
Dimmer compatible (with TRIAC controls)
38° beam spread - 24° and 60° degree lenses available.

Model #'s: **BSL23-24** and **BSL23-60**

Specifications:

Head length: 3.7"

Dia.: 2.2"

OAH: 6"

LED Info:

W	45
CCT	3000K
Im	4800
Im/W	110
CRI	83+



TLED-04-WH

White



TLED-04-BST

Brushed Steel



TLED-04-BLK

Black

INTEGRATED LED CYLINDERS

TLED-05

Features:

Cree® XLamp® COB LED
 Dimmer compatible (with TRIAC controls)
 38° beam spread - 20° and 60° degree lenses available.
 Model #'s: **BSL5-20** and **BSL5-60**

Specifications:

Head length: 5.2"
 Dia.: 2.8"
 OAH: 7.4" (max.)

LED Info:

W	15
CCT	3000K
lm	1500
lm/W	95
CRI	83+



TLED-05-WH
White



TLED-05-BST
Brushed Steel



TLED-05-BLK
Black

TLED-06

Features:

Cree® XLamp® COB LED
 Dimmer compatible (with TRIAC controls)
 38° beam spread - 24° and 60° degree lenses available.
 Model #'s: **BSL467-24** and **BSL467-60**

Specifications:

Head length: 6"
 Dia.: 3.5"
 OAH: 8.1" (max.)

LED Info:

W	25
CCT	3000K
lm	2630
lm/W	105
CRI	83+



TLED-06-WH
White



TLED-06-BST
Brushed Steel



TLED-06-BLK
Black

TLED-07

Features:

Cree® XLamp® COB LED
Dimmer compatible (with TRIAC controls)
38° beam spread - 24° and 60° degree lenses available.

Model #'s: **BSL467-24** and **BSL467-60**

Specifications:

Head length: 6"

Dia.: 3.5"

OAH: 8.1" (max.)

LED Info:

W	36
CCT	3000K
lm	3700
lm/W	100
CRI	83+



TLED-07-WH

White



TLED-07-BST

Brushed Steel



TLED-07-BLK

Black

TLED-08

Features:

Cree® XLamp® COB LED
Dimmer compatible (with TRIAC controls)
38° beam spread - 24° and 60° degree lenses available.

Model #'s: **BSL89-24** and **BSL89-60**

Specifications:

Head length: 4.3"

Dia.: 3.9"

OAH: 6.7" (max.)

LED Info:

W	14
CCT	3000K
lm	1500
lm/W	105
CRI	83+



TLED-08-WH

White



TLED-08-BST

Brushed Steel



TLED-08-BLK

Black

INTEGRATED LED CYLINDERS

TLED-09

Features:

Cree® XLamp® COB LED
 Dimmer compatible (with TRIAC controls)
 38° beam spread - 24° and 60° degree lenses available.
 Model #s: **BSL89-24** and **BSL89-60**

Specifications:

Head length: 4.3"
 Dia.: 3.9"
 OAH: 6.7" (max.)

LED Info:

W	22
CCT	3000K
lm	2400
lm/W	110
CRI	83+



TLED-09-WH

White



TLED-09-BST

Brushed Steel



TLED-09-BLK

Black

TLED-10

Features:

Cree® XLamp® COB LED
 Dimmer compatible (with TRIAC controls)
 38° beam spread - 24° and 60° degree lenses available.
 Model #s: **BSL10-24** and **BSL10-60**

Specifications:

Head length: 5.6"
 Dia.: 4.4"
 OAH: 7.7" (max.)

LED Info:

W	34
CCT	3000K
lm	3550
lm/W	105
CRI	83+



TLED-10-WH

White



TLED-10-BST

Brushed Steel



TLED-10-BLK

Black

TLED-11DW

Features:

Integrated LED Cylinders
Dim-to-Warm
Sharp LED
Dimmer compatible (with TRIAC controls)
Dims from 2800K to 2000K
38° beam spread - 24° and 60° degree lenses available
Model #'s: **BSL11-24** and **BSL23-60**

Specifications:

Head length: 3.75"
Dia.: 2.2"
OAH: 5.5"

LED Info:

W	9
CCT	2800K
lm	700
lm/W	88.6
CRI	92



TLED-11DW-WH

White



TLED-11DW-BST

Brushed Steel



TLED-11DW-BLK

Black

TLED-12DW

Features:

Integrated LED Cylinders
Dim-to-Warm
Sharp LED
Dimmer compatible (with TRIAC controls)
Dims from 3000K to 2000K
38° beam spread - 20° and 60° degree lenses available
Model #'s: **BSL5-20** and **BSL5-60**

Specifications:

Head length: 5"
Dia.: 2.75"
OAH: 6"

LED Info:

W	15
CCT	3000K
lm	1205
lm/W	85.5
CRI	95+



TLED-12DW-WH

White



TLED-12DW-BST

Brushed Steel



TLED-12DW-BLK

Black

LED TRACK LIGHTING KITS

Features:

3 cylinder integrated LED Track Lighting Kit

Includes (3) 10 watt 120V integrated LED track heads, (1) 4 foot track, and (1) Floating Canopy

Dimmable

Multi-directional heads may be installed at any point along track

Available in 4 finishes: BLK, ORB, SN, WH
3 year Warranty



TKLED-45-SN

Satin Nickel



TLED-45-SN

Spare Cylinder

Specifications:

OAW: 48", OAH: 7"

2400 lumens (3 x 800)

3000K color temperature

LED Info:

W	30
CCT	3000K
lm	2400
lm/W	80
CRI	82+

Features:

Spare Cylinder

Specifications:

Head length: 3.25", Dia.: 3"

OAH: 6"

LED Info:

W	10
CCT	3000K
lm	800
lm/W	80
CRI	82+



TKLED-45-WH

White



TLED-45-WH

Spare Cylinder



TKLED-45-BLK

Black



TLED-45-BLK

Spare Cylinder



TKLED-45-ORB

Oil Rubbed Bronze



TLED-45-ORB

Spare Cylinder

Specifications:

OAW: 48", OAH: 7"
2400 lumens (3 x 800)
3000K color temperature

LED Info:

W	30
CCT	3000K
lm	2400
lm/W	80
CRI	82+

Features:

Spare Cylinder

Specifications:

Head length: 3.25", Dia.: 3"
OAH: 6"

LED Info:

W	10
CCT	3000K
lm	800
lm/W	80
CRI	82+

INTEGRATED LED CYLINDERS

TLED-13

Features:

Integrated LED Cylinders
Step Cylinder

Specifications:


OAH: 6",
Head Length: 3.2"
Dia. 2.5"

LED Info:

W	8
CCT	3000K
lm	720
lm/W	90
CRI	95



TLED-13-WH
White



TLED-13-BLK
Black

TLED-14

Features:

Integrated LED Cylinders
Yoke Cylinder

Specifications:


OAH: 6.5",
Head Length: 3.5"
Dia. 2.2"

LED Info:

W	10
CCT	3000K
lm	800
lm/W	80
CRI	95



TLED-14-WH
White



TLED-14-BLK
Black

GU-10 CYLINDERS

TLGU-19



TLGU-19-WH

Features:

Lamp: GU-10 120V/50W (max.)

LED compatible

Finishes: White (WH), Oil Rubbed Bronze (ORB), Black (BLK), Satin Nickel (SN)

Specifications:

Head length: 3.5"

Dia.: 2.5"

OAH: 6"

TLGU-19-ORB



TLGU-19-BLK



TLGU-19-SN



TLGU-19G



TLGU-19G-WH

Features:

Frost glass shade

Lamp: GU-10 120V/50W (max.)

Finishes: White (WH), Satin Nickel (SN)

LED compatible

Specifications:

Head length: 3.5"

Dia.: 2.5"

OAH: 6"

TLGU-19G-SN



GU-10 CYLINDERS

Features:

Lamp: GU-10 120V / 50W
LED compatible
Dual curved plate accents

Specifications:

OAH: 6"
Head dia.: 2.5"
Length: 3.4"



TLGU-28-SN

Satin Nickel with matching accent



TLGU-29-WH

White with matching accent



TLGU-30-BLK

Black with matching accent



TLGU-31-BLK/SN

Black with Satin Nickel accent



TLGU-32-BLK/BRS

Black with Brass accent



TLGU-33-WH/SN

White with Satin Nickel accent



TLGU-34-BLK/SN

Black with Satin Nickel accent



TLGU-35-BLK/BRS

Black with Brass accent



TLGU-36-ORB/BLK

Oil Rubbed Bronze with Black accent



TLGU-37-SN/BLK

Satin Nickel with Black accent

Features:

Lamp: GU-10 120V / 50W
LED compatible
Ring and Baffle accents

Specifications:

OAH: 6.5"
Head dia.: 2.5"
Length: 3.5"

GU-10 CYLINDERS

Features:

GU-10 120V / 50W (LED compatible)

Rear vent accents

Specifications:

OAH: 6"

Head dia.: 2.4"

Length: 3.2"



TLGU-38-SN

Satin Nickel with matching accent



TLGU-39-WH

White with matching accent



TLGU-40-BLK

Black with matching accent



TLGU-41-WH/SN

White with Satin Nickel accent



TLGU-43-BLK/SN

Black with Satin Nickel accent



TLGU-44-SN/BLK

Satin Nickel with Black accent

TLGU-23

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: White (WH), Oil Rubbed Bronze (ORB), Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 6" (max.)



TLGU-23-WH



TLGU-23-ORB



TLGU-23-SN

TLGU-22

Features:


Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN), Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 8" (max.)



TLGU-22-SN



TLGU-22-ORB

GU-10 CYLINDERS

TLGU-27

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Black (BLK), Brushed Steel (BST),
White (WH)
LED Compatible

Specifications:

Gimball Ring Dia.: 2.5"
OAH: 5" (max.)



TLGU-27-WH



TLGU-27-BST



TLGU-27-BLK

TLGU-24

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin
Nickel (SN), White (WH)
LED Compatible

Specifications:

Head length: 3.5"
Dia.: 2.5"
OAH: 7" (max.)



TLGU-24-WH



TLGU-24-SN



TLGU-24-ORB

TLGU-17

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Black (BLK), Oil Rubbed Bronze (ORB), Satin Nickel (SN), White (WH)
LED Compatible

Specifications:

Head length: 3"
Dia.: 3.25"
OAH: 7"



TLGU-17-WH



TLGU-17-ORB



TLGU-17-SN



TLGU-17-BLK

GU-10 CYLINDERS

TLGU-13

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN), Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 2.75"
Width: 2"
OAH: 6.5" (max.)

TLGU-13-SN



TLGU-13-ORB

TLGU-12

Features:

Cubic clear glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN), Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 3"
Width: 2.5"
OAH: 7" (max.)

TLGU-12-SN



TLGU-12-ORB

TLGU-3

Features:

Faux alabaster glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 3"
Dia.: 2.5"
OAH: 6.5" (max.)



TLGU-3-SN

TLGU-2

Features:

White glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN), White (WH)
LED Compatible

Specifications:

Head length: 5"
Dia.: 3"
OAH: 7.5" (max.)

TLGU-2-WH



TLGU-2-SN

GU-10 CYLINDERS

TLGU-10

Features:

- White glass shade
- Lamp: GU-10 120V/50W (max.)
- Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)
- LED Compatible

Specifications:

- Head length: 4"
- Dia.: 3"
- OAH: 7" (max.)



TLGU-10-SN



TLGU-10-ORB

TLGU-4

Features:

- Lamp: GU-10 120V/50W (max.)
- Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)
- LED Compatible

Specifications:

- Head length: 3"
- Dia.: 2.75"
- OAH: 7.5" (max.)



TLGU-4-SN



TLGU-4-ORB

TLGU-15

Features:

Lamp: GU-10 120V/50W (max.)

Finishes: Black (BLK), Brushed Steel (BST), Oil Rubbed Bronze (ORB), White (WH)

LED Compatible

Specifications:

Head length: 3.5"

Dia.: 2.5"

OAH: 7" (max.)



TLGU-15-WH



TLGU-15-BLK



TLGU-15-BST



TLGU-15-ORB

TLGU-26

Features:

Lamp: GU-10 120V/50W (max.)

Finishes: Black (BLK), Brushed Steel (BST), White (WH)

LED Compatible

Specifications:

Head length: 2.25"

Dia.: 2.25"

OAH: 6.5" (max.)



TLGU-26-WH



TLGU-26-BLK



TLGU-26-BST

GU-10 CYLINDERS

TLGU-25

Features:

Clear glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 3"
Dia.: 2.5"
OAH: 5.5" (max.)



TLGU-25-SN

TLGU-18

Features:

Cubic clear glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 5.75"
Width: 2.5"
OAH: 7" (max.)



TLGU-18-ORB

TLGU-21

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 8" (max.)



TLGU-21-ORB

TLGU-21G

Features:

Frost glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 8" (max.)



TLGU-21G-SN



TLGU-16-SN

TLGU-16

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 4.5"
Dia.: 2.25"
OAH: 7" (max.)



TLGU-11-SN

TLGU-11

Features:

Frost glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 4.5"
Dia.: 2.75"
OAH: 7" (max.)



TLGU-9-ORB

TLGU-9

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 2.75"
Dia.: 2.75"
OAH: 7" (max.)



TLGU-6-SN

TLGU-6

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 3.75"
Dia.: 2.25"
OAH: 7.5" (max.)

PAR CYLINDERS

TL1601

Features:

Lamp: Par38 150W (max.)

Finishes: Black (BLK), Brushed Steel (BST), White (WH)

LED Compatible

Specifications:

Gimball Dia.: 5"

OAH: 10" (max.)



TL1601-WH



TL1601-BLK



TL1601-BST

TL1602

Features:

Lamp: Par30 75W (max.)

Finishes: Black (BLK), Brushed Steel (BST), Oil Rubbed Bronze (ORB), White (WH)

LED Compatible

Specifications:

Gimball Dia.: 4"

OAH: 8" (max.)



TL1602-WH



TL1602-BLK



TL1602-BST



TL1602-ORB

TL1603

Features:

Lamp: Par20 50W (max.)
Finishes: Black (BLK), Brushed Steel (BST),
Oil Rubbed Bronze (ORB), White (WH)
LED Compatible

Specifications:

Gimball Dia.: 2.75"
OAH: 7.5" (max.)



TL1603-WH



TL1603-BLK



TL1603-BST



TL1603-ORB

TL1701

Features:

Med. Base - 150W (max.)
Finishes: Black (BLK), Brushed Steel (BST),
Oil Rubbed Bronze (ORB), White (WH)
LED Compatible

Specifications:

Length: 4.75"
Dia.: 2"
OAH: 7.5" (max. - without bulb)



TL1701-WH



TL1701-BLK



TL1701-BST



TL1701-ORB

PAR CYLINDERS

TLPR-20

Features:

Lamp: Par20 50W (max.)
Finishes: Black (BLK), Brushed Steel (BST),
White (WH)
LED Compatible

Specifications:

Head length: 4.75"
Dia.: 3.5"
OAH: 8" (max.)



TLPR-20-WH



TLPR-20-BLK



TLPR-20-BST

TLPR-30

Features:

Lamp: Par30 75W (max.)
Finishes: Black (BLK), Brushed Steel (BST),
White (WH)
LED Compatible

Specifications:

Head length: 6"
Dia.: 4.5"
OAH: 9" (max.)



TLPR-30-WH



TLPR-30-BLK



TLPR-30-BST

LOW VOLTAGE CYLINDERS

TL7401



TL7401-ORB



TL7401-SN

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 3.5"
Dia.: 2.5"
OAH: 7" (max.)



TL7301-ORB



TL7301-SN

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 6" (max.)

TL7301



TL7201-ORB



TL7201-SN

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 8" (max.)

TL7201

LOW VOLTAGE CYLINDERS

TL7101

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 8" (max.)



TL7101-SN



TL7101-ORB

TL7101G

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 8" (max.)



TL7101G-SN



TL7101G-ORB

TL7001

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 3.75"
Dia.: 2.5"
OAH: 7" (max.)



TL7001-SN



TL7001-ORB



TL6901-ORB



TL6901-SN

TL6901

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 3.5"
Dia.: 2.5"
OAH: 6" (max.)



TL6901G-SN



TL6901G-WH

TL6901G

Features:

Frost glass shade
Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN), White (WH)

Specifications:

Head length: 3.5"
Dia.: 2.5"
OAH: 6" (max.)



TL6901G-ORB



TL6801-SN

TL6801

Features:

Cubic clear glass shade
Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 5.75"
Width: 2.5"
OAH: 7.5" (max.)



TL6801-ORB

LOW VOLTAGE CYLINDERS

TL6701

Features:

Cubic clear glass shade
Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN)

Specifications:

Head length: 3"
Width: 2.5"
OAH: 7.5" (max.)



TL6601

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Satin Nickel (SN), White (WH)

Specifications:

Head length: 2.75"
Dia.: 2.75"
OAH: 7.5" (max.)



TL6501

Features:

Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB), Satin Nickel (SN), White (WH)

Specifications:

Head length: 3"
Dia.: 3.25"
OAH: 7" (max.)





TL3201-ORB

TL3201

Features:

White glass shade
Lamp: MR16CG 12V/50W (max.)
Finishes: Oil Rubbed Bronze (ORB)

Specifications:

Head length: 3.5"
Dia.: 3"
OAH: 7" (max.)



TL2201-ORB

TL2201

Lamp: MR16 12V/50W (max.)
Clear tempered glass bulb cover lens
with UV protection provided
Finishes: Oil Rubbed Bronze (ORB)

Specifications:

Head length: 3.5"
Dia.: 2.25"
OAH: 6.5" (max.)



TL2001-BST/FR

TL2001

Features:

Frost glass face ring
Lamp: MR16CG 12V/50W (max.)
Finishes: Brushed Steel (BST)

Specifications:

Head length: 3.25"
Dia.: 2.25"
OAH: 6.5" (max.)



TL801-BST

TL801

Features:

Lamp: MR16 12V/50W (max.)
Clear tempered glass bulb cover lens
with UV protection provided
Finishes: Brushed Steel (BST)

Specifications:

Head length: 2.25"
Dia.: 2.25"
OAH: 6.5" (max.)

LOW VOLTAGE CYLINDERS

TL201

Features:

Lamp: MR16 12V/50W (max.)
Clear tempered glass bulb cover lense
with UV protection provided
Finishes: Brushed Steel (BST), Oil Rubbed
Bronze (ORB)

Specifications:

Gimball Ring Dia.: 2.5"
OAH: 5" (max.)



TL201-BST



TL201-ORB

TL101

Features:

Lamp: MR16 12V/50W (max.)
Clear tempered glass bulb cover lense
with UV protection provided
Finishes: Oil Rubbed Bronze (ORB),
White (WH)

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 6.5" (max.)



TL101-ORB



TL101-WH

TL901

Features:

Lamp: MR16 12V/50W (max.)
Clear tempered glass bulb cover lense
with UV protection provided
Finishes: Brushed Steel (BST), Oil Rubbed
Bronze (ORB)

Specifications:

Head length: 3"
Width: 2.25"
OAH: 6.5" (max.)



TL901-BST



TL901-ORB

GU-10 MONOPOINTS

MPGU-24



MPGU-24-SN

MPGU-24-ORB

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Stain Nickel (SN), Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 3.5"
Dia.: 2.5"
OAH: 6.5" (max.)

MPGU-23



MPGU-23-WH

MPGU-23-SN

MPGU-23-ORB

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: White (WH), Stain Nickel (SN), Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 4"
Dia.: 2.5"
OAH: 6" (max.)

GU-10 MONOPOINTS

MPGU-19

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: White (WH), Oil Rubbed Bronze (ORB), Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 3.5"
Dia.: 2.5"
OAH: 5.75" (max.)



MPGU-19-WH



MPGU-19-ORB



MPGU-19-SN

MPGU-19G

Features:

Frost glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: White (WH), Oil Rubbed Bronze (ORB), Satin Nickel (SN)
LED Compatible

Specifications:

Head length: 3.5"
Dia.: 2.5"
OAH: 5.75" (max.)



MPGU-19G-WH



MPGU-19G-ORB



MPGU-19G-SN

MPGU-17

Features:

Lamp: GU-10 120V/50W (max.)

Finishes: White (WH), Satin Nickel (SN),
Oil Rubbed Bronze (ORB)

LED Compatible

Specifications:

Head length: 3"

Dia.: 3.25"

OAH: 7" (max.)



MPGU-17-WH



MPGU-17-SN



MPGU-17-ORB

MPGU-9

Features:

Lamp: GU-10 120V/50W (max.)

Finishes: Satin Nickel (SN), Oil Rubbed
Bronze (ORB)

LED Compatible

Specifications:

Head length: 2.75"

Dia.: 2.75"

OAH: 6.5" (max.)



MPGU-9-SN



MPGU-9-ORB

GU-10 MONOPOINTS

MPGU-6

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN), Oil Rubbed
Bronze (ORB)
LED Compatible

Specifications:

Head length: 2.75"
Width: 2"
OAH: 6.5" (max.)



MPGU-4

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Satin Nickel (SN), Oil Rubbed
Bronze (ORB)
LED Compatible

Specifications:

Head length: 3"
Width: 2.75"
OAH: 7.5" (max.)



MPGU-3

Features:

Faux alabaster glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: White (WH), Oil Rubbed
Bronze (ORB)
LED Compatible

Specifications:

Head length: 3"
Dia.: 2.5"
OAH: 6.25" (max.)



MPGU-3-WH

MPGU-3-ORB

MPGU-2

Features:

White glass shade
Lamp: GU-10 120V/50W (max.)
Finishes: White (WH), Satin Nickel (SN),
Oil Rubbed Bronze (ORB)
LED Compatible

Specifications:

Head length: 5"
Dia.: 3"
OAH: 7.5" (max.)



MPGU-2-WH

MPGU-2-SN

MPGU-2-ORB

GU-10 MONOPOINTS

MPGU-26

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Black (BLK), Brushed Steel (BST),
White (WH)
LED Compatible

Specifications:

Head length: 3"
Dia.: 2.25"
OAH: 5.75" (max.)



MPGU-26-WH



MPGU-26-BST



MPGU-26-BLK

MPGU-15

Features:

Lamp: GU-10 120V/50W (max.)
Finishes: Black (BLK), Brushed Steel (BST),
Oil Rubbed Bronze (ORB), White (WH)
LED Compatible

Specifications:

Head length: 3"
Width: 2.25"
OAH: 6.5" (max.)



MPGU-15-WH



MPGU-15-BLK



MPGU-15-BST



MPGU-15-ORB

PAR

MONOPOINTS

MP-1602

Features:

Lamp: Par30 75W (max.)

Finishes: Black (BLK), Brushed Steel (BST), Oil Rubbed Bronze (ORB), White (WH)

LED Compatible

Specifications:

Gimball Dia.: 4"

OAH: 8.5" (max.)



MP-1602-WH



MP-1602-BLK



MP-1602-BST



MP-1602-ORB

MP-1603

Features:

Lamp: Par20 50W (max.)

Finishes: Black (BLK), Brushed Steel (BST), Oil Rubbed Bronze (ORB), White (WH)

LED Compatible

Specifications:

Gimball Dia.: 2.75"

OAH: 7.5" (max.)



MP-1603-WH



MP-1603-BLK



MP-1603-BST



MP-1603-ORB

LOW VOLTAGE MONOPOINTS

MP-901

Features:

Clear tempered glass bulb cover lens
with UV protection provided

Lamp: MR16 12V/50W (max.)

Finishes: Brushed Steel (BST), Oil Rubbed
Bronze (ORB), White (WH)

Specifications:

Head length: 3"

Width: 2.25"

OAH: 6.5" (max.)



MP-901-WH



MP-901-BST



MP-901-ORB

MP-801

Features:

Clear tempered glass bulb cover lens
with UV protection provided

Lamp: MR16 12V/50W (max.)

Finishes: Black (BLK), Brushed Steel (BST),
White (WH)

Specifications:

Head length: 3"

Width: 2.25"

OAH: 6.5" (max.)



MP-801-WH




MP-801-BST



MP-801-BLK

TRACK & ACCESSORIES




2 Foot Track

T2-BLK	Black
T2-BST	Brushed Steel
T2-ORB	Oil Rubbed Bronze
T2-SN	Satin Nickel (pictured)
T2-WH	White

Specifications:

20 Amp rated
 OA Width: 1.4"
 OAH: 0.75"
 Length: 2'




4 Foot Track

T4-BLK	Black
T4-BST	Brushed Steel (pictured)
T4-ORB	Oil Rubbed Bronze
T4-SN	Satin Nickel
T4-WH	White

Specifications:

20 Amp rated
 OA Width: 1.4"
 OAH: 0.75"
 Length: 4'




6 Foot Track

T6-BLK	Black (pictured)
T6-BST	Brushed Steel
T6-ORB	Oil Rubbed Bronze
T6-SN	Satin Nickel
T6-WH	White

Specifications:

20 Amp rated
 OA Width: 1.4"
 OAH: 0.75"
 Length: 6'



8 Foot Track

T8-BLK	Black
T8-BST	Brushed Steel
T8-ORB	Oil Rubbed Bronze
T8-SN	Satin Nickel
T8-WH	White (pictured)


Specifications:

20 Amp rated
 OA Width: 1.4"
 OAH: 0.75"
 Length: 8'

TRACK & ACCESSORIES


Floating Canopy

TA001-BLK	Black
TA001-BST	Brushed Steel
TA001-ORB	Oil Rubbed Bronze
TA001-WH	White




Straight Joiner

TA002-BLK	Black
TA002-BST	Brushed Steel
TA002-ORB	Oil Rubbed Bronze
TA002-WH	White




90° Joiner

TA003-BLK	Black
TA003-BST	Brushed Steel
TA003-ORB	Oil Rubbed Bronze
TA003-WH	White




"T" Joiner

TA004-BLK	Black
TA004-BST	Brushed Steel
TA004-ORB	Oil Rubbed Bronze
TA004-WH	White




TRACK & ACCESSORIES




"X" Joiner

TA005-BLK	Black
TA005-BST	Brushed Steel
TA005-ORB	Oil Rubbed Bronze
TA005-WH	White




End Feed - Dual

TA006-DF-BLK	Black
TA006-DF-BST	Brushed Steel
TA006-DF-ORB	Oil Rubbed Bronze
TA006-DF-WH	White



End Feed - Single

TA006-SF-BLK	Black
TA006-SF-BST	Brushed Steel
TA006-SF-ORB	Oil Rubbed Bronze
TA006-SF-WH	White



Box Cover Plate


TA007-BLK	Black
TA007-BST	Brushed Steel
TA007-ORB	Oil Rubbed Bronze
TA007-WH	White

For use with TA006-SF

TRACK & ACCESSORIES


End Cap

TA009-BLK	Black
TA009-BST	Brushed Steel
TA009-ORB	Oil Rubbed Bronze
TA009-WH	White



Monopoint


TA011-BLK	Black
TA011-BST	Brushed Steel
TA011-ORB	Oil Rubbed Bronze
TA011-WH	White



Pendant Adaptor

TA012-BLK	Black
TA012-BST	Brushed Steel
TA012-ORB	Oil Rubbed Bronze
TA012-WH	White


3 lbs. max.




Raceway Cover

RWCO14-BLK	Black
RWCO14-BST	Brushed Steel
RWCO14-ORB	Oil Rubbed Bronze
RWCO14-WH	White

For use with TA014 Stem Kit



TRACK & ACCESSORIES



Stem Kit 18"

TA014-18-BLK	Black
TA014-18-BST	Brushed Steel
TA014-18-ORB	Oil Rubbed Bronze
TA014-18-WH	White

Stem Kit 24"


TA014-24-BLK	Black
TA014-24-BST	Brushed Steel
TA014-24-ORB	Oil Rubbed Bronze
TA014-24-WH	White

Stem Kit 36"

TA014-36-BLK	Black
TA014-36-BST	Brushed Steel
TA014-36-ORB	Oil Rubbed Bronze
TA014-36-WH	White

Stem Kit 48"


TA014-48-BLK	Black
TA014-48-BST	Brushed Steel
TA014-48-ORB	Oil Rubbed Bronze
TA014-48-WH	White



Swivel Canopy

TA014-SW-BLK	Black
TA014-SW-BST	Brushed Steel
TA014-SW-ORB	Oil Rubbed Bronze
TA014-SW-WH	White

For use with TA014 Stem Kit



Monopoint Extension Rods

GUEXT-12-ORB	12"	Oil Rubbed Bronze
GUEXT-12-SN	12"	Satin Nickel
GUEXT-12-WH	12"	White
GUEXT-6-ORB	6"	Oil Rubbed Bronze
GUEXT-6-SN	6"	Satin Nickel
GUEXT-6-WH	6"	White

Fit GU-10 Monopoints only
 All GU-10 Monopoints have 15" of wire
 Available in 6" or 12" lengths

RAIL KITS


LINE VOLTAGE

Each Kit Includes:

- 3 directional Heads with dual axis rotation allowing maximum aiming capability
- One 4 ft. hand-bendable Rail
- 2 Supports
- 1 Power Feed
- LED Compatible

Specifications:

- Lamp: 3 x GU-10 120V/50W (max.) - Not Included
- OAH (with standard 3" supports) : approx. 10" (max.)
- OA Width: 48"



RK30-SN

RKC30-SN
Spare Cylinder



RK31-SN

RKC31-SN
Spare Cylinder



RK40-CH

RKC40-CH
Spare Cylinder



RK30-SN

- Satin Nickel
- Head length: 5.75"
- Width: 2.5"

RK31-SN

- Satin Nickel
- Head length: 3.5"
- Width: 2.5"

RK40-CH

- Chrome
- Head length: 4"
- Width: 2.1"

RK40-SN

- Chrome
- Head length: 4"
- Width: 2.1"



RK40-SN

RKC40-SN
Spare Cylinder



RAIL CYLINDERS

LINE VOLTAGE



RKC32-SN



RKC33G-SN



RKC33-SN



RKC35-SN

Cylinders only - Rail and Accessories ordered separately

Lamp: 3 x GU-10 120V/50W (max.) - not included

Dual axis rotation allowing maximum aiming capability

RKC32-SN

Satin Nickel

Head length: 3.75"

Dia.: 2.5"

RKC33G-SN

Satin Nickel with Frost Glass Shade

Head length: 4"

Width: 2.5"

RKC33-SN

Satin Nickel

Head length: 4"

Width: 2.5"

RKC35-SN

Satin Nickel

Head length: 4"

Width: 2.5"

PENDANT RAIL KITS

Each Kit Includes:

- 3 Pendants with multiple glass shade options
- One 4 ft. hand-bendable rail
- 2 supports
- 1 power feed
- LED Compatible

Specifications:

- Lamp: 3 x G9 / 50W (max.) - Included
- 10 ft. of wire (field adjustable)
- OAH (with standard 3" supports): 133" (max.) without glassware
- OA Width: 48"

** Fits all GROUP-1 Glassware (See page following)



RPK91-SN
Satin Nickel



PENDANT RAIL KITS

LINE VOLTAGE

Group 1 Pendant glassware
Fits Pendant Rail Kit model **RPK91**

RG55 Ht: 5", Wd: 5" **RG56** Ht: 6", Wd: 4" **RG57** Ht: 5", Length: 5", Wd: 3.5"




RG55-MCB
Moroccan Black



RG56-MCB
Moroccan Black



RG57-AS
Amber Swirl



RG57-IB
Island Blue



RG55-MO
Mocha



RG56-SR
Sunfire Red



RG57-LN
Linen




RG57-MB
Marble



RG55-SF
Snow Flake



RG56-WH
White



RG57-MCB
Moroccan Black



RG57-SF
Snow Flake



RG57-SR
Sunfire Red



RG57-WH
White

RAIL KIT ACCESSORIES



LINE VOLTAGE

4 Ft. Rail

RK4-SN Satin Nickel

6.5 Ft. Rail

RK6-SN Satin Nickel



Rail Connector - Straight

RKC-SN Satin Nickel



Rail Connector - Swivel

RKC-SW-SN Satin Nickel

Swivels up to 90° both ways



Supports 3"

RKS-3-SN Satin Nickel

Supports 6"

RKS-6-SN Satin Nickel



Swivel Supports 6"

RKS-SW-6-SN Satin Nickel



Power Feed 3"

RKPF-3-SN Satin Nickel

Power Feed 6"

RKPF-6-SN Satin Nickel

3.5 ft. of wire






RAIL KIT ACCESSORIES

LINE VOLTAGE



Swivel Power Feed 6"

RKPF-SW-6-SN Satin Nickel
Swivel up to 90°
3.5 ft. of wire




Cable Support

RKS-C-SN Satin Nickel
10 ft. of cable (adjustable)



Flexible Power Feed

RKPF-X-SN Satin Nickel
10 ft. of cable (adjustable)



Wall Power Feed

RKPF-WL-SN Satin Nickel
Rail is extended 7.5" from wall



Wall Support

RKS-WL-SN Satin Nickel
Rail is extended 7.5" from wall

INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
AC13152-ORB.....	72	AC22552-NAB.....	47	AC6842-ORB.....	76	GUEXT-12-ORB.....	261
AC16324-SN.....	70	AC22552-SN.....	47	AC6842-SN.....	76	GUEXT-12-SN.....	261
AC17723L-NI.....	68	AC22656-OCB/BLK.....	48	AC6842-WH.....	77	GUEXT-12-WH.....	261
AC17723L-SN.....	69	AC22752-SN.....	46	AC6852-BLK.....	75	GUEXT-6-ORB.....	261
AC18652-SN.....	70	AC22752-SN-CF.....	46	AC6852-ORB.....	74	GUEXT-6-SN.....	261
AC18842L-SN.....	67	AC22852-BLK.....	45	AC6852-SN.....	74	GUEXT-6-WH.....	261
AC18842L-WH.....	67	AC22852-BLK/CF.....	44	AC6852-WH.....	75	HC22452.....	82
AC19242L-BLK.....	64	AC22852-BLK/SN.....	45	AC6952-SN.....	73	HPF760-SN.....	145
AC19242L-OBB.....	65	AC22852-SN.....	44	AC8354-BST.....	71	IPF730-SN.....	146
AC19242L-SN.....	64	AC22852-SN/BLK.....	45	AC8354-NI.....	71	IPF740-CH.....	146
AC19242L-WH.....	65	AC22852-SN/CF.....	45	DR-(Downrods).....	83	IPF740-ORB.....	146
AC19544L-ORB.....	66	AC22952-BLK.....	41	FC1.....	80	IPF740-SN.....	146
AC19544L-SN.....	66	AC22952-SN/VO.....	41	FC1R.....	81	LK4000-WH.....	78
AC19544L-WH.....	66	AC23160-BLK.....	42	FC2.....	81	LK5000-NI.....	78
AC20760-ARB.....	63	AC23160-SN.....	42	FC2L.....	81	LK5000-WH.....	78
AC20760-SN.....	63	AC23170-BLK.....	43	FL4048-2-AB.....	205	LK6952-AB.....	78
AC20952-BLK/CH.....	51	AC23170-SN.....	43	FL4048-2-SN.....	205	LK6952-WH.....	78
AC20952L-CH.....	51	AC23360-BLK.....	40	FL4048-AB.....	204	MP1602-BLK.....	255
AC21352-BLK.....	62	AC23360-SN/WN.....	40	FL4048-SN.....	204	MP1602-BST.....	255
AC21352-SN.....	62	AC23452-BLK.....	30	FL4092-CH.....	202	MP1602-ORB.....	255
AC21454-ARB.....	61	AC23452-SN.....	30	FL4094-SN.....	200	MP1602-WH.....	255
AC21454-ARB/DM.....	61	AC23554-BLK.....	31	FL4095-SN.....	200	MP1603-BLK.....	255
AC21454-SN.....	60	AC23554-SN.....	31	FL5002-BAL.....	199	MP1603-BST.....	255
AC21454-SN/DM.....	60	AC23660-BLK.....	22	FL5002-BLK.....	199	MP1603-ORB.....	255
AC21560-SN.....	59	AC23660-BLK/GWO.....	22	FL5002-RB.....	199	MP1603-WH.....	255
AC21750-ARB.....	58	AC23660-SN.....	23	FL5003-BAL.....	196	MP801-BLK.....	256
AC21750-SN.....	58	AC23660-SN/DW.....	23	FL5003-BLK.....	196	MP801-BST.....	256
AC21852-BLK/NAB.....	52	AC23660-SN/GWO.....	23	FL5004-BAL.....	198	MP801-WH.....	256
AC21852-OBB.....	52	AC23856-BLK.....	25	FL5004-BLK.....	198	MP901-BST.....	256
AC21852-SN.....	52	AC23856-SN.....	25	FL5008-BLK.....	197	MP901-ORB.....	256
AC21952-SN.....	55	AC23856-SN/DW.....	25	FL5008-OCB.....	197	MP901-WH.....	256
AC22054-BLK.....	54	AC23856-SN/GWO.....	25	FL5008-SV.....	197	MPGU-15-BLK.....	254
AC22054-RC.....	54	AC23960-BLK.....	27	FL5015-BLK/SN.....	195	MPGU-15-BST.....	254
AC22054-SN.....	54	AC23960-SN.....	27	FL5015-SN.....	195	MPGU-15-ORB.....	254
AC22160-ARB.....	57	AC23960-SN/DW.....	27	FL5016-BLK.....	195	MPGU-15-WH.....	254
AC22160-ARB/DM.....	57	AC23960-SN/GWO.....	27	FL5017-AL.....	194	MPGU-17-ORB.....	251
AC22160-SN.....	56	AC24060-BLK.....	29	FL5017-BLK.....	194	MPGU-17-SN.....	251
AC22160-SN/DM.....	57	AC24060-SN.....	29	FL5020-BLK.....	192	MPGU-17-WH.....	251
AC22252-BLK/SN.....	50	AC24060-SN/DW.....	29	FL5020-SN.....	192	MPGU-19G-ORB.....	250
AC22252-SN.....	50	AC24144-BLK/SN.....	33	FL5021-BLK.....	193	MPGU-19G-SN.....	250
AC22352-RC.....	49	AC24144-SN/SN.....	33	FL5021-SN.....	193	MPGU-19G-WH.....	250
AC22444-BLK/SN.....	37	AC24144-WH/SN.....	33	FL7963-CH.....	203	MPGU-19-ORB.....	250
AC22444-SN.....	37	AC24246-SN.....	39	FL8060-CH.....	203	MPGU-19-SN.....	250
AC22444-WH.....	37	AC24246-WH.....	39	FL8162-CH.....	202	MPGU-19-WH.....	250
AC22452-BLK/OCB.....	38	AC24344-SN/BLK.....	35	FL8449-AL.....	201	MPGU-23-ORB.....	249
AC22452-BLK/SN.....	38	AC24344-WH.....	35	FL8449-BLK.....	201	MPGU-23-SN.....	249
AC22452-SN.....	38	AC6842-BLK.....	77	FL8449-RB.....	201	MPGU-23-WH.....	249

INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
MPGU-24-ORB.....	249	PF128-BLK.....	109	PF198-BLK/CH.....	90	PF44-3LBR-CH.....	133
MPGU-24-SN.....	249	PF128-BRS.....	109	PF199-BLK/CH.....	89	PF44-3LPA-CH.....	133
MPGU-26-BLK.....	254	PF129-BLK/BRS.....	102	PF200-BLK/CH.....	89	PF44-5LBR-CH.....	132
MPGU-26-BST.....	254	PF130-SN/BLK.....	102	PF205-20LPE-BLK.....	92	PF44-5LPA-CH.....	133
MPGU-26-WH.....	254	PF131-BRS/BLK.....	102	PF205-6LPE-BLK.....	92	PF55-1LPE-CH.....	142
MPGU-2-ORB.....	253	PF132-CH/BLK.....	102	PF205-7LPE-BLK.....	92	PF55-1LPE-SN.....	142
MPGU-2-SN.....	253	PF133-BLK/BRS.....	103	PF208-BLK.....	85	PF56-1LPE-CH.....	142
MPGU-2-WH.....	253	PF134-SN/BLK.....	103	PF209-BLK.....	85	PF56-1LPE-SN.....	142
MPGU-3-ORB.....	253	PF135-BRS/BLK.....	103	PF211-10L-BLK/BRS.....	94	PF57-1LGU-CH.....	144
MPGU-3-WH.....	253	PF137-BLK.....	100	PF211-6L-BLK/BRS.....	94	PF57-1LGU-SN.....	144
MPGU-4-ORB.....	252	PF137-BRS.....	100	PF211-8L-BLK/BRS.....	94	PF57-1LPR-CH.....	144
MPGU-4-SN.....	252	PF137-CH.....	100	PF213-1LPE-BLK.....	97	PF57-1LPR-SN.....	144
MPGU-6-ORB.....	252	PF137-SN.....	100	PF213-1LPE-CH.....	97	PF60-4L16-CH.....	134
MPGU-6-SN.....	252	PF138-BLK/BRS.....	101	PF213-3LBR-BLK.....	97	PF60-8L21-CH.....	134
MPGU-9-ORB.....	251	PF140-BRS/BLK.....	101	PF213-3LBR-CH.....	97	PF60-8L26-CH.....	134
MPGU-9-SN.....	251	PF145-13L-BLK.....	117	PF213-3LPA-BLK.....	97	PF61-1LPE-CH.....	136
PF100-13L-BLK/BRS.....	104	PF145-13L-CH.....	117	PF213-3LPA-CH.....	97	PF61-3LBR-CH.....	137
PF100-1L-BLK/BRS.....	104	PF145-1LM-BLK.....	112	PF213-9LPA-BLK.....	96	PF61-3LPA-CH.....	137
PF100-2LWL-BLK/BRS.....	105	PF145-1LM-CH.....	112	PF213-9LPA-CH.....	96	PF61-5LBR-CH.....	137
PF100-4L-BLK/BRS.....	104	PF145-1LS-BLK.....	112	PF239-BLK.....	85	PF61-5LPA-CH.....	137
PF100-5L-BLK/BRS.....	105	PF145-1LS-CH.....	112	PF256-BLK.....	86	PF61-9LPA-CH.....	136
PF100-8L-BLK/BRS.....	105	PF145-3LBR-BLK.....	113	PF256-BRS.....	86	PF62-1LPE-CH.....	138
PF101-12L-BLK.....	106	PF145-3LBR-CH.....	113	PF256-SN.....	86	PF62-3LBR-CH.....	139
PF101-1L-BLK.....	106	PF145-3LPA-BLK.....	114	PF258-BLK.....	86	PF62-3LPA-CH.....	139
PF101-3LBR-BLK.....	106	PF145-3LPA-CH.....	114	PF258-SN.....	86	PF62-5LBR-CH.....	139
PF101-5LBR-BLK.....	107	PF145-5LBR-BLK.....	113	PF260-BLK.....	87	PF62-5LPA-CH.....	139
PF101-7L-BLK.....	107	PF145-5LBR-CH.....	113	PF260-BRS.....	87	PF62-9LPA-CH.....	138
PF108-BLK.....	108	PF145-5LPA-BLK.....	115	PF260-SN.....	87	PF63-1LPE-CH.....	140
PF108-BRS.....	108	PF145-5LPA-CH.....	115	PF261-BLK.....	87	PF63-3LBR-CH.....	141
PF108-CH.....	108	PF145-9LPA-BLK.....	116	PF261-SN.....	87	PF63-3LPA-CH.....	141
PF110-BLK/BRS.....	109	PF145-9LPA-CH.....	116	PF261-WH.....	87	PF63-5LBR-CH.....	141
PF110-BRS/BLK.....	109	PF147-BLK.....	108	PF262-BLK/BRS.....	88	PF63-5LPA-CH.....	141
PF110-SN/BLK.....	109	PF147-BRS.....	108	PF263-BLK/SN.....	88	PF63-9LPA-CH.....	140
PF114-BLK.....	101	PF147-SN.....	108	PF264-BRS/BLK.....	88	PF64-6L16-CH.....	135
PF114-BRS.....	101	PF150-1L-BLK.....	110	PF40-1LPE-CH.....	128	PF64-6L20-CH.....	135
PF116-BLK.....	98	PF150-3LBR-BLK.....	111	PF40-3LBR-CH.....	129	PF64-9L23-CH.....	135
PF116-BRS.....	98	PF150-3LPA-BLK.....	110	PF40-3LPA-CH.....	129	PF66-1LPE-SN.....	143
PF116-CH.....	98	PF150-5LBR-BLK.....	111	PF40-5LBR-CH.....	129	PF67-1LPE-SN.....	143
PF117-BLK.....	98	PF150-5LPA-BLK.....	110	PF40-5LPA-CH.....	129	PF69-1LPE-SN.....	143
PF117-BRS.....	98	PF150-9LPA-BLK.....	111	PF40-9LPA-CH.....	128	PF7913WLI-CH.....	127
PF117-CH.....	98	PF183-BLK/GF.....	88	PF41-1LPE-CH.....	130	PF7913WLO-CH.....	127
PF119-BRS/BLK.....	99	PF184-BRS/GF.....	88	PF41-3LBR-CH.....	131	PF8112WLI-CH.....	127
PF120-BLK/BRS.....	99	PF193-BLK/CH.....	91	PF41-3LPA-CH.....	131	PF8112WLO-CH.....	127
PF121-BLK/SN.....	99	PF194-BLK/CH.....	91	PF41-5LBR-CH.....	131	PF8114FL-CH.....	126
PF124-BRS/BLK.....	99	PF195-BLK/CH.....	91	PF41-5LPA-CH.....	131	PF8142-CH.....	126
PF125-BLK/BRS.....	99	PF196-BLK/CH.....	90	PF41-9LPA-CH.....	130	PF8724-CH.....	123
PF126-BLK/SN.....	99	PF197-BLK/CH.....	90	PF44-1LPE-CH.....	132	PF8730-CH.....	123

INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
PF93-1LL-AL	118	PTL8015-CH	215	RK40-CH	262	T2-WH	257
PF93-1LL-BLK	118	PTL8116-CH	215	RK40-SN	262	T4-BLK	257
PF93-1LM-AL	118	PTL8420-AL	214	RK4-SN	266	T4-BST	257
PF93-1LM-BLK	118	PTL8420-BLK	214	RK6-SN	266	T4-ORB	257
PF93-1LS-AL	118	PTL8518-AL	213	RKC30-SN	262	T4-SN	257
PF93-1LS-BLK	118	PTL8518-BLK	213	RKC31-SN	262	T4-WH	257
PF93-3LBR-AL	119	PTL8618-AL	214	RKC32-SN	263	T6-BLK	257
PF93-3LBR-BLK	119	PTL8618-BLK	214	RKC33G-SN	263	T6-BST	257
PF93-3LPA-AL	119	RC2000	80	RKC33-SN	263	T6-ORB	257
PF93-3LPA-BLK	119	RC5000	80	RKC35-SN	263	T6-SN	257
PF93-4LBR-AL	120	RC8000	80	RKC40-CH	262	T6-WH	257
PF93-4LBR-BLK	120	RCT5	81	RKC40-SN	262	T8-BLK	257
PF93-5LBR-AL	120	RCT6	81	RKC-SN	266	T8-BST	257
PF93-5LBR-BLK	120	RCT7	81	RKC-SW-SN	266	T8-ORB	257
PF93-5LPA-AL	121	RCTW-100	82	RKPF-3-SN	266	T8-SN	257
PF93-5LPA-BLK	121	RCTW-200	82	RKPF-6-SN	266	T8-WH	257
PF9636-BLK/CH	124	RG55-MCB	145, 265	RKPF-SW-6-SN	267	TA001-BLK	258
PF9636-OCB/CH	124	RG55-MO	145, 265	RKPF-WL-SN	267	TA001-BST	258
PF9636-SV/CH	124	RG55-SF	145, 265	RKPF-X-SN	267	TA001-ORB	258
PF9736-BLK	125	RG56-MCB	145, 265	RKS-3-SN	266	TA001-WH	258
PF9736-CH	125	RG56-SR	145, 265	RKS-6-SN	266	TA002-BLK	258
PTL4092-CH	216	RG56-WH	145, 265	RKS-C-SN	267	TA002-BST	258
PTL4094-SN	212	RG57-AS	145, 265	RKS-SW-6-SN	266	TA002-ORB	258
PTL4095-SN	212	RG57-IB	145, 265	RKS-WL-SN	267	TA002-WH	258
PTL5002-BAL	211	RG57-LN	145, 265	RPK91-SN	264	TA003-BLK	258
PTL5002-BLK	211	RG57-MB	145, 265	RWC014-BLK	260	TA003-BST	258
PTL5002-RB	211	RG57-MCB	145, 265	RWC014-BST	260	TA003-ORB	258
PTL5003-BAL	213	RG57-SF	145, 265	RWC014-ORB	260	TA003-WH	258
PTL5004-BAL	210	RG57-SR	145, 265	RWC014-WH	260	TA004-BLK	258
PTL5004-BLK	210	RG57-WH	145, 265	SA100-AL	122	TA004-BST	258
PTL5008-BLK	209	RG730-1	147	SA100-BLK	122	TA004-ORB	258
PTL5008-OCB	209	RGC-730/740-LN	147	SA101-AL	122	TA004-WH	258
PTL5008-SV	209	RGC-730/740-LV	147	SA101-BLK	122	TA005-BLK	259
PTL5015-BLK/SN	208	RGC-730/740-MO	147	SA102-AL	122	TA005-BST	259
PTL5015-SN	208	RGC-730/740-SF	147	SA102-BLK	122	TA005-ORB	259
PTL5016-BLK	208	RGC-730/740-WH	147	SCCARB	79	TA005-WH	259
PTL5017-AL	207	RGO-730/740-ALN	147	SCCMATT/BLK	79	TA006-DF-BLK	259
PTL5017-BLK	207	RGO-730/740-SF	147	SCCNAB	79	TA006-DF-BST	259
PTL5018-BLK	207	RGO-730/740-WH	147	SCCORB	79	TA006-DF-ORB	259
PTL5018-SV	207	RGS-730/740-AS	147	SCCPN	79	TA006-DF-WH	259
PTL5019-BLK	210	RGS-730/740-HY	147	SCCRC	79	TA006-SF-BLK	259
PTL5019-SV/BLK	210	RGS-730/740-LV	147	SCCSN	79	TA006-SF-BST	259
PTL5020-BLK	206	RGS-730/740-MCB	147	SCCWH	79	TA006-SF-ORB	259
PTL5020-SN	206	RGS-730/740-MO	147	T2-BLK	257	TA006-SF-WH	259
PTL5021-BLK	206	RGS-730/740-WH	147	T2-BST	257	TA007-BLK	259
PTL5021-SN	206	RK30-SN	262	T2-ORB	257	TA007-BST	259
PTL7916-CH	216	RK31-SN	262	T2-SN	257	TA007-ORB	259

INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
TA007-WH	259	TKLED-45-SN	224	TL7301-SN	243	TLED-45-ORB	225
TA009-BLK	260	TKLED-45-WH	224	TL7401-ORB	243	TLED-45-SN	224
TA009-BST	260	TL101-ORB	248	TL7401-SN	243	TLED-45-WH	224
TA009-ORB	260	TL101-WH	248	TL801-BST	247	TLGU-10-ORB	236
TA009-WH	260	TL1601-BLK	240	TL901-BST	248	TLGU-10-SN	236
TA011-BLK	260	TL1601-BST	240	TL901-ORB	248	TLGU-11-SN	239
TA011-BST	260	TL1601-WH	240	TLED-01-BLK	218	TLGU-12-ORB	234
TA011-ORB	260	TL1602-BLK	240	TLED-01-BST	218	TLGU-12-SN	234
TA011-WH	260	TL1602-BST	240	TLED-01-WH	218	TLGU-13-ORB	234
TA012-BLK	260	TL1602-ORB	240	TLED-02-BLK	218	TLGU-13-SN	234
TA012-BST	260	TL1602-WH	240	TLED-02-BST	218	TLGU-15-BLK	237
TA012-ORB	260	TL1603-BLK	241	TLED-02-WH	218	TLGU-15-BST	237
TA012-WH	260	TL1603-BST	241	TLED-03-BLK	219	TLGU-15-ORB	237
TA014-18-BLK	261	TL1603-ORB	241	TLED-03-BST	219	TLGU-15-WH	237
TA014-18-BST	261	TL1603-WH	241	TLED-03-WH	219	TLGU-16-SN	239
TA014-18-ORB	261	TL1701-BLK	241	TLED-04-BLK	219	TLGU-17-BLK	233
TA014-18-WH	261	TL1701-BST	241	TLED-04-BST	219	TLGU-17-ORB	233
TA014-24-BLK	261	TL1701-ORB	241	TLED-04-WH	219	TLGU-17-SN	233
TA014-24-BST	261	TL1701-WH	241	TLED-05-BLK	220	TLGU-17-WH	233
TA014-24-ORB	261	TL2001-BST/FR	247	TLED-05-BST	220	TLGU-18-ORB	238
TA014-24-WH	261	TL201-BST	248	TLED-05-WH	220	TLGU-19-BLK	227
TA014-36-BLK	261	TL201-ORB	248	TLED-06-BLK	220	TLGU-19G-SN	227
TA014-36-BST	261	TL2201-ORB	247	TLED-06-BST	220	TLGU-19G-WH	227
TA014-36-ORB	261	TL3201-ORB	247	TLED-06-WH	220	TLGU-19-ORB	227
TA014-36-WH	261	TL6501-ORB	246	TLED-07-BLK	221	TLGU-19-SN	227
TA014-48-BLK	261	TL6501-SN	246	TLED-07-BST	221	TLGU-19-WH	227
TA014-48-BST	261	TL6501-WH	246	TLED-07-WH	221	TLGU-21G-SN	238
TA014-48-ORB	261	TL6601-SN	246	TLED-08-BLK	221	TLGU-21-ORB	238
TA014-48-WH	261	TL6601-WH	246	TLED-08-BST	221	TLGU-22-ORB	231
TA014-SW-BLK	261	TL6701-ORB	246	TLED-08-WH	221	TLGU-22-SN	231
TA014-SW-BST	261	TL6701-SN	246	TLED-09-BLK	222	TLGU-23-ORB	231
TA014-SW-ORB	261	TL6801-ORB	245	TLED-09-BST	222	TLGU-23-SN	231
TA014-SW-WH	261	TL6801-SN	245	TLED-09-WH	222	TLGU-23-WH	231
TC4090-SN	191	TL6901G-ORB	245	TLED-10-BLK	222	TLGU-24-ORB	232
TC4096-SN	190	TL6901G-SN	245	TLED-10-BST	222	TLGU-24-SN	232
TC5001-BAL	189	TL6901G-WH	245	TLED-10-WH	222	TLGU-24-WH	232
TC5001-BLK	189	TL6901-ORB	245	TLED-11DW-BLK	223	TLGU-25-SN	238
TC5012-BLK/SN	188	TL6901-SN	245	TLED-11DW-BST	223	TLGU-26-BLK	237
TC5012-SN	188	TL7001-ORB	244	TLED-11DW-WH	223	TLGU-26-BST	237
TC5013-SN	190	TL7001-SN	244	TLED-12DW-BLK	223	TLGU-26-WH	237
TC5020-BLK	186	TL7101G-ORB	244	TLED-12DW-BST	223	TLGU-27-BLK	232
TC5020-DB	186	TL7101G-SN	244	TLED-12DW-WH	223	TLGU-27-BST	232
TC5020-SN	186	TL7101-ORB	244	TLED-13-BLK	226	TLGU-27-WH	232
TC5021-BLK	187	TL7101-SN	244	TLED-13-WH	226	TLGU-28-SN	228
TC5021-SN	187	TL7201-ORB	243	TLED-14-BLK	226	TLGU-29-WH	228
TKLED-45-BLK	225	TL7201-SN	243	TLED-14-WH	226	TLGU-2-SN	235
TKLED-45-ORB	225	TL7301-ORB	243	TLED-45-BLK	225	TLGU-2-WH	235

INDEX

Model #	Page	Model #	Page	Model #	Page	Model #	Page
TLGU-30-BLK.....	228	VF1824-CH	149	VF3000-5L-CH	176	VF7830-CH	163
TLGU-31-BLK/SN	228	VF1830-BLK	149	VF3000-5L-SN.....	177	VF9200-1L-CH	165
TLGU-32-BLK/BRS	228	VF1830-CH	149	VF3000-6L-CH	176	VF9200-2L-CH	165
TLGU-33-WH/SN	229	VF1836-BLK	149	VF3000-6L-SN.....	177	VF9200-3L-CH	165
TLGU-34-BLK/SN	229	VF1836-CH	149	VF3000-7L-CH	176	VF9200-4L-CH	165
TLGU-35-BLK/BRS	229	VF2024-CH	152	VF3400-1L-CH	174	VF9200-5L-CH	165
TLGU-36-ORB/BLK	229	VF2030-CH	152	VF3400-1L-SN.....	174	VF9600-2L-BLK.....	153
TLGU-37-SN/BLK.....	229	VF2036-CH	152	VF3400-2L-CH	174	VF9600-2L-CH	153
TLGU-38-SN	230	VF2224-CH	152	VF3400-2L-SN.....	174	VF9600-3L-BLK.....	153
TLGU-39-WH.....	230	VF2230-CH	152	VF3700-2L-CH	175	VF9600-3L-CH	153
TLGU-3-SN	235	VF2236-CH	152	VF3800-2L-CH	175	VF9600-4L-BLK.....	153
TLGU-40-BLK.....	230	VF2323-BLK	151	VF3800-2L-SN.....	175	VF9600-4L-CH	153
TLGU-41-WH/SN	230	VF2323-CH	151	VF4000-1L-CH	172	VF9803-1CH	156
TLGU-43-BLK/SN	230	VF2331-BLK	151	VF4000-2L-CH	172	VF9803-2CH	156
TLGU-44-SN/BLK.....	230	VF2331-CH	151	VF4000-3L-CH	172	VF9803-3CH	157
TLGU-4-ORB	236	VF2400-1L-CH	181	VF4000-4L-CH	172	VF9803-4CH	157
TLGU-4-SN	236	VF2400-1L-SN.....	180	VF4000-5L-CH	172	VF9803-5CH	158
TLGU-6-SN	239	VF2400-4L-CH	181	VF4100-1L-CH	173	VF9803-6CH	158
TLGU-9-ORB	239	VF2400-4L-SN.....	180	VF4100-2L-CH	173	VF9804-1CH	156
TLPR20-BLK.....	242	VF2400-5L-CH	181	VF4100-3L-CH	173	VF9804-2CH	156
TLPR20-BST.....	242	VF2400-5L-SN.....	180	VF4100-4L-CH	173	VF9804-3CH	157
TLPR20-WH	242	VF2400-6L-CH	181	VF4100-5L-CH	173	VF9804-4CH	157
TLPR30-BLK.....	242	VF2400-6L-SN.....	180	VF4200-1L-CH	171	VF9804-5CH	158
TLPR30-BST.....	242	VF2400-7L-CH	181	VF4200-2L-CH	171	VF9804-6CH	158
TLPR30-WH	242	VF2400-7L-SN.....	180	VF4200-3L-CH	171	VF9805-1CH	156
VF1000-3L-CH	166	VF2400WH-1L-CH.....	183	VF4200-4L-CH	171	VF9805-2CH	156
VF1000-4L-CH	166	VF2400WH-4L-CH.....	183	VF4200-5L-CH	171	VF9805-3CH	157
VF1000-5L-CH	166	VF2400WH-4L-SN	182	VF7100-1L-CH	168	VF9805-4CH	157
VF1100-3L-CH	167	VF2400WH-5L-CH.....	183	VF7100-2L-CH	168	VF9805-5CH	158
VF1100-4L-CH	167	VF2400WH-5L-SN	182	VF7100-3L-CH	168	VF9805-6CH	158
VF1100-5L-CH	167	VF2400WH-6L-CH.....	183	VF7100-4L-CH	168	VF9903-1BLK	159
VF1200-3L-BLK.....	166	VF2400WH-6L-SN	182	VF7100-5L-CH	168	VF9903-1CH	159
VF1200-4L-BLK.....	166	VF2400WH-7L-CH.....	183	VF7200-1L-CH	169	VF9903-2BLK	160
VF1200-5L-BLK.....	166	VF2500-3L-CH	179	VF7200-2L-CH	169	VF9903-2CH	160
VF1300-1BLK	154	VF2500-4L-CH	179	VF7200-3L-CH	169	VF9903-5CH	161
VF1300-1CH	154	VF2500-5L-CH	179	VF7200-4L-CH	169	VF9903-6CH	161
VF1300-2BLK	154	VF2500-6L-CH	179	VF7200-5L-CH	169	VF9904-1BLK	159
VF1300-2CH	154	VF2500WH-3L-CH.....	178	VF7400-1L-CH	170	VF9904-1CH	159
VF1300-3BLK	154	VF2500WH-4L-CH.....	178	VF7400-2L-CH	170	VF9904-2BLK	160
VF1300-3CH	154	VF2500WH-5L-CH.....	178	VF7400-3L-CH	170	VF9904-2CH	160
VF1300-4BLK	155	VF2500WH-6L-CH.....	178	VF7400-4L-CH	170	VF9904-5CH	161
VF1300-4CH	155	VF2523-BLK	150	VF7400-5L-CH	170	VF9904-6CH	161
VF1300-5BLK	155	VF2523-CH	150	VF7718-CH	162		
VF1300-5CH	155	VF2531-BLK	150	VF7724-CH	162		
VF1300-6BLK	155	VF2531-CH	150	VF7730-CH	162		
VF1300-6CH	155	VF3000-4L-CH	176	VF7818-CH	163		
VF1824-BLK	149	VF3000-4L-SN.....	177	VF7824-CH	163		



Head Office (Vancouver)

#110, 6780 Dennett Place, Delta, BC V4G 1N4

Ph: (604)952-5510 • Toll Free: 1-888-306-3267

Fax: (604)952-5513 • Toll Free: 1-888-561-8722

Toronto Office

1800 Courtneypark Drive E., Unit 5-7 Mississauga, Ontario L5T 1W1

Ph: (905)696-9909 • Toll Free: 1-866-221-5335

Fax: (905)696-9599 • Toll Free: 1-866-844-8406

U.S. Showroom

Dallas Market Center, 2100 Stemmons Freeway, Ste. 4739

Dallas, Texas, USA 75207

info@kendalighting.com

www.kendalighting.com