

PT 2 Pistols w/ Light Note: Items with an * by the center code will have full retention capability with or without a light attached

Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
Beretta		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
PX4 Storm 40cal	Streamlight TLR-2 NOTE: Retention is reduced by removal of	4.00"	18021		18021													
PX4 Storm 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of	4.00"	18021		18021													
APX 40cal	light Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light.	4.25"				6732	6732	6732		6732	6732							
APX 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.25"				6732	6732	6732		6732	6732							
92FS Vertec	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.70"	73421		73421													
96 Vertec	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.70"	73421		73421													
92F	Surefire mount MR-11 mount and Surefire X300 NOTE:	4.90"	73421		73421													
Colt	Retention is reduced by removal of light	BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
1911-A1 Non Rail	Surefire mount MR07 and Surefire X300 NOTE: Retention is reduced by removal of light	5.00"	530		530													
Government 1911	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	5.00"	530		530													
M45A1 CQBP	Surefire X300 or X300U NOTE: Retention is reduced by removal	5.00"	530		530													
cz	of light	BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
P-07	Surefire X300 or X300U NOTE: Retention is reduced by removal	3.80"				2922	2922	2922		2922	2922							
P-10C	of light Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightslick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light.	4.02"				3922	3922	3922		3922	3922							
P-10F	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				4922	4922	4922		4922	4922							
FN		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
509	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				2702	2702	2702		2702	2702							
Five-Seven	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.80"	6121		6121													
Glock		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
17 Gen3	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"	8310		8310	8310	8310	8310		8310	8310							
17 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				8325	8325	8325	832	8325	8325	8325	8325	8325	8325	8325	8325	8325
17 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				832	832	832	832	832	832							
17 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850S, WH-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	832		832													
17 Gen3	Steiner DBAL	4.50" 4.50"	8317		8317	8323	8323	8323		8323	8323							
17 Gen3 17 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by	4.50"	8321		8321	8323	8323	8323		8323	8323							
	removal of light					1	l .					1						

Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
17 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or	4.50"			0202			0002			5502	*8327	*8327	*8327	*8327	*8327	*8327	*8327
17 Gen3	Inforce APLc, WILD1 Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.50"	836		836							0321	0321	0321	0321	0321	0321	0327
17 Gen3	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"				8301	8301	8301		8301	8301							
17 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"				8314	8314	8314		8314	8314							
17 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by	4.50"	8314	8314	8314													
17 Gen3 Dual Magazine Release	removal of light Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo NOTE:	4.50"	98310		98310													
17 Gen3 Dual Magazine Release	Retention is reduced by removal of light Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.50"	9832		9832													
17 Gen4	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"	8310		8310	8310	8310	8310		8310	8310							
17 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				8325	8325	8325	832	8325	8325	8325	8325	8325	8325	8325	8325	8325
17 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	832		832	832	832	832	832	832	832							
17 Gen4 17 Gen4	Steiner DBAL Steiner SBAL	4.50" 4.50"	8317		8317	8323	8323	8323		8323	8323							
17 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"	8321		8321	8321	8321	8321		8321	8321							
17 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"	8312		8312													
17 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.50"										*8327	*8327	*8327	*8327	*8327	*8327	*8327
17 Gen4	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.50"	836		836													
17 Gen4	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"				8301	8301	8301		8301	8301							
17 Gen4	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314	8314	8314	8314		8314	8314							
17 Gen4 Dual Magazine Release	Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo NOTE: Retention is reduced by removal of light	4.50"	98310		98310													
17 Gen4 Dual Magazine Release	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.50"	9832		9832													
17 Gen5	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"	8310		8310	8310	8310	8310		8310	8310							
17 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				8325	8325	8325	832	8325	8325	8325	8325	8325	8325	8325	8325	8325
17 Gen5 17 Gen5	Steiner DBAL Steiner SBAL	4.50" 4.50"	8317		8317	8323	8323	8323		8323	8323							
17 Gen5	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"	8321		8321	8321	8321	8321		8321	8321							
17 Gen5	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.50"										*8327	*8327	*8327	*8327	*8327	*8327	*8327
17 Gen5	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"				8301	8301	8301		8301	8301							
17 Gen5	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314													
19 Gen3	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.00"				28310	28310	28310		28310	28310							
19 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832		2832	28325	28325	28325	2832	28325	28325	28325	28325	28325	28325	28325	28325	28325
19 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"	28321		28321	28321	28321	28321		28321	28321							
19 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										*28327	*28327	*28327	*28327	*28327	*28327	*28327
19 Gen3	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28301	28301	28301		28301	28301							
19 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314													
19 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.00"					28314				28314							

					0000/0005/			222/222/			0000/0005/		7000/			7000/7005/		7000/7005/
Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
19 Gen4	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.00"				28310	28310	28310		28310	28310							
19 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850, Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832		2832	28325	28325	28325	2832	28325	28325	28325	28325	28325	28325	28325	28325	28325
19 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TVM-550, Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				2832	2832	2832	2832	2832	2832							
19 Gen4	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.00"	2832		2832													
19 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"	28321		28321	28321	28321	28321		28321	28321							
19 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										*28327	*28327	*28327	*28327	*28327	*28327	*28327
19 Gen4	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28301	28301	28301		28301	28301							
19 Gen4	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314		28314				28314							
19 Gen5	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.00"				28310	28310	28310		28310	28310							
19 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TVM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832		2832	28325	28325	28325	2832	28325	28325	28325	28325	28325	28325	28325	28325	28325
19 Gen5	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										*28327	*28327	*28327	*28327	*28327	*28327	*28327
19 Gen5	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28301	28301	28301		28301	28301							
19 Gen5	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314													
19 Gen5	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.00"					28314				28314							
19C Gen3	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.00"	2832		2832													
19X	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.00"				28310	28310	28310		28310	28310							
19X	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TVM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832		2832	28325	28325	28325	2832	28325	28325	28325	28325	28325	28325	28325	28325	28325
19X	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										*28327	*28327	*28327	*28327	*28327	*28327	*28327
19X	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28301	28301	28301		28301	28301							
19X	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.00"					28314				28314							
20 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TVM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
20 Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	38321		38321													
20 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.60"										*38327	*38327	*38327	*38327	*38327	*38327	*38327
20 Gen3	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"	3832		3832													
20 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
20 Gen4	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	38321		38321													
20 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.60"										*38327	*38327	*38327	*38327	*38327	*38327	*38327
20 Gen4	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"	3832		3832													
20C Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	38321		38321		İ						İ		İ			
20SF Gen3 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	938321		938321													
20SF Gen4 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	938321		938321		İ						İ		İ			
	Linding																•	

Gun Mnfctr./Model		BBL.	6004/ 6005	6004 <u>USN</u>	6280/ 6285/	6304/ 6305	6354/6355	6360/ 6365/	6378USN	6384/ 6385	6390/ 6395/	7004/ 7005	7280/	7304/ 7305	7354/ 7355	7360/ 7365/	7384/ 7385	7390/ 7395/
	Live ADI WILDO OF LADID A VIII AN				6282			6362			6392		7285/ 7282			7362		7392
21 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
21 Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	38321		38321													
21 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.60"										*38327	*38327	*38327	*38327	*38327	*38327	*38327
21 Gen3	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"	3832		3832													
21 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-950, TWM-950S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
21 Gen4	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	38321		38321													
21 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.60"										*38327	*38327	*38327	*38327	*38327	*38327	*38327
21 Gen4	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"	3832		3832													
21SF Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
21SF Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	38321		38321													ļ
21SF Gen3	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"	3832		3832													ļ
21SF Gen3 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	938321		938321													
21SF Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
21SF Gen4	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	38321		38321													
21SF Gen4	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"	3832		3832													
21SF Gen4 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"	938321		938321													
22 Gen3	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dirn-switch) NOTE: Retention is reduced by removal of light	4.50"	8310		8310	8310	8310	8310		8310	8310							
22 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-3505, TWM-850, TWM-850, TWM-8505; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				8325	8325	8325	832	8325	8325	8325	8325	8325	8325	8325	8325	8325
22 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-950, TWM-950S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	832		832	832	832	832	832	832	832							
22 Gen3	Steiner DBAL Steiner SBAL	4.50" 4.50"	8317		8317	8323	8323	8323		8323	8323							
22 Gen3 22 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by	4.50"	8321		8321	8321	8321	8321		8321	8321							
22 Gen3	removal of light Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by	4.50"	8312		8312													
22 Gen3	removal of light Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.50"										*8327	*8327	*8327	*8327	*8327	*8327	*8327
22 Gen3	Inforce APLc, WILD1 Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.50"	836		836													
22 Gen3	or light Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"				8301	8301	8301		8301	8301							
22 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by	4.50"	8314	8314	8314	8314	8314	8314		8314	8314							
22 Gen3 Dual Magazine Release	removal of light Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo NOTE:	4.50"	98310		98310			<u> </u>	1									
22 Gen3 Dual Magazine Release	Retention is reduced by removal of light Streamlight TLR-1 NOTE: Retention is reduced by removal of	4.50"	9832		9832													
22 Gen4	light Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"	8310		8310	8310	8310	8310		8310	8310							
22 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"		_		8325	8325	8325	832	8325	8325	8325	8325	8325	8325	8325	8325	8325
22 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	832		832	832	832	832	832	832	832							

			0004/		6280/ 6285/	00011-00-	005/1-00-	6360/ 6365/	007011011	00011-00-	6390/ 6395/	700//	7280/	7004170	705.1/	7360/ 7365/	700//	7390/ 7395/
Gun Mnfctr./Model			6004/ 6005	6004USN	6282	6304/ 6305	6354/ 6355	6362	6378USN	6384/ 6385	6392	7004/ 7005	7285/ 7282	7304/ 7305	7354/ 7355	7362	7384/ 7385	7392
22 Gen4 22 Gen4	Steiner DBAL Steiner SBAL	4.50" 4.50"	8317		8317	8323	8323	8323		8323	8323							
22 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by	4.50"	8321		8321	8321	8321	8321		8321	8321							
22 Gen4	removal of light Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"	8312		8312													
22 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or	4.50"										*8327	*8327	*8327	*8327	*8327	*8327	*8327
22 Gen4	Inforce APLc, WILD1 Surefire X300 or X300U NOTE: Retention is reduced by removal	4.50"	836		836													
22 Gen4	of light Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is	4.50"				8301	8301	8301		8301	8301							
22 Gen4	reduced by removal of light Surefire X400, X400U, or X400V NOTE: Retention is reduced by	4.50"	8314	8314	8314	8314	8314	8314		8314	8314							
	removal of light Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo NOTE:	4.50"	98310	0314	98310	0314	0314	0314		0314	0314							
22 Gen4 Dual Magazine Release	Retention is reduced by removal of light Streamlight TLR-1 NOTE: Retention is reduced by removal of	4.50"	9832		9832													
22 Gen4 Dual Magazine Release	light Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30,	4.50	9032		9032													
22 Gen5	TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				8252	8252	8252		8252	8252							
22 Gen5	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.50"										*82527	*82527	*82527	*82527	*82527	*82527	*82527
23 Gen3	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.00"				28310	28310	28310		28310	28310							
23 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832		2832	28325	28325	28325	2832	28325	28325	28325	28325	28325	28325	28325	28325	28325
23 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				2832	2832	2832	2832	2832	2832							
23 Gen3	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.00"	2832		2832													
23 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"	28321		28321	28321	28321	28321		28321	28321							
23 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce API.c. WILD1	4.00"										*28327	*28327	*28327	*28327	*28327	*28327	*28327
23 Gen3	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28301	28301	28301		28301	28301							
23 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314													
23 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.00"					28314				28314							
23 Gen4	removal or light Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.00"				28310	28310	28310		28310	28310							
23 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832		2832	28325	28325	28325	2832	28325	28325	28325	28325	28325	28325	28325	28325	28325
23 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				2832	2832	2832	2832	2832	2832							
23 Gen4	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.00"	2832		2832													
23 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"	28321		28321	28321	28321	28321		28321	28321							
23 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										*28327	*28327	*28327	*28327	*28327	*28327	*28327
23 Gen4	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28301	28301	28301		28301	28301							
23 Gen4	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314													
23 Gen4	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.00"					28314				28314							
23 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				28252	28252	28252		28252	28252							
23 Gen5	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										*282527	*282527	*282527	*282527	*282527	*282527	*282527
23C Gen3	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.00"	2832		2832													
25	Streamlight TLR-1 NOTE: Retention is reduced by removal of	4.00"	2832		2832	İ	İ					İ						

Gun Mnfctr./Model		BBL	6004/ 6005	6004USN	6280/ 6285/	6304/6305	6354/6355	6360/ 6365/	6378USN	6384/ 6385	6390/ 6395/	7004/ 7005	7280/	7304/7305	7354/ 7355	7360/ 7365/	7384/ 7385	7390/ 7395/
Sun Willicht /Wodel		ыäL.	0004/ 6005	000405N	6282	0304/ 6305	- 0334/ 0335	6362	03/8USN	0304/ 6365	6392	7004/7005	7285/ 7282	73047 7305	7334/7355	7362	7364/7385	7392
29 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-950, TWM-950S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
29 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	3.78"										*48327	*48327	*48327	*48327	*48327	*48327	*48327
30 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	3.78"										*48327	*48327	*48327	*48327	*48327	*48327	*48327
31 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	832		832													
31 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"	8312		8312													
32 Gen3	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.00"	2832		2832													
32C Gen3	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	4.00"	2832		2832													
34 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-950, TWM-950S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832		6832	68325	68325	68325		68325	68325	68325	68325	68325	68325	68325	68325	68325
34 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"				6832	6832	6832		6832	6832							
34 Gen3	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	5.32"	6832		6832													
34 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	5.32"	68321		68321													
34 Gen4	Inforce APL, WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-550, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832		6832	68325	68325	68325		68325	68325	68325	68325	68325	68325	68325	68325	68325
34 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"				6832	6832	6832		6832	6832							
34 Gen4	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	5.32"	6832		6832													
34 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	5.32"	68321		68321													
34 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-950, TWM-950S; Sreamlight TLR- 11, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832		6832	68325	68325	68325		68325	68325	68325	68325	68325	68325	68325	68325	68325
35 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-950, TWM-950S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832		6832	68325	68325	68325		68325	68325	68325	68325	68325	68325	68325	68325	68325
35 Gen3	Inforce APL, WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-550, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"				6832	6832	6832		6832	6832							
35 Gen3	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	5.32"	6832		6832													
35 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	5.32"	68321		68321													
35 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-850, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832		6832	68325	68325	68325		68325	68325	68325	68325	68325	68325	68325	68325	68325
35 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"				6832	6832	6832		6832	6832							
35 Gen4	Streamlight TLR-1 NOTE: Retention is reduced by removal of light	5.32"	6832		6832													
35 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	5.32"	68321		68321													
37 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-950, TWM-950S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"				3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
37 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				7832	7832	7832		7832	7832							
37 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-550, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				7832	7832	7832		7832	7832							

					C200/ C205/			C2C0/ C2CE/			6200/ 6205/		7000/			7200/7205/		7200/ 7205/
Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
41 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light.	5.31"				8932	8932	8932		8932	8932							
45	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.00"				28310	28310	28310		28310	28310							
45	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832		2832	28325	28325	28325	2832	28325	28325	28325	28325	28325	28325	28325	28325	28325
45	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"	28321		28321	28321	28321	28321		28321	28321							
45	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										*28327	*28327	*28327	*28327	*28327	*28327	*28327
45	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28301	28301	28301		28301	28301							
45	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.00"					28314				28314							
47	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				8972	8972	8972		8972	8972	8972	8972	8972	8972	8972	8972	8972
Heckler & Koch	reduced by removal or light	BBL	6004/ 6005	6004USN	6280/ 6285/	6304/ 6305	6354/ 6355	6360/ 6365/	6378USN	6384/ 6385	6390/ 6395/	7004 /7005	7280/	7304/ 7305	7354/ 7355	7360/ 7365/	7384/ 7385	7390/ 7395/
H&K 45 Compact	Streamlight TLR-3	3.94"	49316		6282 49316			6362			6392		7285/ 7282			7362		7392
HK 45 Cocked & Locked	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.53"	3930		3930													
P2000 (U.S. Version)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	3.50"	19721		19721													
P2000 DAO (bobbed Hammer)	B&T Adaptor and Glock GTL10 (light only) Note: N/A: for GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	3.50"	9710		9710													
P2000 (European Version)	B&T Adaptor and Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	3.50"	9721		9721													
P2000 (US Version)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.50"				1972	1972	1972		1972	1972							
P30	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.85"				2952	2952	2952		2952	2952							
P30	Steiner DBAL Streamlight TLR-1; Surefire X300 NOTE: Retention is reduced by	3.85"	29517		29517													
P30	removal of light	3.85"	2952		2952													
P30	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	3.85"				29527	29527	29527		29527	29527							
P30L	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.45"	3952		3952	3952	3952	3952			3952							
P30L	Steiner DBAL B&T Adaptor and Streamlight TLR-2 NOTE: Retention is reduced	4.45"	39517		39517													
USP 40 Hammer Down or Cocked and locked	by removal of light Surefire mount MR09 and Streamlight TLR-2 NOTE: Retention is	4.25"	9221		9221				-	1								
USP 40 w/ Spurred Hammer	reduced by removal of light	4.13" 3.58"	9321		9321	20440	20440	20440		20440	20440	1		1				
USP 40C USP 45 LEM DAO (Bobbed Hammer)	Streamlight TLR-3 Surefire mount MR09 and Surefire X300 NOTE: Retention is	3.58" 4.41"	1930		1930	29116	29116	29116	<u> </u>	29116	29116	1		1				
USP 45 w/ Spurred Hammer	reduced by removal of light Surefire mount MR09 and Streamlight TLR-2 NOTE: Retention is	4.41"	9321		9321													
USP 9 DAO	reduced by removal of light Surefire mount MR09 and Streamlight TLR-2 or TLR-2HL NOTE:	4.25"	19312		19312				1									
USP 9 Hammer Down or Cocked and locked	Retention is reduced by removal of light B&T Adaptor and Streamlight TLR-2 NOTE: Retention is reduced	4.25"	9221		9221				1					<u> </u>				
USP 9 w/ Spurred Hammer	by removal of light Surefire mount MR09 and Streamlight TLR-2 NOTE: Retention is	4.13"	9321		9321				1					<u> </u>				
USP 9C	reduced by removal of light Streamlight TLR-3	3.58"				29116	29116	29116		29116	29116							
VP9	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.09"				5932	5932	5932		5932	5932							
VP9	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.09"	59321		59321													
VP9	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.09"				59327	59327	59327		59327	59327							
VP9	Surefire XC-1	4.09"				59322	59322	59322		59322	59322							

Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
Kimber		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282		7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
1911 w/ rails	Surefire X300 or X300U NOTE: Retention is reduced by removal	5.00"	5340		5340	560	560	560		560								
Custom TLE/RL	of light Surefire X300 or X300U NOTE: Retention is reduced by removal	5.00"	5340		5340	560	560	560		560								
Gold Combat RL	of light Surefire X300 or X300U NOTE: Retention is reduced by removal	5.00"	5340		5340	560	560	560		560								<u></u>
Gold Combat RL II w/light rail	of light Streamlight TLR-2 NOTE: Retention is reduced by removal of	5.00"	5621		5621		000	000		000								
	light Streamlight TLR-2 NOTE: Retention is reduced by removal of		-															
Warrior w/light rail	light	5.00"	5621		5621													
Shadow Systems		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
XR920	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				28325	28325	28325		28325	28325							
XR920	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.00"										28327	28327	28327	28327	28327	28327	28327
DR920	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				8325	8325	8325		8325	8325							
DR920	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.50"										8327	8327	8327	8327	8327	8327	8327
Sig Sauer		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
Sig Pro P2022	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	3.50"	27821		27821													
X-Compact	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	3.60"										*65227	*65227	*65227	*65227	*65227	*65227	*65227
P229R DAK	Streamlight TLR-2 NOTE: Retention is reduced by removal of	3.90"	17421		17421													
P229R DASA	Surefire X300 or X300U NOTE: Retention is reduced by removal	3.90"	7440		7440													
	of light Streamlight TLR-2 NOTE: Retention is reduced by removal of		-															
P229R DASA (Spurred Hammer)	light Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30,	3.90"	74421		74421													
M18	TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
M18	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	3.90"										*75227	*75227	*75227	*75227	*75227	*75227	*75227
P229	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	3.90"	7421		7421													1
P229R	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7442	7442	7442		7442	7442							
P229R 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"										4472	4472	4472	4472	4472	4472	4472
P229R 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"										4742	4742	4742	4742	4742	4742	4742
P250 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
P250 Carry 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
P250 Compact 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
P250 Compact 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
P320 Carry 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"	7502		7502	7502	7502	7502		7502	7502			7502	7502	7502	7502	7502

Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/	6304/ 6305	6354/ 6355	6360/ 6365/	6378USN	6384/ 6385	6390/ 6395/	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/	7384/ 7385	7390/ 7395/
					6282			6362			6392		7285/ 7282			7362		7392
P320 Carry 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"	7502		7502	7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
P320 Compact 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850S, Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"	7502		7502	7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
P320 Compact 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"	7502		7502	7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
X-Carry	Inforce API, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
X-Carry	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"	7502		7502	7502	7502	7502		7502	7502			7502	7502	7502	7502	7502
P227	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by vemoval of light	4.40"										6772	6772	6772	6772	6772	6772	6772
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850S, Western St., TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.40"						7742			7742							
P220 (DA/SA Spurred Hammer)	Surefire X300 NOTE: Retention is reduced by removal of light	4.41"	7740		7740													ĺ
P220R	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850S; Treamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"										7702	7702	7702	7702	7702	7702	7702
P220R	Streamlight TLR-2 NOTE: Retention is reduced by removal of	4.41"	27721		27721													
P220R	light Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.41"	77414		77414													
P220R (DA/SA Spurred Hammer)	Surefire X300 NOTE: Retention is reduced by removal of light	4.41"	7740		7740													
P220R DAK	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"				7742	7742	7742		7742	7742							
P220R DAK	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"	27721		27721													
P220R DASA	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"				7742	7742	7742		7742	7742							
P220R w/ Accy Rails (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of	4.41"	77421		77421													
P220S w/ Accy Rails (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"	77421		77421													
P220ST (DA/SA Spurred Hammer)	Surefire X300 NOTE: Retention is reduced by removal of light	4.41"	7740		7740													
P226	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.41"	7712		7712													
P226 (full size hammer)	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.41"	7721		7721													
P226 MK25	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.41"	7740		7740													
P226R	of light Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light.	4.41"										4772	4772	4772	4772	4772	4772	4772
P226R	Surefire X400, X400U, or X400V NOTE: Retention is reduced by	4.41"	77414		77414													
P226R (DASA Spurred Hammer)	removal of light Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"	77421		77421													
P226R (DA/SA Spurred Hammer)	Surefire X300 NOTE: Retention is reduced by removal of light	4.41"	7740		7740													
P226 E2	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41				7742	7742	7742		7742	7742							
P226R DAK	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"				7742	7742	7742		7742	7742				_			
P226R DAK	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"	27721		27721													
										•		•	•					

Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
P226R DASA	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"				7742	7742	7742		7742	7742							
P226S (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"	77421		77421													
P226SO (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"	77421		77421													
M17	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"	4502		4502	4502	4502	4502		4502	4502			4502	4502	4502	4502	4502
M17	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.70"	45021		45021													
P250 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502		4502	4502			4502	4502	4502	4502	4502
P250 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-850, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502		4502	4502			4502	4502	4502	4502	4502
P320 40cal	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.70"	45021		45021													
P320 9mm	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.70"	45021		45021													
P320 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"	4502		4502	4502	4502	4502		4502	4502			4502	4502	4502	4502	4502
P320 40cal	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.70"										*45027	45027	45027	45027	45027	45027	45027
P320 45acp	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"	4502		4502													
P320 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1T.R-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"	4502		4502	4502	4502	4502		4502	4502			4502	4502	4502	4502	4502
P320 9mm	Streamlight TLR-7; Surefire XC-1, XC-2, Nightstick TCM 550; or Inforce APLc, WILD1	4.70"										*45027	45027	45027	45027	45027	45027	45027
P320 X-Full	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502
P320C 45acp	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"	4502		4502													
X-Vtac	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-850, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502
1911 GSR	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	25621		25621													
P226R X-Five	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	5.00"	3770		3770													
P320 X-Five	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"												4522	4522	4522	4522	4522
Smith & Wesson		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
M&P40C 2.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				2192	2192	2192		2192	2192	2192	2192	2192	2192	2192	2192	2192
M&P45C 1.0 w/ thumb safeties	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				9202	9202	9202		9202	9202							
M&P45C 1.0 w/out thumb safeties	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				9192	9192	9192		9192	9192							
M&P9C 2.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				2222	2222	2222		2222	2222	2192	2192	2222	2222	2222	2222	2222

March 14 Mills Clay if it do values National Trins St. March 14 Mills Clay if it do values National Trins St. March 14 Mills Clay if it do values National Trins St. March 14 Mills Clay if it do values National Trins St. March 16 Mills National Trins St. March 16 Mills National Trins St. March 16 Mills National Trins St. Mills National Trins National Trins St. Mills National Trins National Trins National Trins National	WILD2: Glight PL-Pro Valkyrie: Nightsick TWM-30, Why Sign S, TWM-850, Steamlight TLR-emoval of Ight Was Sign S, TWM-850,	2192 2192 2192 2192 2192 2192 2192 2192	22 21922 32 2192 32 2192 32 2192
Marke 1.0 Surfer XXXX XXXXV XXXV XXXV XXXV XXXV XXXV X	NOTE: Retention is reduced by removal of light	2192 2192 2192 2192 2192 21922	22 2192 22 2192 22 2192 22 21922
MAPPOLID BORRIER MAD AVAILABLE CRIPTION IN PROJECT PROVIDED IN PROVIDING IN PROVIDED IN PR	0, X400U, or X400V NOTE: Retention is reduced by A 25° 21914	2192 2192 2192 2192 2192 21922	22 2192 22 2192 22 2192 22 21922
March 1.0	A	2192 2192 2192 2192 2192 21922	22 2192 22 2192 22 2192 22 21922
MAPP 4.0 20 11 12 13 14 15 15 15 15 15 15 15	WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, WM-350S, TwM-850S, Sreamlight TLR-surefire X300, or X300U NOTE: Retention is reduced by removal of URD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, WM-350S, TwM-850, TwM-850S, Sreamlight TLR-surefire X300, or X300U NOTE: Retention is reduced by removal of URD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, WM-350S, TwM-850, TwM-850S, Sreamlight TLR-surefire X300, or X300U NOTE: Retention is reduced by removal of Ight TLR-2 NOTE: Retention is reduced by removal of Ight ONTE: Retention is reduced by removal of Ight URD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, WM-350S, TwM-850,	2192 2192 2192 2192 2192 21922	22 2192 22 2192 22 2192 22 21922
TMM-560 TMM-560 TMM-560 Sentingly TLR- 425	WM-350S, TWM-850. TWM-850S. Sreamlight TLR- surfer X300, or X300U NOTE: Retention is reduced by removal of light 1.R-2 NOTE: Retention is reduced by removal of 2.192 2	2192 2192	22 2192
MAP-9 1.0 Surfam X400, X000, VOTE: Relaterion is reduced by removal A25 2190	0 or X300U NOTE: Retention is reduced by removal 4.25* 2190 2190 2192 2192 2192 2192 2192 2192	21922 21922	22 21922
Map 1.0	WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-90, WM-350S, TwM-850, TWM-850, TWM-850S, Seamlight TLR. Surefire X300, or X300U NOTE: Retention is enduced by removal of [ght] 1. Control of the provided of th	21922 21922	22 21922
NAP9 1.0 TVM-650, TVM-650, TVM-650, Sissamight TLR-1, TLR-1K, Superior Scape As 2000 NOTE: Reterior is reduced by removal of light 2.5 2.192	WM-350S, TWM-850, TWM-850S, Sreamlight TLR- surefire X300, or X300U NOTE: Retention is enduced by removal of light 1.25° 2192 2192 2192 2192 2192 2192 2192 219	21922 21922	22 21922
Map 1.0 Surefice X300 NOTE: Retention is reduced by removal of light 4.25 2190 2190	0 NOTE: Retention is reduced by removal of light 4.25* 2190 2190 2190 2190 2190 2190 2190 2190		
MAP9 1.0 Surface X400, X400V NOTE: Retention is reduced by removal of 1500 No. Principle	0, X400U, or X400V NOTE: Retention is reduced by 4.25" 21914 21914 21914 21914 21914 21914 21914 21914 21914 21914 21914 21914 21914 21922 2192 219		
Map 1.0	ht 4.25 2 1914 1 1 21924 2 1922 2 19		
MSP910 Surefire XC-1 12192 21922 219	1 4.25" 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 21922 2192 21		
M8P9 2.0 TVMM-350, TVMM-550, TVMM-550, TVMM-550, Steamlight TLR- April Reletion is reduced by removal of light	WM-350S, TWM-850, TWM-850S, Sreamlight TLR- Surefire X300, or X300U NOTE: Retention is emoval of light TLR-2 NOTE: Retention is reduced by removal of 4.25* 21921 21921	2222 2222	22 2222
Suptraction Suptraction Suptraction Suptraction Superalized Suptraction Superalized Suptraction Superalized	4.2) 21921		
Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-850, TWM	2 or X300LLNOTE: Retention is reduced by removal		
M&P45.1.0 17.H.R.H.L. Surefire X300, or X300U NOTE: Retention is reduced by removal of light inforce APL, WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-350, TyM-350, Tym-850,	4.25* 2190 2190		
Inforce APL, WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850S, Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light Inforce APL, WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-850S, TWM-850S, Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light Inforce APL, WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-850, TWM-8	WM-350S, TWM-850S, Sreamlight TLR- surefire X300, or X300U NOTE: Retention is emoval of light 4192 4192 4192 4192 4192 4192 4192 4192	4192 4192	92 4192
M&P45 1.0 w/ thumb safeties TVMM-350, TVMM-350S, TVMM-850, Sramlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light 4.60° 4192 4	LR-2 NOTE: Retention is reduced by removal of 4.60° 51921 51921 51921 51921 51921 51921 51921		
M&P45.0 TVM-350, TVM-350, TVM-850, TVM-850, Seamlight TLR-1, TLR-1HL; Surefix X300, or X300U NOTE: Retention is reduced by removal of light linforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TVM-30, TVM-85	WM-350S, TWM-850, TWM-850S; Sreamlight TLR- 4.60° 4192 4192 4192 4192 4192 4192 4192 4192	4192 4192	92 4192
M&P40L 1.0 TVM-350, TVM-350, TVM-850, Sreamlight TLR-1, TLR-1, Surefire X300, or X300U NOTE: Retention is reduced by removal of light M&P40L 2.0 State of the following t	WM-350S, TWM-850, TWM-850S; Sreamlight TLR- surefire X300, or X300U NOTE: Retention is emoval of light	4192 4192	92 4192
M&P40L 2.0 TWM-350, TWM-850, TWM-850, TWM-850, Sreamlight TLR-1, TLR-11L; Surefire X300, or X300U NOTE: Retention is reduced by removal of light Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30,	WM-350S, TWM-850, TWM-850S; Sreamlight TLR- surefire X300, or X300U NOTE: Retention is 8192 8192 8192 8192 8192 8192 8192 8192	8192 8192	92 8192
	WM-350S, TWM-850, TWM-850S, Sreamlight TLR- Surefire X300, or X300U NOTE: Retention is	8192 8192	92 8192
M&P9L 1.0 TWM-350, TWM-350S, TWM-350S, Sreamlight TLR-1, TLR-1, TLR-1, Surefire X300, or X300U NOTE: Retention is reduced by removal of light	WM-350S, TWM-850S, Sreamlight TLR- Surefire X300, or X300U NOTE: Retention is emroval of light	8192 8192	92 8192
Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850, Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light 8182 8182 8182 8182 8182 8182 8182 818	WM-350S, TWM-850, TWM-850S, Sreamlight TLR- Surefire X300, or X300U NOTE: Retention is	8182 8182	32 8182
Sphinx BBL 6004/6005 6004USN 6280/6285/ 6282 6304/6305 6354/6355 6362 6378USN 6384/6385 6390/6395/ 6392 7004/7005 7280/ 7285/7282 7304/7305 7354/7355	BBL 6004/ 6003 6004USN 6282 6304/ 6303 6334/ 6303 6362 6362 6392 7004/7003 7285/ 7282 7304/ 7303 7334/ 7303	7360/ 7365/ 7362 7384/ 7385	7390/ 739 7392
SDP Standard Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light 28114			
Springfield Armory BBL 6004/ 6005 6004USN 6280/ 6282 6304/ 6305 6354/ 6355 6362 6378USN 6384/ 6385 6390/ 6395/ 6392 7004/7005 7280/ 7285/ 7285/ 7285/ 7285/ 7285/ 7354/ 7355	6390/ 6395/ 7280/	7360/ 7365/ 7362 7384/ 7385	7390/ 739 7392
Inforce APL, WILD2: Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850, Sreamlight TLR- 1, TLR-1HL; Surefire 3300, or X300U NOTE: Retention is reduced by removal of light 1482 1482 1482	BBL 6004/6005 6004USN 6282 6304/6305 6362 6362 6378USN 6384/6385 6392 /0047/005 7285/7282 7304/7305 7359/7355		
XD 40cal Streamlight TLR-2 NOTE: Retention is reduced by removal of light 14821 14821	WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, WM-350S, TWM-850, TWM-850S; Sreamlight TLR-surefire X300, or X300U NOTE: Retention is emoval of light		

					6280/ 6285/			6360/ 6365/			6390/ 6395/		7280/			7360/ 7365/		7390/ 7395/
Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6282	6304/ 6305	6354/ 6355	6362	6378USN	6384/ 6385	6392	7004/ 7005	7285/ 7282	7304/ 7305	7354/ 7355	7362	7384/ 7385	7392
XD 45acp	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				1482	1482	1482										
XD 45acp	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.00"	14821		14821													
XD 9mm	inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				462	462	462										
XD 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.00"	14821		14821													
XD MOD2 40cal	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.00"	14821		14821													1
XD MOD2 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of	4.00"	14821		14821													
XD(M) 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-8505; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"					1462	1462		1462	1462							
XD(M) 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				1462	1462	1462										
XD(M) 40cal	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"	14921		14921													
XD(M) 45acp	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"	14921		14921	1462	1462	1462		1462	1462							
XD(M) 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				1452	1452	1452										
XD(M) 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"	14921		14921													
1911 Operator	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	5621		5621													
1911 Operator	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	5.00"	5612		5612													
1911 Operator	Surefire X400 NOTE: Retention is reduced by removal of light	5.00"		5614														
1911 Operatort	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"	5340		5340	560	560	560		560	560							
1911-A1 Non Rail	Surefire mount MR07 and Surefire X300 NOTE: Retention is reduced by removal of light	5.00"	530		530													
XD 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350, TWM-850, TWM-850, TWM-850; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				1492	1492	1492										
XD 40cal	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	14921		14921													
XD 45acp	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	14921		14921													
XD 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				1492	1492	1492										
XD 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	14921		14921													
XD MOD2 40cal	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	14921		14921		14921	14921										
XD MOD2 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	14921		14921		14921	14921										
STI/SVI		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
1911 Duty One	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"	5340		5340													<u> </u>
1911 w/rails	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"	5340		5340													
2011 Tactical Lite 5	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"	5340		5340													
STI 2011 Tactical 5	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	5621		5621													
STI 2011 Tactical 5	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"	5340		5340													
Walther		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392

Gun Mnfctr./Model		BBL.	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004/ 7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
P99Q M1 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	3842		3842	3842	3842	3842		3842	3842							
P99Q M2 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	3842		3842	3842	3842	3842		3842	3842							
PPQ M1 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	3842		3842	3842	3842	3842		3842	3842							
PPQ M2 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	3842		3842	3842	3842	3842		3842	3842							
P99Q M1 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				3852	3852	3852		3852	3852							
P99Q M2 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				3852	3852	3852		3852	3852							
PPQ M1 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-3505, TWM-850, TWM-8505; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				3852	3852	3852		3852	3852							
PPQ M2 9mm only (2008 & newer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR- 1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				3852	3852	3852		3852	3852							
Wilson		BBL	6004/ 6005	6004USN	6280/ 6285/ 6282	6304/ 6305	6354/ 6355	6360/ 6365/ 6362	6378USN	6384/ 6385	6390/ 6395/ 6392	7004 /7005	7280/ 7285/ 7282	7304/ 7305	7354/ 7355	7360/ 7365/ 7362	7384/ 7385	7390/ 7395/ 7392
1911 w/rails	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	5.00"	5340		5340	560	560	560		560	560							
1911 CQB	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"	5621		5621													I