



Note: Items w/ an * by the center code will have full retention capability w/ or w/out a light attached

PT 3 Concealment w/ & w/out Lights - Pistols

Gun/Mfr/Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
AMT	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
Hardballer	5.00*							53										53								
Beretta	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
Cougar 8000 D	3.60*																	71								
Cougar 8000 D DAO	3.60*																	171								
Cougar 8000 F	3.60*																	71								
Cougar 8040 D	3.60*																	71								
Cougar 8040 D DAO	3.60*																	71								
Cougar 8040 F	3.60*																	71								
Cougar 8045 F	3.60*																	71								
PX4 Storm 45acp	4.00*																		185	185						
PX4 Storm DAO 40cal	4.00*																			181						
PX4 Storm DAO 9mm	4.00*																			181						
PX4 Storm DASA 40cal	4.00*																			180	180	180				
PX4 Storm DASA 9mm	4.00*							77												180	180	180				
APX 40cal	4.25*													750						673	673					
APX 9mm	4.25*													750						673	673					
92 DM	4.30*																			173						
92 FC	4.30*																			73						
92 FCM	4.30*																73			73						
92 FS Centurion	4.30*													450						73			73		73	
96 Centurion	4.30*																			73						
96 DC	4.30*																			173						
92 Vertec	4.70*													450									73	73		73
92 Vertec w/ Light Rail N/A for Double Action Bobbed Hammer	4.70*																						73	73		73
96 Vertec	4.70*													450									73	73		73
96 Vertec w/ Light Rail N/A for Double Action Bobbed Hammer	4.70*																						73	73		73
92 Brigadier	4.90*																	73		73						
92 Brigadier D	4.90*																			73						
92 Brigadier FS	4.90*																			73	73					
92 D	4.90*													450		73	73	173	73	73		73				73
92 DS	4.90*																			73	173					
92 F	4.90*													450		73	73	73	73	73		73				73
92 FS	4.90*													450		73	73	73	73	73		73				73
92 G	4.90*																			73	73					
96	4.90*													450						73						
96 Brigadier	4.90*																				73					
96 Brigadier D	4.90*																				173					
96 Brigadier G	4.90*																				73					
96 D	4.90*																				173	73				
96 DS	4.90*																				173					
96 DS Brigadier D	4.90*																				173					
96 F	4.90*																					73				
96 FS	4.90*																					73				
96 G	4.90*																					73	73			
96 G SD	4.90*																					73				
M9	4.90*																									
M9A1	4.90*													450									73	73		73
M9A3	4.90*													450									73	73		73
w/ Lights	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
PX4 Storm	4.00*																		18021							
APX 40cal	4.25*																				6732					
APX 9mm	4.25*																				6732					
92 FS Vertec	4.70*																					73421				
96 Vertec	4.70*																						73421			
92 F	4.90*																							73421		
Browning	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
BDM 9mm	4.73*																									76
Hi Power 9mm	4.66*																									76
Hi Power 9mm (Canadian Version)	4.60*																									76

Gun/Mfrctr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
Canik																											
TP9SF	4.46													83													7378 CUT DOWN
TP9SF Elite	4.19													83													
TP9SA	4.47													83													
TP9SFx	5.20																	151									
Caracal																											
F	4.10											283		283													7378 CUT DOWN
Colt																											
Officer's 45acp	3.50			54				54						283			54				54						54
Commander	4.25							51						83			51			52	51						51
Combat Elite	5.00							53						683			53	53									53
Combat Target	5.00													683				53									53
Delta Elite	5.00							53						683			53	53									53
Delta Gold Cup	5.00							53						683			53	53									53
Gold Cup National Match	5.00							53						683			53	53									53
Government 1911	5.00							53	53					683			53	53	53	53							53
w/ Lights																											
1911-A1 Non Rail	Surefire mount MR07 and Surefire X300 NOTE: Retention is reduced by removal of light	5.00																530									
CZ																											
RAMI	3.00							183																			
75 P-01	3.80																	290									
P-07	3.80													750					292								
75 SP-01 Shadow	4.00																490										
P-10C	4.02																392				392	392	392				392
75	4.50													683				90									
P-10F	4.50																492										
P-09	4.53													450					294								
Shadow 2	4.89																590										
w/ Lights																											
P-10C	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.02																	3922								
P-10F	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50																	4922								
EAA																											
Witness 9mm	4.50																	90									
Witness 40cal	4.50																	90									
Witness Sport 9mm	4.50																	90									
Witness Sport 40cal	4.50																	90									
FN																											
503	3.00													183													
FNS 40cal Compact	3.60													283													
FNS 9mm Compact	3.60													283													
509	4.00			270										283								270	270	270			270
FNP 9	4.00							77										260									
FNS 40	4.00													283			266	266	266	266							
FNS 9	4.00													283			266	266	269	266							
FNX 40	4.00																265	265									
FNX 9	4.00																265	265									
509 Compact Tactical	4.30													450													
FNP 45	4.50													450													
Five-Seven	4.80																		261								
Five-Seven MKII	4.80																		61								
509 LS Edge	5.00													450					361								
FNS 40	5.00													683			267				267						
FNS 9	5.00													683			267				267						
w/ Lights																											
Five-Seven	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.80									612								6121								
FN 509	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00																		2702							
Glock																											
17 Dual Mag release Gen3	4.50													83					983	983							
17 Dual Mag release Gen4	4.50													83					983	983							
17 Gen3	4.50	835-A-0	835-A-0					83	83	83				83	83	283	83	83	83	83		835	835			835	83
17 Gen4	4.50	835-A-0	835-A-0					83	83	83				83	83	283	83	83	83	83		835	835			835	83
17 Gen5	4.50	835-A-0	835-A-0					83	83	83				83	83	283	83	83	83	83		835	835			835	83

Gun/Mfrctr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
17 Gen3	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																		8301							
17 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"																		8314							
17 Gen3	Surefire XC-1 or XC-2	4.50"									8324																
17 Gen4	Glock GTL10 Light	4.50"																			9832						
17 Gen4	Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"																			98310						
17 Gen4	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"																			8310	8310					
17 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"									832									832	832	832		8325	8325		8325
17 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"																		8321	8321						
17 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"	835-A-7	835-A-7							8327												*8327	*8327		*8327	
17 Gen4	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"																			836						
17 Gen4	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																			8301						
17 Gen4	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"																			8314						
17 Gen4	Surefire XC-1 or XC-2	4.50"									8324																
17 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"									832									832	832	832		8325	8325		8325
17 Gen5	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"	835-A-7	835-A-7							8327												*8327	*8327		*8327	
17 Gen5	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																			8301						
17 Gen5	Surefire XC-1 or XC-2	4.50"									8324																
19 Gen3	Glock GTL10 (light only) Note: N/A: for GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"																				28310					
19 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"										2832									2832	28325	2832	28325	28325	28325	28325
19 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																			8321	28321					
19 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	835-A-7	2835-A-7							28327												*28327	*28327	*28327	*28327	
19 Gen3	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																			28301	28301					
19 Gen3	Surefire XC-1 or XC-2	4.00"									28324																
19 Gen4	Glock GTL10 (light only) Note: N/A: for GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"																				28310					
19 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"										2832									2832	28325	2832	28325	28325	28325	28325
19 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																			8321	28321					
19 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	835-A-7	2835-A-7							28327												*28327	*28327	*28327	*28327	
19 Gen4	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																			28301	28301					
19 Gen4	Surefire XC-1 or XC-2	4.00"									28324																
19 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"										2832									2832	28325	2832	28325	28325	28325	28325
19 Gen5	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																			8321	28321					
19 Gen5	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	835-A-7	2835-A-7							28327												*28327	*28327	*28327	*28327	
19 Gen5	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																			28301	28301					
19 Gen5	Surefire XC-1 or XC-2	4.00"									28324																
19X	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"										2832									2832	28325	2832	28325	28325	28325	28325
19X	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																			8321	28321					
19X	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	835-A-7	2835-A-7							28327												*28327	*28327	*28327	*28327	

DUTY GEAR WILL FIT CHARTS
Part 3 Concealment Holsters with and without Lights-Pistols

Revised: 3/26/2024

Gun/Mfrctr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
19X	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																		28301	28301						
19X	Surefire XC-1 or XC-2	4.00"									28324																
20 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																				3832	3832	3832		3832	
20 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																		3832	3832						
20 Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"																	38321								
20 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.60"																				*38327	*38327		*38327		
20 Gen3 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"																		938321							
20 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																				3832	3832	3832		3832	
20 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																		38321							
20 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.60"																				*38327	*38327		*38327		
20 Gen4 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"																		938321							
21 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																				3832	3832	3832		3832	
21 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																				3832	3832				
21 Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"																		38321							
21 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.60"																				*38327	*38327		*38327		
21 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																				3832	3832	3832		3832	
21 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																				3832	3832				
21 Gen4	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"																		38321							
21 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.60"																				*38327	*38327		*38327		
21SF Gen3 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"																			938321						
21SF Gen4 w/ Dual Magazine Release	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.50"																				938321					
22 Gen3	Glock GTL10 Light	4.50"																			9832						
22 Gen3	Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"																			98310						
22 Gen3	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"																			8310	8310					
22 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"									832										832	832	832		8325	8325	8325
22 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"																		8321	8321						
22 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"	835-A-7	835-A-7							8327											*8327	*8327		*8327		
22 Gen3	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"																			836						
22 Gen3	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																				8301					
22 Gen3	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"																			8314						
22 Gen3	Surefire XC-1 or XC-2	4.50"									8324																
22 Gen4	Glock GTL10 Light	4.50"																			9832						

Gun/Mnfr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
22 Gen4	Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"																	98310								
22 Gen4	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"																		8310	8310						
22 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"									832								832	832	832		8325	8325		8325	
22 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"																	8321	8321							
22 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"	835-A-7	835-A-7								8327											*8327	*8327		*8327	
22 Gen4	Surefire X300 NOTE: Retention is reduced by removal of light	4.50"																		836							
22 Gen4	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"																		8314							
22 Gen4	Surefire XC-1 or XC-2	4.50"										8324															
22 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"																			8252						
22 Gen5	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"																					*82527	*82527		*82527	
23 Gen3	Glock GTL10 (light only) Note: N/A: for GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"																			28310						
23 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"											2832								2832	28325	2832	28325	28325	28325	28325
23 Gen3	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																			8321	28321					
23 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	835-A-7	2835-A-7									28327										*28327	*28327	*28327		*28327
23 Gen3	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																			28301	28301					
23 Gen3	Surefire XC-1 or XC-2	4.00"											28324														
23 Gen4	Glock GTL10 (light only) Note: N/A: for GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"																			28310						
23 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"											2832								2832	28325	2832	28325	28325	28325	28325
23 Gen4	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																			8321	28321					
23 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	835-A-7	2835-A-7									28327										*28327	*28327	*28327		*28327
23 Gen4	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																			28301	28301					
23 Gen4	Surefire XC-1 or XC-2	4.00"											28324														
23 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"																				28252					
29 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																				3832		3832	3832		3832
29 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.78"																					*48327	*48327		*48327	
29 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.78"																					*48327	*48327		*48327	
30 Gen3	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.78"																					*48327	*48327		*48327	
30 Gen4	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.78"																					*48327	*48327		*48327	
31	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"																			8321	8321					
31 Gen3	Glock GTL10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser w/ dim-switch) NOTE: Retention is reduced by removal of light	4.50"																				8310	8310				
34 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"																				6832	68325	6832		68325	68325
34 Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.32"																				68321					

Gun/Mfr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
34 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"																	6832	68325	6832		68325	68325		68325	
34 Gen4	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.32"																	68321								
34 Gen5	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"																	6832	68325	6832		68325	68325		68325	
35 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"																	6832	68325	6832		68325	68325		68325	
35 Gen3	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.32"																	68321								
35 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"																	6832	68325	6832		68325	68325		68325	
35 Gen4	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.32"																	68321								
37 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																			8832		8832	8832		8832	
37 Gen3	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"																			7832	7832					
41 Gen4	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.31"																			8932						
42	Streamlight TLR-6	3.39"																				89518			89518	89518	
42	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.39"																									
43	Streamlight TLR-6	3.39"																				89518			89518	89518	
43	Streamlight TLR-7 Sub, Surefire SCS, Nightstick TCM 5B	3.39"	895-A-7S																								
43X MOS	Streamlight TLR-6	3.39"																				89518			89518	89518	
43X MOS	Streamlight TLR-7 Sub, Surefire XSC, Nightstick TCM 5B	3.39"	895-A-7S	895-2-7																							
45	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"										2832							2832	28325	2832	28325	28325	28325	28325	28325	
45	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																	8321	28321							
45	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	835-A-7	2835-A-7								28327										*28327	*28327	*28327	*28327		
45	Surefire X300 or X300U w/ Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																	28301	28301							
45	Surefire XC-1 or XC-2	4.00"										28324															
47	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"										8972							8972	8972	8972		8972	8972		8972	
47	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"	835-A-7	835-A-7								8327										*8327	*8327		*8327		
48	Streamlight TLR-7 Sub, Surefire SCS, Nightstick TCM 5B	4.17"		895-2-7																							
49	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"										8972											8972	8972		8972	
49	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"	835-A-7	835-A-7								89727											89727	89727		89727	
Heckler & Koch		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
P7 M13		4.10"																			82						
P7 M8		4.10"																			82						
HK 45 Compact		3.90"											283	283								295					
HK 45		4.25"												83							393	395		393	393		393
P2000 SK DAO (bobbed hammer) (US Version)		3.25"							295				283	183													
P2000SK		3.33"							295				283	183													
P2000		3.50"							295	391			283	283		97			97	97	97	197	197	197		197	
P2000 DA/SA (US Version)		3.50"							295	391			283	283								397	397	397		197	
P2000 DAO (bobbed hammer) (US Version)		3.50"							295	391			283	283								97	197	197	197		197
P2000 w/ light mount frame (European Version and US Version)		3.50"							295	391			283	283					97			197	197	197		197	

Gun/Mfr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
P2000 w/ light mount frame (European Version)	3.50"							295										97			497	497			497		
P30 DAO	3.78"							295	295	391				283			295	295	295	295	295	295	295			295	
P30L	4.45"													283							395	395			395		
USP 40C	3.58"								391	391				283				291			291	291	291			291	
USP 40	4.25"													283							93	91	91			291	
USP 40 w/ Rubber Spurred Hammer (holsters w/ a manufacture date of 2308 and after)	4.25"													283							91						
USP 40 Expert	5.20"																				96						
USP 45 Compact	3.80"																				293						
USP 45	4.53"																				93						
USP 45 Expert	5.20"																				96						
USP 9 Compact (Non-US Version)	3.58"									391	391							295			391	391	391	391	391		391
USP 9 P10 (Non-US Version)	3.58"									391	391										391	391	391	391	391		391
USP 9C	3.58"									391	391			283				291			391	391	391	391	391		391
USP 9	4.25"													283							93	91	91				291
USP 9 w/ Rubber Spurred Hammer (holsters w/ a manufacture date of 2308 and after)	4.25"													283							91						
VP40	4.09"																										
VP9	4.09"								295	391				283				593			593	593	593	593	593	593	593
w/ Lights	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
P30L	4.45"																			3952	3952	3952					
P2000 European Version	3.50"																				9721						
P30	3.85"										2952										2952	2952					
P30	3.85"										29524																
USP 40 Cocked and locked	4.25"																				9221						
USP 40 w/ Spurred Hammer	4.13"																				9321						
USP 40C	3.58"																				29116						
USP 45 LEM w/ Bobbed Hammer	4.41"																				1930						
USP 45 w/ Spurred Hammer	4.41"																				9321						
USP 9 Cocked and locked	4.25"																				9221						
USP 9 w/ Spurred Hammer	4.13"																				9321						
USP 9C	3.58"																				29116						
VP9	4.09"										5932										5932						
VP9	4.09"																				59322						
Kahr	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
CT380	3.50"						189																				
P380	2.50"						189																				
PM9	3.00"						186																				
ST9	4.00"							54																			
Kimber	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
1911	5.00"													683			53				53	53				53	
Gold Combat RL II (w/ light rail)	5.00"													683							56	56	56			53	
KIP45 CUS	5.00"							53						683			53				53					53	
Pro Carry 1911	4.00"																										
Warrior (w/ light rail)	5.00"													683							56	56	56			53	
w/ Lights	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
1911 w/ rails	5.00"																				5340	560					
Custom TLE/RL	5.00"																				5340	560					
Gold Combat RL	5.00"																				5340	560					
Para Ordnance	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
Companion 45ACP	3.50"																									51	
OPS 1911	3.50"													683												51	
12.45 LDA	3.50"																									51	
13.45	4.25"																									54	
14.45	5.00"							53																		53	
14.45 LDA	5.00"							53													53	53				53	
16.4	5.00"							53													53	53				53	

Gun/Mfr./Model	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
18.40 LDA	5.00"																									53	
18.9	5.00"							53									53	53								53	
18.9 LDA	5.00"							53									53	53								53	
7.45 LDA	5.00"							53																		53	
PRX 14.45	5.00"																	56	56							53	
Todd Jarrett 1911	5.00"																	53	53	53						53	
Ruger	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
LCP .380	2.75"						188																				
LCP .380 w/ Crimson Trace	2.75"						1881																				
EC9	3.12"			184			184										184				184			184	184		
LC380	3.12"			184			184										184				184			184	184		
LC9	3.12"			184			184										184				184			184	184		
LC9S	3.12"			184			184										184				184			184	184		
MAX-9	3.20"											286															
SR9C	3.40"				172	286	184																				
Security 9	4.00"			283				283	283						283												
9E	4.14"														283												
American 40cal	4.20"														83						167	167	167		167		
American 9mm	4.20"														83						167	167	167		167		
American 45acp	4.50"														683						168	168	168		168		
57	4.94"														683												
SR1911	5.00"																									53	
SCCY	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
CPX-2	3.10"																367										
Shadow Systems	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
MR920	4.50"	835-A-0																									
XR920	4.00"	835-A-0																									
w/ Lights	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
DR920	4.50"																					8325	8325			8325	
MR920	4.50"	835-A-7																									
XR920	4.00"																					28325	28325			28325	
XR920	4.00"	835-A-7																									
Sig Sauer	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
P938	3.00"						194														938				938	938	
P365	3.10"	465-A-0		365	365	365	894	894				465					365				365				365	365	
P365S	3.10"	465-A-0		365	365	365	894	894				465					365				365				365	365	
P320SC (w/out Light Rail) 9mm	3.50"													750					750		750	750	750		750		
P320SCR 9mm	3.50"													750					750		750	750	750		750		
SIGPro (w/ Light Rail)	3.50"																	278									
SPC2009 (w/ Light Rail)	3.50"																	278									
P239 (will only fit 9mm as of manufactured date 4603)	3.63"																	75									
P239 357	3.63"																	75		754							
P239 40cal	3.63"																	75		754							
P239 9mm	3.63"																		75	75							
P365 X-Macro	3.70"					565																					
P365XL	3.70"	465-A-0		465	465							465													465	465	
P2022 (w/out Light Rail) spurred hammer	3.87"								278					750			278	278	278	278	278	278	278		278	278	
P2022R (w/ Light Rail)	3.87"								278					750			278	278	278	278	278	278	278		278	278	
P225	3.90"							77				283		750		79		74	79	79							
M11	3.90"							77						750		74		74	74	74	447	447	447		447	447	
P228	3.90"							77						750		74		74	74	74	447	447	447		447	447	
P229 (w/out Light Rail)	3.90"							77						750		74		74	74	74							
P229 .357 (w/ Light Rail)	3.90"							474													447	447	447		447	447	
P229 40cal (w/ Light Rail)	3.90"							474													447	447	447		447	447	
P229 Elite (w/out Light Rail)	3.90"							77						750		74											
P229R .357 (w/ Light Rail)	3.90"							474													447	447	447		447	447	
P229R 40cal (w/ Light Rail)	3.90"							474													447	447	447		447	447	
P229R DAK 9mm (w/ Light Rail)	3.90"							474													474	474	474		474	474	
P229R DAK bobbed hammer (w/ Light Rail)	3.90"							474	744					750		744		174	744	744					744		
P229R DASA spurred hammer (w/ Light Rail)	3.90"							474	744							744		74	744	744					744		
P229R E2 (w/ Light Rail)	3.90"							474						750												744	
P229R E2 9mm (w/ Light Rail)	3.90"							474														474	474	474		474	
P226R MK25 (w/ Light Rail)	4.25"													450				77			477					477	477
P227 (w/out Light Rail) (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"																477	77	477	477							
P227R3 45acp (w/ Light Rail)	4.40"																					477	477	477		477	

Gun/Mfr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
P220 (w/out Light Rail) before gun serial number (G158180)	4.41"							77								77	477	77	77	77						
P220 DAO (w/out Light Rail)	4.41"							77				283		450				77								
P220R Compact (w/ Light Rail)	3.75"																	74								
P220R (w/ Light Rail)	4.41"								774	774							477			477	477	477	477		477	
P220R (w/ Light Rail)	4.41"													450				77								
P220R DAK (w/ Light Rail)	4.41"													450			477	477	277	477	477					
P220R DASA Bobbed or Spurred Hammer (w/ Light Rail)	4.41"																									
P220R DASA Spurred hammer (w/ Light Rail)	4.41"													450			477			477	477					
P220S (w/ Light Rail)	4.41"													450				77								
P220ST Stainless Steel (w/ Light Rail)	4.41"													450				77								
P226 (w/ Light Rail)	4.41"																				477	477	477		477	
P226 (w/out Light Rail)	4.41"											283		450												
P226 (w/out Light Rail) after S/N 365426 (wide trigger guard)	4.41"													450												
P226 (w/out Light Rail) before serial gun number (365426)	4.41"							77								77	477	77	77	77						
P226 DAO (w/out Light Rail)	4.41"							77				283		450				77								
P226 MK25 (w/ Light Rail)	4.41"																					477	477	477		477
P226R (w/ Light Rail)	4.41"								774	774				450			477	77			477	477	477		477	
P226R DAK (w/ Light Rail)	4.41"													450				277	477	477						
P226R DAK Bobbed Hammer (w/ Light Rail)	4.41"													450												
P226R DAK Spurred Hammer (w/ Light Rail)	4.41"													450												
P226R DASA Bobbed Hammer (w/ Light Rail)	4.41"													450												
P226R DASA Spurred Hammer (w/ Light Rail)	4.41"													450												
P226R DASA Spurred hammer (w/ Light Rail)	4.41"													450			477			477	477					
P226R Elite (w/ Light Rail)	4.41"													450							477					
P226S (w/ Light Rail)	4.41"													450				77								
P226SO (w/ Light Rail)	4.41"													450				77								
P250 Compact 40cal	3.88"			750					750									750	750	750	750	750	750	750	750	750
P250 Compact 9mm	3.88"			750					750									750	750	750	750	750	750	750	750	750
M18	3.90"	750-A-0		750					750					750	750		750		750	750	750	750	750	750	750	750
P320 Carry 40cal	3.90"	750-A-0		750					750					750	750		750		750	750	750	750	750	750	750	750
P320 Carry 9mm	3.90"	750-A-0		750					750					750	750		750		750	750	750	750	750	750	750	750
P320 Compact 40cal	3.90"	750-A-0		750					750					750	750		750		750	750	750	750	750	750	750	750
P320 Compact 9mm	3.90"	750-A-0		750					750					750	750		750		750	750	750	750	750	750	750	750
X-Carry	3.90"	750-A-0		750					750					750	750		750		750	750	750	750	750	750	750	750
M17	4.70"	750-A-0		450					450					450	450		450		450	450	450	450	450	450	450	450
P250 Full Size 40cal	4.70"								450										450	450	450	450	450	450	450	450
P250 Full Size 45acp	4.70"								450										450	450	450	450	450	450	450	450
P250 Full Size 9mm	4.70"								450										450	450	450	450	450	450	450	450
P320 40cal	4.70"	750-A-0		450					450					450	450		450		450	450	450	450	450	450	450	450
P320 9mm	4.70"	750-A-0		450					450					450	450		450		450	450	450	450	450	450	450	450
P320 X-Full	4.70"	750-A-0		450					450					450	450		450		450	450	450	450	450	450	450	450
X-Vtac	4.70"	750-A-0		450					450													450	450	450	450	450
1911 GSR	5.00"																	256								53
P320 X-Five	5.00"																									
w/ Lights	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
1911 GSR	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																25621								
M17	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"									4502												4502		4502	
M17	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"	750-A-7																			*45027	*45027		*45027	
M18	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7502												7502		7502	
M18	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.90"	750-A-7																			*75227	*75227		*75227	
P220R	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"																				7702	7702		7702	
P220R	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"																			7742					
P220R (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	77421							
P220R (DASA Spurred Hammer)	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.41"																	7740							
P220R DAK	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																			27721					

DUTY GEAR WILL FIT CHARTS
Part 3 Concealment Holsters with and without Lights-Pistols

Revised: 3/26/2024

Gun/Mfr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
P220S (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	77421								
P220SO (DASA Spurred Hammer)	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.41"																	7740								
P220ST (DASA Spurred Hammer)	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.41"																	7740								
P226 (full size hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	7721								
P226 MK25	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.41"																	7740								
P226R	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"																					4772	4772		4772	
P226R	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	77421								
P226R (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	77421								
P226R (DASA Spurred Hammer)	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	4.41"																	7740								
P226R DAK	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"																									7742
P226R DAK	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	27721								
P226R DASA	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.41"																									7742
P226R X-Five	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	5.00"																	3770								
P226S (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	77421								
P226SO (DASA Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																	77421								
P227	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.40"																									6772 6772 6772
P227	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.41"																		77421							
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.40"																									7742
P228	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	3.90"																	7421								
P229	Streamlight TLR-2 NOTE: Retention is reduced by removal of light																										
P229R	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"																		7442	7442						
P229R 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"																									4472 4472 4472
P229R 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"																									4742 4742 4742
P229R DAK (Bobbed Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	3.90"																	17421								
P229R DASA (Spurred Hammer)	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	3.90"																	74421								
P229R DASA (Spurred Hammer)	Surefire X300 or X300U NOTE: Retention is reduced by removal of light	3.90"																	7440								
P320 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"																									4502 4502 4502
P320 40cal	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"	750-A-7																								*45027 *45027 *45027
P320 40cal X-Full	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"	750-A-7																								*45027 *45027 *45027
P320 45ACP	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"																									4512

Gun/Mfrctr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
P320 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"	750-A-7								4502												4502		4502		
P320 9mm	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"	750-A-7																			*45027	*45027		*45027		
P320 9mm X-Full	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"	750-A-7								4502												4502		4502		
P320 9mm X-Full	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"	750-A-7																			*45027	*45027		*45027		
P320 Carry 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7502												7502		7502		
P320 Carry 45acp	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7512																
P320 Carry 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7502												7502		7502		
P320 Compact 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7502												7502		7502		
P320 Compact 40cal	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.90"	750-A-7																			*75227	*75227		*75227		
P320 Compact 45acp	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7512																
P320 Compact 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7502												7502		7502		
P320 Compact 9mm	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.90"	750-A-7																			*75227	*75227		*75227		
P320 X-Five	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																				4522	4522		4522		
P320 X-Full 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"									4502												4502		4502		
P365	Streamlight TLR-7 SUB; Nightstick TCM-P365	3.70"	465-A-7S	465-7																							
P365S	Streamlight TLR-7 SUB; Nightstick TCM-P365	3.70"	465-A-7S	465-7																							
P365XL	Streamlight TLR-7 SUB; Nightstick TCM-P365	3.70"	465-A-7S	465-7																							
Sig Pro P2022	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	3.50"																				27821					
X-Carry	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"									7502												7502		7502		
X-Carry	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.90"	750-A-7																			*75227	*75227		*75227		
X-Compact	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	3.60"	750-A-7																			*65227	*65227		*65227		
X-Vtac	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"									4502												4502		4502		
X-Vtac	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"	750-A-7																			*45027	*45027		*45027		
Smith & Wesson		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
Bodyguard .380		2.75"					194																				
Equalizer		3.68"	199-A-0																								
3953		3.50"																	321							320	
3954		3.50"																	321							320	
6946 lgrtrigrd		3.50"							83																	320	
6946 shrtrtrigrd		3.50"							83																	320	
5943 DAO w/out Rails		4.00"																								320	
5946 DAO w/out Rails		4.00"																								320	
5946 lgrtrigrd		4.00"							83																	320	
5946 shrtrtrigrd		4.00"							83																	320	
Sigma 40VE		4.00"											283		283				40								
Sigma SD9VE		4.00"											283		283				40								
SW99 40cal		4.00"								391			283		283				84		84	84					
SW99 9mm		4.00"								391			283		283				84		84	84					

Gun/Mfr/Model	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
M&P40 1.0	Surefire X300 NOTE: Retention is reduced by removal of light	4.25"									2192								2190								
M&P40 1.0	Surefire X400 NOTE: Retention is reduced by removal of light	4.25"																	21914								
M&P40 1.0	Surefire XC-1	4.25"																				21922	21922		21922		
M&P40 2.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.25"									2192								2192	2192		2192	2192		2192		
M&P40 2.0	Streamlight TLR-7, Suerfire XC-1/2, Nightstick TCM-550XL, TCM-10, or Sig Sauer Foxrot 1X, 2	4.25"	222-A-7																								
M&P40 2.0	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.25"																	21921								
M&P9 1.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.25"									2192								2192	2192		2192	2192		2192		
M&P9 1.0	Streamlight TLR-7, Suerfire XC-1/2, Nightstick TCM-550XL, TCM-10, or Sig Sauer Foxrot 1X, 2	4.25"	222-A-7																								
M&P9 1.0	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.25"																	21921								
M&P9 1.0	Surefire X300 NOTE: Retention is reduced by removal of light	4.25"									2192								2190								
M&P9 1.0	Surefire X400 NOTE: Retention is reduced by removal of light	4.25"																	21914								
M&P9 1.0	Surefire XC-1	4.25"																				21922	21922		21922		
M&P9 2.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.25"									2192								2222	2222		2192	2222		2222		
M&P9 2.0	Streamlight TLR-7, Suerfire XC-1/2, Nightstick TCM-550XL, TCM-10, or Sig Sauer Foxrot 1X, 2	4.25"	222-A-7																								
M&P9 2.0	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.25"																	21921								
M&P45 1.0 w/ or w/out thumb safety	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	4.60"																	51921								
M&P45 1.0 w/ or w/out thumb safety	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																	5192	5192		4192	4192		4192		
M&P45 1.0 w/out thumb safety	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																	4192	4192		4192	4192		4192		
M&P45 2.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																	5192	5192		4192	4192		4192		
M&P45 2.0 w/out thumb safety	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.60"																	4192	4192		4192	4192		4192		
M&P40 2.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																				8192	8192		8192		
M&P9 2.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																				8182	8182		8182		
M&P9 Pro 1.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																				8192	8192		8192		
M&P9L 1.0	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Sreamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																				8192	8192		8192		
1911 w/ Tactical Rails	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"																	560								
Sphinx		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
SDP Standard		4.50"																		281							
SDP Compact		3.70"							282													282					
SDP Subcompact		3.13"							285													285					
3000 cocked and locked or w/ hammer down		3.75"																		182							
3000 cocked and locked or w/ hammer down		4.50"																		182							
w/ Lights		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
SDP Standard	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"																		28114							
Springfield Armory		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN

Gun/Mfrctr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
911	2.75"						188																			
Hellcat (w/ manual safety)	3.00"				144	144								895				144								
Hellcat (w/out manual safety)	3.00"				144	144		894						895	895	895		144				144			144	144
XD Subcompact 40 cal	3.00"													750												
XD Subcompact 9mm	3.00"													750												
XD-E	3.30"													183												
XD-S 40cal	3.30"			45				45						895	895	895		45				45			45	45
XD-S 9mm	3.30"			45				45						895	895	895		45				45			45	45
XD-S MOD2 45acp	3.30"			45				45						283	183			45							455	455
XD(M) 9mm	3.80"																	148			148					
XD 357	4.00"													450				48	148	148	148					
XD 40cal	4.00"													450				48	148	148	148					
XD 45acp	4.00"													450				48	148	148	148					
XD 9mm	4.00"													450				48	148	148	148					
XD MOD2 40cal	4.00"													750				48	148	148	148					
XD MOD2 9mm	4.00"													750				48	148	148	148					
XD(M) 10mm	4.50"								146	146				450				49	149	149	149					
XD(M) 40cal	4.50"								146	146				450				49	149	149	149					
XD(M) 45acp	4.50"													450				49			146					
XD(M) 9mm	4.50"								146	146				450				49	149	145	145					
XD 357	5.00"													450				49	149	149	149					
XD 40cal	5.00"													450				49	149	149	149					
XD 45acp	5.00"													450				49	149	149	149					
XD 9mm	5.00"													450				49	149	149	149					
XD MOD2 357	5.00"													450				49	149	149	149					
XD MOD2 40cal	5.00"													450				49	149	149	149					
XD MOD2 45acp	5.00"													450				49	149	149	149					
XD MOD2 9mm	5.00"													450				49	149	149	149					
XD(M) 10mm	5.25"								146					450				49	149	149	149					
XD(M) 40cal	5.25"													450				49								
XD(M) 45acp	5.25"													450				49								
XD(M) 9mm	5.25"													450				49								
Prodigy	4.25"																									51
Prodigy	5.00"																	850								53
1911-A1	5.00"							53						683				53	53	53	53					53
Operator 1911	5.00"													683				56	56	56						53
w/ Lights	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
XD 40cal	4.00"																		1482							
XD 40cal	4.00"																	14821								
XD 45acp	4.00"																		1482							
XD 45acp	4.00"																	14821								
XD 9mm	4.00"																		462							
XD 9mm	4.00"																	14821								
XD MOD2 40cal	4.00"																	14821								
XD MOD2 9	4.00"																	14821								
XD(M) 40cal	4.00"																		1462							
XD(M) 40	4.50"																		1462							
XD(M) 40cal	4.50"																	14921								
XD(M) 45acp	4.50"																		1462							
XD(M) 9mm	4.50"																		1452							
XD(M) 9mm	4.50"																	14921								
1911 Operator	5.00"																	5621								

Gun/Mfrctr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN	
1911-A1 Non Rail	Surefire mount MR07 and Surefire X300 NOTE: Retention is reduced by removal of light	5.00"																530									
Operator 1911-A1	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																5621									
Operator 1911-A1	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"																	560								
XD 40cal	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																	1492								
XD 40cal	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																14921									
XD 45acp	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																	1492								
XD 45acp	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																14921									
XD 9mm	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"																	1492								
XD 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																14921									
XD MOD2 40cal	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																14921	1492								
XD MOD2 45acp	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																14921	1492								
XD MOD2 9mm	Streamlight TLR-2 NOTE: Retention is reduced by removal of light	5.00"																14921	1492								
STI/SVI		BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
GP6		4.25"																				51				51	
1911 w/out rails		5.00"							53						683			53		53	53					53	
1911 w/ rails		5.00"													683			56		56	56					53	
2011 w/ Full Size Dust Cover		5.00"																850								53	
2011 w/ Short Dust Cover		5.00"																851								53	
STI Tactical		5.00"																56								53	
DVS 3-GUN		5.40"													683												
2011 w/ Short Dust Cover		6.00"																852									
w/ Lights		BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
1911 Duty One	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"																	5340								
1911 w/ rails	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"																	5340								
2011 Tactical Lite 5	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"																	5340								
STI 2011 Tactical 5	Surefire X300 NOTE: Retention is reduced by removal of light	5.00"																	5340								
Staccato		BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
CS		3.50"	58-A-0												283						51					51	
C2		3.90"	58-A-0												283						51					51	
P		4.40"	58-A-0																							53	
XL		5.40"													683												
w/ Lights		BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
CS	Streamlight TLR-7 SUB; Nightstick TCM-5B	3.50"	58-A-7																								
C2	Streamlight TLR-7 SUB; Surefire XC-1, XC-2, Nightstick TCM-550, Sig Sauer Foxrot 1X_2	3.90"	58-A-7																								
P	Streamlight TLR-7 SUB; Surefire XC-1, XC-2, Nightstick TCM-550, Sig Sauer Foxrot 1X_2	4.40"	58-A-7																								
Tangfolio		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
Force		3.66"																									
Force Full Size		4.45"																									
Defiant Stock 1		4.45"																									
Defiant Stock 2		4.50"																									
Defiant Stock 3		4.75"																									
Witness		4.50"																									
Witness P Full Size		4.50"													283		283										
Witness P Compact		3.60"													283		183										
Taser- AXON		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
PULSE																											
Taurus		BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
Spectrum		2.80"																									
GX4		3.00"																									
PT111 G2		3.20"																									
G3C		3.25"																									
G3		4.00"																									

Gun/Mfr./Model	BBL.	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
247 w/ accy rails	4.00"											283		283				40								
PT809	4.00"											283		83					268							
PT840	4.00"											283		83					268							
PT845	4.00"											283		83												
PT100	5.00"																					175	175		175	
Walther	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
PPS	3.20"											283		183												
P5	3.50"																87	87								
CCP	3.54"											283		283												
P99C QA	3.50"											283		183		84		84	284	84						
P99	4.00"								391			283		283		84		84	84	84						
P99QA	4.00"											283		283				84	84							
P99 2008 Version	4.00"											283		283							384					
P99Q 45acp	4.00"													750												
P99Q	4.00"								391	384		283		283			384	384	384	384	384	384	384		384	
P99Q M1 (2008 & newer)	4.00"								391	384		283		283			384	384	384	384	384	384	384		384	
P99Q M2 (2008 & newer)	4.00"								391	384		283		283			384	384	384	384	384	384	384		384	
PPQ M1	4.00"								391	384		283		283			384	384	384	384	384	384	384		384	
PPQ M1 (2008 & newer)	4.00"								391	384		283		283			384	384	384	384	384	384	384		384	
PPQ M2 (2008 & newer)	4.00"								391	384		283		283			384	384	384	384	384	384	384		384	
PPQ M2 45acp	4.00"													750												
PDP Compact	4.00"													750												
PDP Fullsize Frame	4.00"													750												
PDP Compact	4.50"													450												
PDP Fullsize Frame	4.50"													450												
PDP Compact	5.00"													450												
PDP Fullsize Frame	5.00"													450												
P99 40cal	5.00"													683								385	385		385	
P99 9mm	5.00"													683								385	385		385	
P99Q 40cal	5.00"													683								385	385		385	
P99Q 9mm	5.00"													683								385	385		385	
PPQ 40cal	5.00"													683								385	385		385	
PPQ 9mm	5.00"													683								385	385		385	
PPQ M2 40cal	5.00"													683								385	385		385	
PPQ M2 9mm	5.00"													683								385	385		385	
Q5 Match Polymer Frame	5.00"													683			385					385	385		385	
w/ Lights	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
P99Q (2008 & newer)	4.00"										3842										3842					
PPQ (2008 & newer)	4.00"										3842										3842					
P99Q (2008 & newer)	5.00"																				3852					
PPQ (2008 & newer)	5.00"																				3852					
Wilson	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
1911 CQB w/ light rail	5.00"																									53
1911	4.88"																	53	53							53
w/ Lights	BBL	INCOG	SOLIS	17	19	20	25	27	537	547	557	575	571	578	637	1051	5198	6287	6367	6378	7053	7287	7367	7371	7378	7378 CUT DOWN
1911 w/ rails: CQB	5.00"																		5340	560						

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such