



Note: Items with an * by the center code will have full retention capability with or without a light attached

Gun Mfr/Model		BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVault
CZ		BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVault
P10C	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.02"													39219	39219	39219	39219	39219	39219	39219	
P10F	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"													49219	49219	49219	49219	49219	49219	49219	
FN		BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVault
509	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	4.00"					2702	2702	2702	2702	2702	2702	2702									
509	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	4.00"					2702*	2702*	2702*	2702*	2702*	2702*	2702*									
509 Compact Tactical	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	4.30"					2712	2712	2712	2712	2712	2712	2712									
509 Tactical	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	4.50"					2712	2712	2712	2712	2712	2712	2712									
Glock		BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVault
17 Gen3	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50"												83								
17 Gen4	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50"												83								
19 Gen3	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00"												283								
19 Gen4	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00"												283								
22 Gen3	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50"												83								
22 Gen4	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50"												83								
23 Gen3	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00"												283								
23 Gen4	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00"												283								
34 Gen3	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	5.32"												683								
34 Gen4	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	5.32"												683								
35 Gen3	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	5.32"												683								
35 Gen4	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	5.32"												683								
With Light			6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVault
17 Gen3	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50"												832								
17 Gen4	Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50"												832								
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"	832	832	832	832	832	832	832	832	832	832	832		8325	8325	8325	8325	8325	8325	8325	835-1-2
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"																				835-1-75
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8327	8327	8327	8327	8327	8327	8327		8327	8327	8327	8327	8327	8327	8327	
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"																				835-1-7

DUTY GEAR WILL FIT CHART
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 4/17/2024

Gun Mfr/Model		BBL	6378RDSO	6388RDSO / 6396RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6366RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7366RDS / 7362RDS	7396RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARI VAULT	
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"				8321	8321	8321	8321	8321	8321	8321										
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"				8328	8328	8328	8328	8328	8328	8328										
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"	8314	8314	8314	8314	8314	8314	8314	8314	8314	8314										
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XVL2 NOTE: Retention is reduced by removal of light	4.50"				8329	8329	8329	8329	8329	8329	8329										
17 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XVL2 with DG Pressure Switch NOTE: Retention is reduced by removal of light	4.50"				8392	8392	8392	8392	8392	8392	8392										
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APLc, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	832	832	832	832	832	832	832	832	832	832		8325	8325	8325	8325	8325	8325	8325	8325	835-1-2
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.50"																				835-1-75
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"				8327	8327	8327	8327	8327	8327	8327		8327	8327	8327	8327	8327	8327	8327		
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APLc, WILD1	4.50"																				835-1-7
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"				8321	8321	8321	8321	8321	8321	8321										
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"	8328	8328	8328	8328	8328	8328	8328	8328	8328	8328										
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	4.50"				8314	8314	8314	8314	8314	8314	8314										
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XVL2 NOTE: Retention is reduced by removal of light	4.50"				8329	8329	8329	8329	8329	8329	8329										
17 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XVL2 with DG Pressure Switch NOTE: Retention is reduced by removal of light	4.50"				8392	8392	8392	8392	8392	8392	8392										
19 MOS Gen4	Burris Fastfire; Trjicon RMR; Vortex Viper or Venom	Inforce APLc, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"											2832									
19 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APLc, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832		28325	28325	28325	28325	28325	28325	28325	28325	835-1-2
19 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.00"																				835-1-75
19 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327		28327	28327	28327	28327	28327	28327	28327		
19 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"				28321	28321	28321	28321	28321	28321	28321										
19 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"	28328	28328	28328	28328	28328	28328	28328	28328	28328	28328										
19 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XVL2 NOTE: Retention is reduced by removal of light	4.00"				28329	28329	28329	28329	28329	28329	28329										

DUTY GEAR WILL FIT CHART
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 4/17/2024

Gun Mfr/Model	BBL	6378RDSO	6388RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28392	28392	28392	28392	28392	28392	28392										
19 MOS Gen5 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00'												2832									
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832		28325	28325	28325	28325	28325	28325	28325	835-1-2	
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'																					835-1-75
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'																					835-1-7
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327		28327	28327	28327	28327	28327	28327	28327	28327	
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28321	28321	28321	28321	28321	28321	28321										
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28328	28328	28328	28328	28328	28328	28328										
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28329	28329	28329	28329	28329	28329	28329										
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28392	28392	28392	28392	28392	28392	28392										
22 Gen3 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50'													832								
22 Gen4 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50'													832								
22 MOS Gen5 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50'					8252	8252	8252	8252	8252	8252	8252										
23 MOS Gen5 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00'					28252	28252	28252	28252	28252	28252	28252										
34 Gen3 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	5.32'													6832								
34 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.32'	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832		68325	68325	68325	68325	68325	68325	68325	68325	835-1-2
34 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.32'													68327	68327	68327	68327	68327	68327	68327	68327	
34 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.32'					68314	68314	68314	68314	68314	68314	68314										
34 Gen4 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	5.32'													6832								

DUTY GEAR WILL FIT CHART
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 4/17/2024

Gun Mfctr./Model		BBL	6378RDSO	6388RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVault	
34 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	68325	68325	68325	68325	68325	68325	68325	68325	835-1-2
34 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	5.32"												68327	68327	68327	68327	68327	68327	68327	68327	
34 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	5.32"				68314	68314	68314	68314	68314	68314	68314	68314									
35 Gen3	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"											6832									
35 Gen4	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"											6832									
35 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	68325	68325	68325	68325	68325	68325	68325	68325	835-1-2
35 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	5.32"												68327	68327	68327	68327	68327	68327	68327	68327	
35 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	5.32"				68314	68314	68314	68314	68314	68314	68314	68314									
41 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	28325	28325	28325	28325	28325	28325	28325	28325	835-1-2
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.00"																				835-1-75
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APL, WILD1	4.00"	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	835-1-7
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"				28321	28321	28321	28321	28321	28321	28321	28321									
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	4.00"				28328	28328	28328	28328	28328	28328	28328	28328									
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XV12 NOTE: Retention is reduced by removal of light	4.00"				28329	28329	28329	28329	28329	28329	28329	28329									
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XV12 with DG Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28392	28392	28392	28392	28392	28392	28392	28392									
47 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	835-1-2
47 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.50"																				835-1-75
47 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APL, WILD1	4.50"	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727	835-1-7

Gun Mfr/Model	BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
49 MOS Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	835-1-2	
49 MOS Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"																				835-1-75	
49 MOS Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	835-1-7	
H&K	BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
VP9 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	4.09"					5932	5932	5932	5932	5932	5932	5932										
VP9 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.09"													5932T	5932T	5932T	5932T	5932T	5932T	5932T		
Night Hawk	BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
BD99 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.00"		2582	2582	2582			2582	2582	2582	2582	2582	2582									
Sand Hawk Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.00"		2582	2582	2582			2582	2582	2582	2582	2582	2582									
Shadow Systems	BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
DR920 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					832	832	832	832	832	832	832										
DR920 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					832T	832T	832T	832T	832T	832T	832T										
XR920 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832										
XR920 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T										
Sig Sauer	BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
X-Compact Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.60"															*6522T	*6522T	*6522T	*6522T	*6522T	*6522T	
X-Compact Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.60"															*6522T	*6522T	*6522T	*6522T	*6522T	*6522T	
X-Compact Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.60"															*6522T	*6522T	*6522T	*6522T	*6522T	*6522T	
M18 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"															7502	7502	7502	7502	7502	7502	
M18 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-75
M18 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"															*7522T	*7522T	*7522T	*7522T	*7522T	*7522T	
M18 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-7
M18 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7502	7502	7502	7502	7502	7502	7502										
M18 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7522T	7522T	7522T	7522T	7522T	7522T	7522T										

DUTY GEAR WILL FIT CHART
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 4/17/2024

Gun Mfr/Model	BBL	6378RDSO	6388RDSO / 6396RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7396RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
M18 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
M18 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													7502	7502	7502	7502	7502	7502	7502		450-1-75
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-75
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													*75227	*75227	*75227	*75227	*75227	*75227	*75227		
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-7
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7502	7502	7502	7502	7502	7502	7502										
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75227	75227	75227	75227	75227	75227	75227										
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													7502	7502	7502	7502	7502	7502	7502		
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-75
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													*75227	*75227	*75227	*75227	*75227	*75227	*75227		
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-7
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7502	7502	7502	7502	7502	7502	7502										
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75227	75227	75227	75227	75227	75227	75227										
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													7502	7502	7502	7502	7502	7502	7502		
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-75
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													*75227	*75227	*75227	*75227	*75227	*75227	*75227		
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-7
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7502	7502	7502	7502	7502	7502	7502										
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75227	75227	75227	75227	75227	75227	75227										
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										

DUTY GEAR WILL FIT CHART
 PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 4/17/2024

Gun Mfr/Model		BBL	6378RDSO	6388RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502	4502	4502	
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																			450-1-75
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"												*45027	*45027	*45027	*45027	*45027	*45027	*45027	
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APLc, WILD1	4.70"																			450-1-7
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502	4502	4502	4502	4502									
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45027	45027	45027	45027	45027	45027	45027									
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45028	45028	45028	45028	45028	45028	45028									
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Surefire XV2 NOTE: Retention is reduced by removal of light	4.70"				45029	45029	45029	45029	45029	45029	45029									
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502	4502	4502	
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																			450-1-75
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"												*45027	*45027	*45027	*45027	*45027	*45027	*45027	
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APLc, WILD1	4.70"																			450-1-7
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502	4502	4502	4502	4502									
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45027	45027	45027	45027	45027	45027	45027									
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45028	45028	45028	45028	45028	45028	45028									
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Surefire XV2 NOTE: Retention is reduced by removal of light	4.70"				45029	45029	45029	45029	45029	45029	45029									
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502	4502	4502	
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																			450-1-75
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"												*45027	*45027	*45027	*45027	*45027	*45027	*45027	
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APLc, WILD1	4.70"																			450-1-7
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502	4502	4502	4502	4502									
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45027	45027	45027	45027	45027	45027	45027									
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45028	45028	45028	45028	45028	45028	45028									
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Surefire XV2 NOTE: Retention is reduced by removal of light	4.70"				45029	45029	45029	45029	45029	45029	45029									
P320RX	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502	4502	4502	
P320RX	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																			450-1-75

DUTY GEAR WILL FIT CHART
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 4/17/2024

Gun Mfr/Model	BBL	6378RDSO	6389RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARI VAULT	
P320RX	Sig Romeo1 Pro, Vortex Viper or Venom; Trijicon RMR, Deltapoint Pro, Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
P320RX	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					450-1-7
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					4502	4502	4502	4502	4502	4502	4502										
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45027	45027	45027	45027	45027	45027	45027										
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45028	45028	45028	45028	45028	45028	45028										
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45029	45029	45029	45029	45029	45029	45029										
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4502	4502	4502	4502		4502	4502		
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					450-1-75
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					450-1-7
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					4502	4502	4502	4502	4502	4502	4502										
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45027	45027	45027	45027	45027	45027	45027										
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45028	45028	45028	45028	45028	45028	45028										
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45029	45029	45029	45029	45029	45029	45029										
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4522	4522	4522	4522		4522	4522		
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4522	4522	4522	4522		4522	4522		
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4522	4522	4522	4522		4522	4522		
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
Smith & Wesson		BBL	6378RDSO	6389RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARI VAULT
M&P40 CORE 1.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire						2192	2192	2192	2192	2192	2192	2192									
M&P40 CORE 1.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					8192	8192	8192	8192	8192	8192	8192										
M&P40 CORE 2.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					2192	2192	2192	2192	2192	2192	2192										
M&P40 CORE 2.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					8192	8192	8192	8192	8192	8192	8192										

Gun Mnfctr./Model	BBL	6378RDSO	6388RDSO / 6396RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7396RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVULT	
PDP Compact	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"													*58427	*58427	*58427	*58427	*58427	*58427	
PDP Full Size Frame	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"													*58427	*58427	*58427	*58427	*58427	*58427	

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.