



Note: Items with an \* by the center code will have full retention capability with or without a light attached

Gun Mfrctr./Model	BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAUULT	
<b>CZ</b>																						
P10C																39219	39219	39219	39219	39219	39219	
P10F																49219	49219	49219	49219	49219	49219	
<b>FN</b>																						
509																						
509																						
509 Compact Tactical																						
509 Tactical																						
<b>Glock</b>																						
17 Gen3																						
17 Gen4																						
19 Gen3																						
19 Gen4																						
22 Gen3																						
22 Gen4																						
23 Gen3																						
23 Gen4																						
34 Gen3																						
34 Gen4																						
35 Gen3																						
35 Gen4																						
<b>With Light</b>																						
17 Gen3																						
17 Gen4																						
17 MOS Gen4																						
17 MOS Gen4																						
17 MOS Gen4																						
17 MOS Gen4																						
17 MOS Gen4																						
17 MOS Gen4																						

DUTY GEAR WILL FIT CHART  
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 3/22/2024

Gun Mfr/Model	BBL	6378RDSO	6388RDSO / 6396RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARI VAULT	
17 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8321	8321	8321	8321	8321	8321	8321										
17 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8328	8328	8328	8328	8328	8328	8328										
17 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"	8314	8314	8314	8314	8314	8314	8314	8314	8314	8314	8314										
17 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8329	8329	8329	8329	8329	8329	8329										
17 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8392	8392	8392	8392	8392	8392	8392										
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"	832	832	832	832	832	832	832	832	832	832	832		8325	8325	8325	8325	8325	8325	8325	8325	835-1-2
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"																					835-1-75
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8327	8327	8327	8327	8327	8327	8327		8327	8327	8327	8327	8327	8327	8327		
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"																					835-1-7
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8321	8321	8321	8321	8321	8321	8321										
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"	8328	8328	8328	8328	8328	8328	8328	8328	8328	8328	8328										
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8314	8314	8314	8314	8314	8314	8314										
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8329	8329	8329	8329	8329	8329	8329										
17 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.50"					8392	8392	8392	8392	8392	8392	8392										
19 MOS Gen4 Burris Fastfire; Trjicon RMR; Vortex Viper or Venom	4.00"												2832									
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832		28325	28325	28325	28325	28325	28325	28325	28325	835-1-2
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"																					835-1-75
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327		28327	28327	28327	28327	28327	28327	28327	28327	
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"					28321	28321	28321	28321	28321	28321	28321										
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"	28328	28328	28328	28328	28328	28328	28328	28328	28328	28328	28328										
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trjicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00"					28329	28329	28329	28329	28329	28329	28329										

DUTY GEAR WILL FIT CHART  
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 3/22/2024

Gun Mfr/Model	BBL	6378RDSO	6388RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
19 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28392	28392	28392	28392	28392	28392	28392										
19 MOS Gen5 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00'												2832									
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832		28325	28325	28325	28325	28325	28325	28325	835-1-2	
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'																					835-1-75
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'																					835-1-7
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327		28327	28327	28327	28327	28327	28327	28327	28327	
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28321	28321	28321	28321	28321	28321	28321										
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28328	28328	28328	28328	28328	28328	28328										
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28329	28329	28329	28329	28329	28329	28329										
19 MOS Gen5 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	4.00'					28392	28392	28392	28392	28392	28392	28392										
22 Gen3 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50'																					832
22 Gen4 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50'																					832
22 MOS Gen5 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.50'					8252	8252	8252	8252	8252	8252	8252										
23 MOS Gen5 Burris Fastfire; Trijicon RMR; Vortex Viper or Venom	4.00'					28252	28252	28252	28252	28252	28252	28252										
34 Gen3 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	5.32'																					6832
34 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.32'	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832		68325	68325	68325	68325	68325	68325	68325	68325	835-1-2
34 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.32'													68327	68327	68327	68327	68327	68327	68327	68327	
34 MOS Gen4 Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	5.32'					68314	68314	68314	68314	68314	68314	68314										
34 Gen4 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	5.32'																					6832

DUTY GEAR WILL FIT CHART  
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 3/22/2024

Gun Mfrctr./Model		BBL	6378RDSO	6388RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVault	
34 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832	68325	68325	68325	68325	68325	68325	68325	68325	835-1-2
34 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	5.32"												68327	68327	68327	68327	68327	68327	68327	68327	
34 MOS Gen5	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	5.32"				68314	68314	68314	68314	68314	68314	68314										
35 Gen3	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"											6832									
35 Gen4	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"											6832									
35 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832		68325	68325	68325	68325	68325	68325	68325	68325	835-1-2
35 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	5.32"												68327	68327	68327	68327	68327	68327	68327	68327	
35 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire X400, X400U, or X400V NOTE: Retention is reduced by removal of light	5.32"				68314	68314	68314	68314	68314	68314	68314										
41 MOS Gen4	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.32"	6832	6832	6832	6832	6832	6832	6832	6832	6832	6832										
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832		28325	28325	28325	28325	28325	28325	28325	28325	835-1-2
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.00"																				835-1-75
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APL, WILD1	4.00"	28327	28327	28327	28327	28327	28327	28327	28327	28327	28327		28327	28327	28327	28327	28327	28327	28327	28327	835-1-7
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"				28321	28321	28321	28321	28321	28321	28321										
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	4.00"				28328	28328	28328	28328	28328	28328	28328										
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XV12 NOTE: Retention is reduced by removal of light	4.00"				28329	28329	28329	28329	28329	28329	28329										
45 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Surefire XV12 with DG Pressure Switch NOTE: Retention is reduced by removal of light	4.00"				28392	28392	28392	28392	28392	28392	28392										
47 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972		8972	8972	8972	8972	8972	8972	8972	8972	835-1-2
47 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.50"																				835-1-75
47 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APL, WILD1	4.50"	89727	89727	89727	89727	89727	89727	89727	89727	89727	89727		89727	89727	89727	89727	89727	89727	89727	89727	835-1-7

Gun Mfr/Model		BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT		
49 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	8972	835-1-2	
49 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.50"																				835-1-75	
49 MOS	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APL, WILD1	4.50"	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	8972T	835-1-7
H&K			BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
VP9	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.09"				5932	5932	5932	5932	5932	5932	5932											
VP9	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	4.09"												5932T	5932T	5932T	5932T	5932T	5932T	5932T	5932T		
Night Hawk			BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
BD99	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"		2582	2582	2582			2582	2582	2582	2582	2582	2582									
Sand Hawk	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"		2582	2582	2582			2582	2582	2582	2582	2582	2582									
Shadow Systems			BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
DR920	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				832	832	832	832	832	832	832											
DR920	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	4.50"				832T	832T	832T	832T	832T	832T	832T											
XR920	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832										
XR920	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	4.00"	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T	2832T										
Sig Sauer			BBL	6378RDSO	6390RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
X-Compact	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	3.60"													7522T	7522T	7522T	7522T	7522T	7522T	7522T		
X-Compact	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	3.60"													7522T	7522T	7522T	7522T	7522T	7522T	7522T		
X-Compact	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	3.60"													7522T	7522T	7522T	7522T	7522T	7522T	7522T		
M18	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"													7502	7502	7502	7502	7502	7502	7502		
M18	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	3.90"																				450-1-75	
M18	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	3.90"													7522T	7522T	7522T	7522T	7522T	7522T	7522T		
M18	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APL, WILD1	3.90"																				450-1-7	
M18	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				7502	7502	7502	7502	7502	7502	7502											
M18	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APL, WILD1	3.90"				7522T	7522T	7522T	7522T	7522T	7522T	7522T											

DUTY GEAR WILL FIT CHART  
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 3/22/2024

Gun Mfr/Model	BBL	6378RDSO	6388RDSO / 6396RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7396RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
M18 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
M18 Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													7502	7502	7502	7502	7502	7502	7502		450-1-75
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-75
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													*75227	*75227	*75227	*75227	*75227	*75227	*75227		
M18X Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-7
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7502	7502	7502	7502	7502	7502	7502										
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75227	75227	75227	75227	75227	75227	75227										
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
M18X Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													7502	7502	7502	7502	7502	7502	7502		
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-75
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													*75227	*75227	*75227	*75227	*75227	*75227	*75227		
X Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-7
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7502	7502	7502	7502	7502	7502	7502										
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75227	75227	75227	75227	75227	75227	75227										
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
X Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													7502	7502	7502	7502	7502	7502	7502		
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-75
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"													*75227	*75227	*75227	*75227	*75227	*75227	*75227		
X-Carry Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	3.90"																					450-1-7
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					7502	7502	7502	7502	7502	7502	7502										
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75227	75227	75227	75227	75227	75227	75227										
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75228	75228	75228	75228	75228	75228	75228										
X-Carry Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	3.90"					75029	75029	75029	75029	75029	75029	75029										

DUTY GEAR WILL FIT CHART  
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 3/22/2024

Gun Mfr/Model		BBL	6378RDSO	6388RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAULT	
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"														4502	4502	4502	4502	4502	4502	
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRC; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																				450-1-75
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"												*45027	*45027	*45027	*45027	*45027	*45027	*45027	*45027	
X-Full	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRC; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APLc, WILD1	4.70"																				450-1-7
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502	4502	4502	4502	4502										
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45027	45027	45027	45027	45027	45027	45027										
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45028	45028	45028	45028	45028	45028	45028										
X-Full	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Surefire XV2 NOTE: Retention is reduced by removal of light	4.70"				45029	45029	45029	45029	45029	45029	45029										
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502	4502	4502	4502	
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRC; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																				450-1-75
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"												*45027	*45027	*45027	*45027	*45027	*45027	*45027	*45027	
M17	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRC; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APLc, WILD1	4.70"																				450-1-7
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502	4502	4502	4502	4502										
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45027	45027	45027	45027	45027	45027	45027										
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45028	45028	45028	45028	45028	45028	45028										
M17	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Surefire XV2 NOTE: Retention is reduced by removal of light	4.70"				45029	45029	45029	45029	45029	45029	45029										
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502	4502	4502	4502	
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRC; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																				450-1-75
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"												*45027	*45027	*45027	*45027	*45027	*45027	*45027	*45027	
M17X	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRC; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; or Inforce APLc, WILD1	4.70"																				450-1-7
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"				4502	4502	4502	4502	4502	4502	4502										
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45027	45027	45027	45027	45027	45027	45027										
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Streamlight TLR-8; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.70"				45028	45028	45028	45028	45028	45028	45028										
M17X	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Surefire XV2 NOTE: Retention is reduced by removal of light	4.70"				45029	45029	45029	45029	45029	45029	45029										
P320RX	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.70"												4502	4502	4502	4502	4502	4502	4502	4502	
P320RX	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRC; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Nightstick TCM 550	4.70"																				450-1-75

DUTY GEAR WILL FIT CHART  
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 3/22/2024

Gun Mfr/Model	BBL	6378RDSO	6389RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARI VAULT	
P320RX	Sig Romeo1 Pro, Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
P320RX	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					450-1-7
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					4502	4502	4502	4502	4502	4502	4502										
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45027	45027	45027	45027	45027	45027	45027										
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45028	45028	45028	45028	45028	45028	45028										
P320RX	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45029	45029	45029	45029	45029	45029	45029										
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4502	4502	4502	4502		4502	4502		
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					450-1-75
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					
X-VTAC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					450-1-7
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					4502	4502	4502	4502	4502	4502	4502										
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45027	45027	45027	45027	45027	45027	45027										
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45028	45028	45028	45028	45028	45028	45028										
X-VTAC	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					45029	45029	45029	45029	45029	45029	45029										
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4522	4522	4522	4522		4522	4522		
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4522	4522	4522	4522		4522	4522		
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire													4522	4522	4522	4522		4522	4522		
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					45227
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					45227
X-Five	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire																					45227
Smith & Wesson		BBL	6378RDSO	6389RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARI VAULT
M&P40 CORE 1.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire						2192	2192	2192	2192	2192	2192	2192									
M&P40 CORE 1.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					8192	8192	8192	8192	8192	8192	8192										
M&P40 CORE 2.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					2192	2192	2192	2192	2192	2192	2192										
M&P40 CORE 2.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire					8192	8192	8192	8192	8192	8192	8192										



DUTY GEAR WILL FIT CHART  
PT 4 DG Concealment, Duty, and Tactical Holsters with Optic and Lights -Pistols

Revised: 3/22/2024

Gun Mfr/Model		BBL	6378RDSO	6399RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAUULT	
M&P9 CORE 1.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.25"				2192	2192	2192	2192	2192	2192	2192										
M&P9 CORE 1.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				8192	8192	8192	8192	8192	8192	8192										
M&P9 CORE 2.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.00"				2252	2252	2252	2252	2252	2252	2252										
M&P9 CORE 2.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.25"				2222	2222	2222	2222	2222	2222	2222										
M&P9 CORE 2.0	Vortex Viper or Venom; Trijicon RMR; Deltapoint Pro; Holosun 407, 507, 508, or 509; or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"				8182	8182	8182	8182	8182	8182	8182										
Springfield			BBL 6378RDSO	6399RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAUULT	
Echelon	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"				572	572	572	572	572	572	572										
Prodigy	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.25"				1582	1582	1582	1582	1582	1582	1582										
Prodigy	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"	2582	2582	2582	2582	2582	2582	2582	2582	2582	2582										
Staccato			BBL 6378RDSO	6399RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAUULT	
C2 Duo	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	3.90"				582	582	582	582	582	582	582										
P Duo	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.10"				582	582	582	582	582	582	582										
P Duo	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.40"				1582	1582	1582	1582	1582	1582	1582										
XC	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	5.00"	2582	2582	2582	2582	2582	2582	2582	2582	2582	2582										
Walther			BBL 6378RDSO	6399RDSO / 6395RDSO / 6392RDSO	6354RDSO / 6355RDSO	6384RDSO / 6385RDSO	6378RDS	6367RDS	6360RDS / 6365RDS / 6362RDS	6390RDS / 6395RDS / 6392RDS	6304RDS / 6305RDS	6354RDS / 6355RDS	6384RDS / 6385RDS	6354DO / 6355DO	7378RDS	7367RDS	7360RDS / 7365RDS / 7362RDS	7390RDS / 7395RDS / 7392RDS	7304RDS / 7305RDS	7354RDS / 7355RDS	7384RDS / 7385RDS	SAFARIVAUULT	
PDP Compact	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	5842	5842	5842	5842	5842	5842	5842	5842	5842	5842										
PDP Full Size Frame	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Inforce APL, WILD2; Olight PL-Pro Valkyrie; Nightstick TWM-30, TWM-350, TWM-350S, TWM-850, TWM-850S; Streamlight TLR-1, TLR-1HL; Surefire X300, or X300U NOTE: Retention is reduced by removal of light	4.50"	5842	5842	5842	5842	5842	5842	5842	5842	5842	5842										
PDP Compact	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"												*48427	*48427	*48427	*48427	*48427	*48427	*48427	*48427	
PDP Full Size Frame	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.00"												*48427	*48427	*48427	*48427	*48427	*48427	*48427	*48427	
PDP Compact	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"												*58427	*58427	*58427	*58427	*58427	*58427	*58427	*58427	
PDP Full Size Frame	Sig Romeo1 Pro; Vortex Viper or Venom; Trijicon RMR, RMR HD, RCR, SRO; Deltapoint Pro; Holosun 407, 507, 508, or 509; Aimpoint ACRO or Burris Fastfire	Streamlight TLR-7; Surefire XC-1, XC-2; Nightstick TCM 550; or Inforce APLc, WILD1	4.50"												*58427	*58427	*58427	*58427	*58427	*58427	*58427	*58427	

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.