

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20



Note: Items with an * by the center code will have full retention capability with or without a light attached

PT 4 Concealment with & without Lights - Pistols

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
AMT	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
Hardballer	5.00"				53				53							53							
Beretta	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
92/96 Vertec M9A1	4.70"								49			450				73	73			73	73	73	73
M9																				73	73	73	73
M9A3																				73	73	73	73
92/96 Vertec w/ Light Rail <i>N/A for Double Action Bobbed Hammer</i>	4.70"								49										73	73	73		73
92 Brigadier D	4.90"														73								
92 Brigadier FS	4.90"								53						73	73							
92 Brigadier	4.90"								49						73		73						
92 D	4.90"								53			450		73	73	173	73	73		73	73		73
92 DM	4.30"								53							173							
92 DS	4.90"								53						73	173							
92 F	4.90"								53			450		73	73	73	73	73		73	73	73	73
92 FC	4.30"								51							73							
92 FCM	4.30"								51						73	73							
92 FS	4.90"								53			450		73	73	73	73	73		73	73	73	73
92 FS Centurion	4.30"								51			450				73	73	73		73	73	73	73
92 G	4.90"								53							73	73						73
96	4.90"								53			450				73							
96 Brigadier D	4.90"								53							173							
96 Brigadier G	4.90"								53							73							
96 Brigadier	4.90"																73						
96 Centurion	4.30"								51							73							
96 D	4.90"								53							173	73						
96 DC	4.30"								51							173							
96 DS	4.90"								53							173							
96 DS Brigadier D	4.90"								53							173							
96 F 96 FS	4.90"																73						
96 G	4.90"								53							73	73						
96 G SD	4.90"															73							
Cougar 8000, 8040 Cougar D DAO	3.60"								54							171							
Cougar 8000, 8040 Cougar F, D	3.60"								54							71							
Cougar 8045 F	3.60"															71							
PX4 Storm 9mm & .40 DAO Only	4.00"																	181					
PX4 Storm 9mm & .40 DASA Only	4.00"				77				744							180	180	180					
PX4 Storm .45ACP	4.00"																185	185					
APX 9/40	4.25"											750				673	673						
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
92 F, 92 FS, 92 Brigadier w/ Surefire P116	4.90"															736							
92 F w/ Surefire MR-11 adapter & Surefire X200 or X300	4.90"															73421							
92, Sure-Fire Nitrolon Light P116C, P116D, P116 NOTE: Retention is reduced by removal of light	4.90"															736							
Vertec 92 FS, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"															73421							
PX4 Storm with ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"															18021							
APX 9/40 W/ M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U light	4.25"																6732						
Browning	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
BDM 9mm	4.73"								53											76			76
High Power 9mm	4.66"								53							76				76			76
Hi Power 9mm (Canadian Version)	4.60"															376				76			76
Canik	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
TP9SF	4.46								83			83												
TP9SF Elite	4.19								83			83												
TP9SA	4.47								83			83												
TP9SFx	5.20"															151								
Caracal	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
C	3.50"								83															
F	4.10"								83	283		283												
Caspian with Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 w/ Military Mount with Beamshot Model 8800	5.00"															5322								
Colt	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Combat Elite	5.00"				53				53			683			53	53				53				53
Combat Target	5.00"											683				53					53			53
Commander	4.25"		54		53				51			83			51			52		51				51
Delta Elite	5.00"				53				53			683			53	53					53			53
Delta Gold Cup	5.00"				53				53			683			53	53					53			53
Gold Cup Nat'l Match	5.00"				53				53			683			53	53					53			53
Government 1911	5.00"		53				53		53			683			53	53	53		53		53			53
Mustang	2.75"																							
Officer's .45ACP	3.50"	51	51						54			283			54									54
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911-A1 Non Rail, w/ Surefire mount MR07, w/ Surefire X200 or X300 Light	5.00"															530								
CZ	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
75, 85	4.50"								51							90								
75	4.50"											683												
75 P-01	3.80"								744							290								
75 SP01 Shadow	4.00"														490									
Shadow 2	4.89"														590									
P-07	3.80"											750												
P-09	4.53"											450												
RAMI	3.00"				183																			
P10F	4.50"														492									
P10C	4.02"														392						392	392	392	392
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P10C w/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.02"																3922							
P10F w/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"																4922							
EAA	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"								51							90								
FN	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Five-Seven	4.80"								49								61							
Five-Seven MKII	4.80"																361							
FNP-9	4.00"				77				744								260							
FNP 45	4.50"								744			450					261							
FNS 9mm	4.00"								744	283		283			266	266	269	266						
FNS 40 SW	4.00"								744	283		283			266	266	266	266						
FNS 9mm & 40 SW	5.00"											683			267		267							
FNS 9mm Compact	3.60"										283	183												
FNS 40 SW Compact	3.60"										283	183												
FNX 9mm & 40 SW	4.00"								744						265	265								
FN 503	3.00"											183												
FN 509	4.00"										283										270	270	270	270
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. NOTE: Retention is reduced by removal of light	4.80"							612								6121								

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
FNS 9mm & 40 S&W W/ M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL Surefire X200, X300, X300U, or WL1AA Light	4.00"																	2662					
FNS 9mm & 40 S&W W/ M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	5.00"																	2672					
FN 509 W/ M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	4.00"																2702						
Glock	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
17, 17C, 22, 22C, 31 (.357), 47 All Gen	4.50"	83	83		83	83	83		83			83	83	283	83	83	83	83	835	835	835		835
17 & 22 Dual Mag release Gen1-4	4.50"	83										83				983	983						
19, 19C, 23, 23C, 25, 32, 45 All Gen	4.00"	283	283		283	283	283		54	283		283	283	283	283	283	283	283	2835	2835	2835		2835
19X	4.00"	283			283	283	283		54	283		283			283		283		2835	2835	2835		2835
19 & 23 Dual Mag release Gen1-4	4.00"	283								283		283											
20, 20C, 21, 21C Gen1-4	4.60"					383			83			83		383	383	383	383	383	383	383	383		383
21SF Gen1-4 w/ STD Glock Rails	4.60"								83						383	383	383	383	383	383	383		383
21SF Gen1-4 w/ Picatinny Rails	4.60"															383							
33, 28	3.50"				83				54					283	183			183					
26, 27 All Gen	3.50"	183	183		183				54	283		183			183	283		183	183	183			183
29, 30, 30S All Gen	3.78"								83	283		183		483			483	483	483	483	483		483
30S	3.77"								83	283		183			383		485	485	483	483	483		483
30SF	3.77"																	483					
34 All Gen	5.32"								49			683			683				6835	6835	6835		6835
34, 35 Gen1-4	5.32"								49			683			683			683	6835	6835	6835		6835
36	3.75"								54														
37	4.50"								49			83				783	783	783					
38	4.00"								83	283		283						783					
39	3.38"								744	283		183						883					
41 Gen4	5.31"								49			683											
42	3.25"				894	894									894				895			895	895
43, 43X	3.39"	895	895		895	895				895		895		895	895				895			895	895
47	4.50"	83	83		83	83	83		83			83		83	83	83	83	83	835	835	835		835
48	4.17"								54										896				896
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
17, 22 All Gen w/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"							832								832	832	832	8325	8325	8325		8325
17, 22 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.50"																		*8327	*8327	*8327		*8327
17, 22 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																8301						
17, 22, 19, 23 All Gen with SureFire, X200, X300, X400, X400U, or X400V Light	4.50"															8314							
17, 22 All Gen W/ Surefire XC-1 or XC-2	4.50"							8324															
17, 22, 31 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) NOTE: Retention is reduced by removal of light	4.50"																8310	8310					
17, 22 Gen1-4 w/ Surefire X200 or X300	4.50"															836							
17, 22, 31 Gen1-4 with Beamshot Model 8000 or Model 8100	4.50"															8312							
17, 22, 31 Gen1-4 with ITI M3X or M6X	4.50"															8312							
17, 22, 31 Gen1-4 W/ ITI M3, M3X, M6, M6X, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"															8321	8321						
17, 22 Gen1-4 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"															8341							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light	4.50"															9832							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"															98310								
19, 23, 19X, 45 All Gen W/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"							2832									28325	2832	28325	28325	28325			28325
19, 23, 19X, 45 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.00"																		*28327	*28327	*28327			*28327
19, 23, 19X, 45 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																28301	28301						
19, 23, 19X, 45 All Gen W/ ITI M3, M3X, M6, M6X, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"															8321	28321							
19, 23, 19X, 45 All Gen W/ Surefire XC-1 or XC-2	4.00"							28324																
19, 19C, 23, 23C Gen1-4 w/ Surefire X200 or X300	4.00"							2832								2830								
19, 23 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"																28310							
20, 21, 29, and 37 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.60"																	3832	3832	3832	3832			3832
20, 21 Gen1-4 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.60"																		*38327	*38327	*38327			*38327
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, X300U	4.60"																3832	3832						
20, 21 Gen1-4 w/ STD Glock Rails with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.60"															3830								
20, 21 Gen1-4 w/ STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	4.50"															38321								
20, 20C, 21, 21C Gen1-4 w/ Streamlight M3, M6, M3 LED or Insight XTI Procyon; NOTE: Retention is reduced by removal of light	4.60"															38321								
20 & 21SF Gen1-4 with Dual Magazine Release with ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	4.50"															938321								
29, 30 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.78"																		*48327	*48327	*48327			*48327
34, 35 ALL Gen with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, SureFire X200, X300, or X300U	5.32"															6832	68325	6832	68325	68325	68325			68325
34, 35 Gen1-4 w/ ITI Streamlight M3 or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.32"															6832								
34, 35 Gen1-4 w/ IT Tactical Illuminator Light M3, M6 or M3 LED, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. NOTE: Retention is reduced by removal of light.	5.32"															68321								
37 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, X300U, or Insight XTI Procyon	4.50"																7832	7832						
37 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon	4.50"															7832								
41 Gen4 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	5.31"															8932								
42, 43, 43X with TLR-6	3.39"																		89518			89518	89518	

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
47 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.50"																		8972	8972	8972	8972	8972
Heckler & Koch	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P7 M8	4.10"															82							
P7 M13	4.10"															82							
P10	3.80"														295								
P30 DAO	3.78"				295	391	391			283		283			295	295	295	295	295	295	295	295	295
P30L	4.45"																	395	395	395	395	395	395
P2000	3.50"				295	391			744			283		97			97	97	197	197	197	197	197
P2000 European Version w/light mount frame	3.50"				295				744							97	97	97	197	197	197	197	197
P2000 European Version and US Version w/light mount frame	3.50"				295				744							97	97	97	197	197	197	197	197
US Version P2000 DAO (bobbed hammer)	3.50"				295	391			744	283		283						97	197	197	197	197	197
US Version P2000 DA/SA	3.50"				295	391				283		283							397	397	397		197
US Version P2000 SK DAO (bobbed hammer)	3.25"				295				744	283		283											
P2000SK	3.33"								744	283		183											
P2000	3.66"				295				744	283		283											
USP 9, 40	4.25"					391			83	283		283				93	91	91					
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"					391				283		283					91						
USP 9C, 40C	3.58"					391	391		54	283		283		291		291		291	291	291	291	291	291
USP 9 Compact/P10 (Non-US Version)	3.80"					391	391										391	391	391	391	391	391	391
USP 45	4.53"					391			83							93							
USP 45 Compact .45ACP	3.80"					391										293							
USP 40 Expert	5.20"															96							
USP 45 Expert	5.20"								49							96							
HK 45	4.25"								83			83				393		395		393	393		393
HK 45 Compact	3.90"									283		283						295					
VP9	4.09"				295	391			744	283		283	593		593	593	593	593	593	593	593	593	593
VP40	4.09"											83											
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
USP 45 LEM with Bobbed Hammer w/ Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.41"															1930							
USP 9, 40 Cocked and locked w/ B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	4.25"															9221							
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. NOTE: Retention is reduced by removal of light	4.25"															19312							
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.13"															9321							
USP 9C and .40C with TLR-3	3.58"																29116						
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X NOTE: Retention is reduced by removal of light	3.58"															29111							
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.41"															9321							
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"															9711							
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim-switch)	3.50"															9710							
P2000 European Version with B&T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"															9721							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
H&K P30 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, or X300U	3.85"							2952									2952	2952					
H&K P30 with Surefire XC-1 or XC-2	3.85"							29524															
H&K P30L with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, or X300U	4.45"															3952	3952	3952					
VP9 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.09"							5932									5932						
VP9 with XC-1	4.09"																59322						
Kahr	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
E9, K9, K40	3.50"								54														
P380	2.50"			189																			
PM9	3.00"			186																			
CT9	3.80"								54														
CT380	3.50"			189																			
CW9	3.00"								54														
S9	3.50"								54														
ST9	4.00"				54				54														
Kimber	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
KIP45CUS	5.00"				53				53			683			53	53		53	53				53
1911	5.00"											683			53	53		53	53				53
Pro Carry 1911	4.00"																	52					
Gold Combat RL II, Warrior (w/light rail)	5.00"								53			683				56	56	56	53				53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
1911 w/ rails: Gold Combat RL; Custom TLE/RL w/ Enforce APL, Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"															5340	560						
Magnum Research	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
Baby Desert Eagle II	4.00"								49														
Para Ordnance	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P12.45 LDA	3.50"								54										51				51
P14.45 LDA	5.00"				53				53						53	53			53				53
P16.40 LDA	5.00"																		53				53
P18.9 LDA	5.00"				53				53						53	53			53				53
P7.45 LDA	5.00"				53				53						53	53			53				53
Carry .45ACP	3.00"								54														
Companion .45ACP	3.50"								54											51			51
OPS 1911	3.50"								54			683								51			51
P13.45	4.25"				53				51										54				54
P14.45	5.00"				53				53						53	53			53				53
P16.40	5.00"				53				53						53	53			53				53
P18.9	5.00"				53				53						53	53			53				53
PRX 1445	5.00"								49							56	56		53				53
Todd Jarrett 1911	5.00"								53							53	53	53	53				53
Ruger	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
KP89	4.50"								83														
KP89DAO	4.50"								83														
KP89DC	4.50"								83														
KP90	4.50"								49														
KP91DAO	4.50"								49														
KP91DC	4.50"								49														
KP93	3.88"								744														
P345	4.00"								83														
P85	4.50"								83														
P89	4.50"								83														
P89DC	4.50"								83														
9E	4.14"									283		283											
P90.45CAL.	4.50"								49														
P91DC	4.50"								49														
P95D, KP95D	4.25"								744														

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P95DAO, KP95DAO	4.25"								744														
LC9, LC9S, LC380, or EC9	3.12"	184	184		184										184				184				184
LCP .380	2.75"				188																		
LCP .380 with Crimson Trace	2.75"				1881																		
SR9	4.00"								54														
SR9C	3 3.8"					83			54														
SR1911	5.00"																						53
American 9mm and .40 S&W	4.20"											83							167	167	167		167
American .45 ACP	4.50"											683							168	168	168		168
Security 9	4.00"	283				283	283		83			283											
SCCY	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
CPX-2	3.10"														367								
Sig Sauer	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P220 before gun serial number (G158180), P226 before serial gun number (365426)	4.41"		77		77				744					77	477	77	77	77					
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"		77						744						477								
P220R Compact	3.75"		77						744							74							
P220R, P226R	4.41"		77			774	774								477								
P226R / P220R / P226 / MK25 9MM/.40CAL / P227R3 .45	4.41"																		477	477	477		477
P226 DAO, P220 DAO	4.41"		77		77				83	283		450				77							
P226	4.41"		77							283		450											
P226 X-Five	5.00"								49														
P220R DAK, P226R DAK	4.41"		77									450		477		277	477	477					
P220R DASA, P226R DASA Spurred hammer	4.41"		77									450		477			477	477					
P220ST Stainless Steel P220R, P220S, P226R, P226S, P226SO with Accessory Rails	4.41"		77									450				77							
P224 9mm	3.50"								744														
P226R MK25	4.25"		77						49			450				77		477					
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"		77						49			450											
P226 after S/N 365426 (wide trigger guard)	4.41"		77									450											
P226R Elite	4.41"		77						49			450						477					
P225	3.90"				77				54	283		750		79		74	79	79					
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"		77						49						477	77	477	477					
P227R3 .45	3.78"		77						744										477	477	477		477
P228	3.90"		74		77				54			750		74		74	74	74	447	447	447		447
SIG P229R / P229 .40 CAL .357	3.90"		74																447	447	447		447
SIG P229R DAK/ P229R E2 9MM	3.90"		74																474	474	474		474
P229	3.90"		74		77				54			750		74		74	74	74					
P229 Elite	3.90"		74		77				54			750		74									
P229 R E2	3.90"											750											
P229R DASA spurred hammer w/ light rails	3.90"					744			744				744			74	744	744					
P229R DAK bobbed hammer w/ light rails	3.90"					744			744			750		744		174	744	744					
P239 (will only fit 9mm as of manufactured date 4603)	3.63"								54							75							
P239 .40 & .357	3.63"		75						54							75		754					
P239 9mm	3.63"																75	75					
P245	3.90"								83														
P250 Full Size 9mm, .40, .45	4.70"					450											450	450	450	450	450	450	450
P320 9mm, .40 or M17	4.70"	450				450			49			450			450		450	450	450	450	450	450	450
P320 X-Full or X-Vtac	4.70"																		450	450	450	450	450
P320 .45 ACP	4.50"																		451	451	451		451
P320 X-Five	5.00"														452								
P250 Compact 9mm, .40	3.88"	750				750			49							750	750	750	750	750	750	750	750
P320C (Carry and Compact) 9mm, .40 or M18	3.90"	750				750			744			750			750		750	750	750	750	750	750	750
P320SCR 9mm	3.50"								744			750					750	750	750	750	750	750	750
P320SC (No Rails) 9mm	3.50"								744			750					750	750	750	750	750	750	750
P320C (Compact and Carry) .45 ACP	3.90"																		751	751	751		751
P320 X-Carry	3.90"																		752	752	752		752
P938	3.00"																		938				938
P365	3.10"		365	894	894														365				365
SIGPro SPC2009 - w light mount rails	3.50"								744							278							
P2022 spurred hammer	3.87"		278			278						750			278	278	278	278	278	278	278		278
P2022R-w standard light mount rail	3.87"		278			278			744			750			278				278	278	278		278
Sig Arms GSR Revolution 1911	5.00"								53								256						53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P220R W/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"																			7702	7702	7702		7702
P226R W/ ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"							7742												4772	4772	4772		4772
P226R, P227 w/ Streamlight TLR-2, TLR-2HL	4.41"							77421																
P220R, P226R DASA/DAK W/ M3, M6 ITI Tactical Illuminator Light, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.41"																		7742					
Sig P220R DAK, P226R DAK with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. NOTE: Retention is reduced by removal of light	4.41"															27721								
P220R, P220S, P226S, P226SO, P226R (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"															77421								
P220R, P226R (DASA Spurred Hammer) w/ Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Retention is reduced by removal of light	4.41"															77412								
P220SO, P220ST, P220R, P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Retention is reduced by removal of light	4.41"															7740								
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"															7712								
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: Retention is reduced by removal of light	4.41"															7712								
P220R, P226R (DASA Spurred Hammer) w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"															77421								
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light.	4.41"															7721								
P226 w/ SureFire NITROLON P113, P113C, P113D & P114, P114C, P114D NOTE: Retention is reduced by removal of light	4.41"															778								
P226 MK25 with X300 or X300 Ultra light	4.41"															7740								
P226R X-Five with Surefire X200 or X300 light	5.00"															3770								
P227 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"																		7742					
P227 W/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.40"																			6772	6772	6772		6772
P228, P229 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"															7421								
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"															74421								
P229R DAK with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"															17421								
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Retention is reduced by removal of light	3.90"															17412								
P229R DASA w/ Spurred Hammer w/Surefire X200 or X300 Light NOTE: Retention is reduced by removal of light	3.90"															7440								
P229R with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	3.90"																7442	7442						

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P229R .40 S&W W/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																		4472	4472	4472		4472
P229R 9mm W/ ITI Streamlight M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																		4742	4742	4742		4742
P320 9/40, X-Full, X-Vtac or M17 with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"							4502											4502	4502	4502		4502
P320 .45 ACP with Inforce APL, Olight PL-Pro or Valkyrie, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"							4512											4512	4512	4512		4512
P320 9/40, X-Full, X-Vtac, or M17 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.70"																		*45027	*45027	*45027		*45027
P320 Compact and Carry 9mm and .40 S&W or M18 with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"							7502											7502	7502	7502		7502
P320 Compact and Carry 9mm and .40 S&W or M18 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.90"																		*75027	*75027	*75027		*75027
P320 Compact and Carry .45 ACP with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"							7512											7512	7512	7512		7512
P320 X-Carry ACP with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"																		7522	7522	7522		7522
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"															2782							
Sig Pro P2022 with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.50"															27821							
1911 GSR w/ ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, SSL-1 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	5.00"															25621							
Smith & Wesson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
39	4.00"				83				83														
59	4.00"				83				83														
410	4.00"								83														
411	4.00"								83														
439	4.00"				83				83														
457	4.00"								83														
459	4.00"				83				83														
469	3.50"				83				54	283		283											
639	4.00"				83				83														
645	5.00"								53							210							
659	4.00"				83				83														
669	3.50"				83				54														
908	3.50"								54														
909	4.00"								83														
910	4.00"								83														
915	4.00"								83														
1006	5.00"								53							210							
1026	5.00"								53							210							
1046	5.00"								53														
1066	4.25"								83														
1076	4.25"								83														

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1086	4.25"								83															
3904	4.00"				83				83															
3906	4.00"				83				83															
3913	3.50"				83				54															
3913LS	3.50"				83																			
3913NL	3.50"				83																			
3913TSW w/o light mount	3.50"								54															
3914LS	3.50"				83																			
3953	3.50"								54															
3953/3954	3.50"								54							321		320						
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW (with rails)	4.00"								744															
4006TSW w/ Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"															141								
4006	4.00"				83				83							140								
4013	3.50"				83				54															
4013TSW, 4053TSW (with rails)	3.50"																							
4013TSW w/o light mount	3.50"								54															
4026	4.00"				83				83															
4043	4.00"															140								
4046	4.00"				83				83							140								
4053	3.50"				83				54															
4053TSW w/o light mount	3.50"								54															
4056TSW w/o light mount	3.50"								54															
4506-1	5.00"								53							210								
4506	5.00"								53							210								
4513TSW w/ Light Rails	3.50"								744															
4516-1 Ver.II.4516-2	3.75"				83				54															
4526	5.00"								53							210								
4536	3.75"				83				54															
4546	5.00"								53															
4553TSW w/o light mount	3.50"								54															
4556	3.75"				83				54			450												
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"															210								
4566	4.25"								83															
4576	4.25"								83															
4586	4.25"								83							210								
5903	4.00"				83				83							140								
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"				83				83							140								
5904	4.00"				83				83							140								
5906 lgrtriggrd	4.00"								83			450												
5906 shrtrtriggrd	4.00"				83				83			450				140								
5923	4.00"				83				83															
5924	4.00"				83				83															
5926	4.00"				83				83															
5943 shrtrtriggrd	4.00"								83							140								
5944 shrtrtriggrd	4.00"								83							140								
5946 lgrtriggrd	4.00"				83				83															
5946 shrtrtriggrd	4.00"				83				83							140								
5946 & 5943 DAO without Rails	4.00"																							
6904	3.50"				83				54															
6906 lgrtriggrd	3.50"								54															
6906 shrtrtriggrd	3.50"								54															
6924	3.50"				83				54															
6926	3.50"				83				54															
6944 shrtrtriggrd	3.50"				83				54															
6946 lgrtriggrd	3.50"				83				54															
6946 shrtrtriggrd	3.50"				83				54															
Bodyguard .380	2.75"			194																				
Chiefs Special CS40	3.25"								54															
Chiefs Special CS45	3.25"								54															
Chiefs Special CS9	3.00"								54															
Sigma 40, 9mm	4.50"								83							40								
Sigma 9C, 40C, 40V, 9V, 9E	4.00"								83							40								
Sigma SD9VE, 40VE	4.00"																							
Sigma 9F,40F	4.50"								83			283			40									
SW99 9mm & .40	4.00"								83			283				40								
SW99 45ACP	4.25"					391			744			283				84								
M&P 1.0 22 LR	4.25"											283						219						
M&P 1.0 & 2.0 9 Shield	3.10"	179	179		179				54	179	179	179			179								179	179

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
M&P 1.0 & 2.0 40 Shield	3.10"	179	179							179	179	179			179				179			179	179
M&P 1.0 45 Shield	3.30"									179	179	179											
M&P 2.0 9C with or without thumb safety	4.00"	219	219		83	219	219		83	283		83		222	219	219	222	222	222	222	219	222	222
M&P 2.0 40C with or without thumb safety	4.00"	219	219		83	219	219		83	283		83		219	219	219	219	219	219	219	219	219	219
M&P 2.0 9 with or without thumb safety	4.25"	219	219		83	219	219		83	283		83		222	219	219	222	222	222	222	219	222	222
M&P 2.0 40 with or without thumb safety	4.25"	219	219		83	219	219		83	283		83		219	219	219	219	219	219	219	219	219	219
M&P 2.0 9L with or without thumb safety	5.00"	219										683			819	819	818		818	819	818		818
M&P 2.0 40L with or without thumb safety	5.00"	219										683			819				819	819	819		819
M&P 2.0 45 without thumb safety	4.60"				83				83	283		283				519	419	419	419	419	419	419	419
M&P 2.0 45 with or without thumb safety	4.60"				83				83	283		283				519	519	519	519	419	419	419	419
M&P 1.0 9C & 40C without thumb safety	3.38"	319	319		83	319	319		83	283		183			319	719	219	319					
M&P 1.0 9C & 40C with thumb safety	3.38"	319	319							283		183											
M&P 1.0 9 & 40 without thumb safety	4.25"	219	219		83	219	219		83	283		83		219	219	219	219	219	219	219	219	219	219
M&P 1.0 9 & 40 with thumb safety	4.25"	219	21		83	219	219		83	283		83			219	619			219	219	219	219	219
M&P 1.0 9L & 40L without thumb safety	5.00"									683		683							819	819	819		819
M&P 1.0 9L & 9 Pro without thumb safety	5.00"											683			819	819	819		819	819	819		819
M&P 1.0 9L & 9 Pro with thumb safety	5.00"											683			819		820						
M&P 1.0 45C without thumb safety	4.00"									283		183					919	919					
M&P 1.0 45C with thumb safety	4.00"									283		183					920	920					
M&P 1.0 45 without thumb safety	4.60"				83				83	283		283				519	419	419	419	419	419	419	419
M&P 1.0 45 with or without thumb safety	4.60"								83	283		283				519	519	519	519	419	419	419	419
1911	5.00"				53				53			683					53	53	53	53			53
1911 w/Tactical Rails	5.00"								53			683					56	56	53				53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
4566TSW w/ Picatinny Rails and ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon light	4.25"																4302						
M&P 2.0 9 & 40 with SureFire X200, X300	4.25"							2192								2190							
M&P 2.0 9 & 40 W/ M3 or M6, ITI TRL-1 or TRL-2, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	4.25"															21921							
M&P 2.0 9 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192									2222	2222	2222	2192	2222		2222
M&P 2.0 40 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192									2192	2192	2192	2192	2192		2192
M&P 2.0 9 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																		8182	8182	8182		8182
M&P 2.0 40 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																		8192	8192	8192		8192
M&P 2.0 9 Compact with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"																2222	2222	2222	2192	2222		2222
M&P 2.0 40 Compact with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"																2192	2192	2192	2192	2192		2192
M&P 45 2.0 without thumb safety with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"																4192	4192	4192	4192	4192		4192
M&P 45 2.0 with or without thumb safety with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"																5192	5192	4192	4192	4192		4192
M&P Shield 9 & 40 1.0 or 2.0 with Crimson Trace Laserguard Pro or TLR-6	3.10"																						17918
M&P 9 & 40 W/ M3 or M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI TRL-1 or TRL-2	4.25"																21921						
M&P 9 & 40 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.25"							2192									2192	2192	2192	2192	2192		2192

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
M&P 9 & 40 with XC-1	4.25"																		21922	21922	21922		21922	
M&P 9 & 40 with SureFire X200, X300	4.25"							2192																
M&P 9 & 40 with SureFire X400 Ultra	4.25"																		21914					
M&P 9L, M&P 9 Pro with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL Surefire X200, X300, or X300U	5.00"																				8192	8192	8192	8192
M&P 45 without thumb safety with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"																4192		4192		4192	4192	4192	4192
M&P 45 with or without thumb safety with ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon lights	4.60"															51921								
M&P 45 with or without thumb safety with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"																5192		5192		4192	4192	4192	4192
M&P 45C without thumb safety W/ ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, or X300U	4.00"																9192		9192					
M&P 45C with thumb safety W/ ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, X300U	4.00"																9202		9202					
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"																	560						
Sphinx	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
SDP Standard	4.50"																	281						
SDP-S WLI-AA with laser	4.50"																	28115	28115					
SDP Compact	3.70"																		282					
SDP Subcompact	3.13"				285								285						285					
3000 cocked and locked or with hammer down	3.75"																	182						
3000 cocked and locked or with hammer down	4.50"								49									182						
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
SDP Standard w/ W400U	4.50"																	28114						
Springfield Armory	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Model1911-A1	5.00"				53				53			683			53	53	53	53	53					53
Operator1911	5.00"								53			683			56	56	56	56	53					53
XD 9mm, 40, and 45	4.00"											450												
XD MOD2 9, .40	4.00"								744			750			48	148	148	148						
XD 9mm, 40, 45 and .357	4.00"								744			450			48	148	148	148						
XD 9mm, 40, 45 and .357	5.00"								49			450			49	149	149	149						
XD MOD2 9mm, 40, 45 and .357	5.00"								49			450			49	149	149	149						
XD 9mm & .40 Subcompact	3.00"		47									750												
XD (M) 9mm	3.80"																148		148					
XD(M) 9mm & .40	4.50"					146			49			450			49	149	149	149						
XD(M) .40	4.50"		47			146			49			450			49	149	146	146						
XD(M) 9mm	4.50"		47			146			49			450			49	149	145	145						
XD(M) 45	4.50"								49			450			49		146							
XD(M) 45	5.25"								49			450			147									
XD(M) 9mm & 40	4.50"											450												
XD(M) 9mm & 40	5.25"											450			49									
XD(M) 9mm	5.25"											450			147									
XD-S	3.30"	45	45		45					895	895	895							45				45	45
XD-S 45ACP MOD2	3.30"	45	45		45					283		183			45									
XD-E	3.30"											183												
911	2.75"		188																					
Helicat										895	895	895							144				144	144
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 Operator w/ Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	5.00"																5621							

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379		
1911-A1 Non Rail, w/ Surefire mount MR07, w/Surefire x200 Light or X300	5.00"															530									
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light	5.00"															5621									
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"															5612									
Operator 1911-A1 with Surefire X200 or X300 light	5.00"																560								
XD 9mm, .40, .45 w/ ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon light NOTE: Retention is reduced by removal of light	4.00"															14821									
XD 40 & 45 with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"																1482								
XD 9mm with ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"																462								
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"															14921									
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"																1492								
XD MOD2 9mm, .40, .45 w/ITI M3, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"															14921	1492								
XD MOD2 9, .40 w/ITI M3, M6, Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	4.00"															14821									
XD(M) .40 with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"																1462								
XD(M) 9mm with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"																1452								
XD(M) 40 with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"																1462								
XD(M) 9mm & .40 with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"															14921									
XD(M) .45 with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																1462								
Steyr	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379		
M40A1	4.00"								744																
STI/SVI	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379		
1911 with rails	5.00"								53			683				56		56	53					53	
1911 without rails	5.00"				53				53			683			53	53	53	53						53	

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
2011 with Full Size Dust Cover	5.00"														850				53				53
2011 with Short Dust Cover	5.00"														851				53				53
2011 with Short Dust Cover	6.00"														852								
STI Tactical	5.00"								53							56			53				53
GP6	4.25"								83										51				51
GP5 9mm	3.58"								744														
DVS 3-GUN	5.40"											683											
Staccato C & C2	3.90"											283							51				51
Staccato P and P Duo	4.10"											283							51				51
Staccato P and P Duo	4.40"											83							53				53
Staccato R	5.00"														56				53				53
Staccato XL	5.40"											683											
Staccato CM	5.40"											683											
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	5.00"															5340							
Stinger	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
S-200																164							
Tangfolio	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
Force	3.66"															262							
Force Full Size	4.45"															362							
Defiant Stock 1	4.45"														399								
Defiant Stock 2	4.50"														499								
Witness	4.50"									283		283											
Witness P Full Size	4.50"									283		283											
Witness P Compact	3.60"									283		183											
Taser International	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
Advanced Taser M26																63							
X26																64							
X3																163							
Taurus	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
24/7 w/accy rails	4.00"								83	283		283				40							
PT92, PT99C	5.00"								53														
PT99	5.00"								53														
PT99C	4.00"								51														
PT92C	4.00"								51														
PT100	5.00"																		175	175	175		175
PT840	4.00"									283		83					268						
PT809	4.00"									283		83					268						
PT845	4.00"									283		83											
PT111 G2	3.20"								54			183			172								
Spectrum	2.80"			188																			
Walther	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
CCP	3.54"								54	283		283											
PPS	3.20"									283		183											
P5	3.50"								54						87	87							
P99	4.00"					391			54	283		283		84		84	84	84					
P99Q/PPQ M1	4.00"					391	384			283	384	283			384	384	384	384	384	384	384		384
P99Q/PPQ M1 and M2 (2008 & newer)	4.00"					391	384			283	384	283			384	384	384	384	384	384	384		384
P99, P99Q PPQ, PPQ M2 9mm, .40 S&W	5.00"											683							385	385	385		385
P99Q/PPQ M2 .45 cal	4.00"								744			750											
P99QA	4.00"									283		283				84	84						
P99C QA	3.50"									283		183		84		84	284	84					
P99 2008 Version	4.00"									283		283						384					
Q5 Match Polymer Frame	5.00"														385								
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P99Q/PPQ (2008 & newer) with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights	4.00"							3842										3842					

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/28/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379		
P99Q/PPQ (2008 & newer) with Inforce APL, Olight PL-Pro or Valkyrie, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights	5.00"																3852								
Wilson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379		
1911 CQB w/light rail	5.00"								744															53	
1911	4.88"								53						53	53									53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	673	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379		
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"															5340	560								
Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.																									