

DUTY GEAR WILL FIT CHARTS  
Part 9 Competition Holsters - Pistols

Revised: 6/9/2023



**PT 9 - Competition**

| <b>GunMfctr./Model</b>                                    | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
|---|-------------|------------|-------------|-------------|-------------|
| <b>Beretta</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 92D   | 4.90"       | 450        | 73          | 73          | 73          |
| 92DS  | 4.90"       |            | 73          |             |             |
| 92F   | 4.90"       | 450        | 73          | 73          | 73          |
| 92FS  | 4.90"       | 450        | 73          | 73          | 73          |
| 96  | 4.90"       | 450        |             |             |             |
| PX4 Storm 9mm & .40 DAO Only                              | 4.00"       |            |             | 181         |             |
| PX4 Storm 9mm & .40 DASA Only                             | 4.00"       |            |             | 180         |             |
| PX4 Storm .45ACP  | 4.00"       |            |             | 185         |             |
| <b>Browning</b>   | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| High Power 9mm  | 4.66"       |            |             |             | 76          |
| <b>Colt</b>   | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| Combat Elite  | 5.00"       | 683        | 53          |             |             |
| Commander   | 4.25"       | 83         | 51          |             |             |
| Delta Elite   | 5.00"       | 683        | 53          |             |             |
| Delta Gold Cup  | 5.00"       | 683        | 53          |             |             |
| Gold Cup Nat'l Match                                      | 5.00"       | 683        | 53          |             |             |
| Government 1911   | 5.00"       | 683        | 53          | 53          |             |
| <b>CZ</b>   | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 75,85   | 4.50"       | 683        |             |             |             |
| 75 SP01 Shadow  | 4.00"       |            | 490         |             |             |
| Shadow 2  | 4.89"       |            | 590         |             |             |
| P10C  | 4.50"       |            | 392         |             |             |
| P10F  | 4.02"       |            | 492         |             |             |
| <b>FN</b>   | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| FNS 9mm & 40 SW   | 4.00"       | 283        | 266         | 266         |             |
| FNS 9mm & 40 SW   | 5.00"       | 683        | 267         |             |             |
| FNX 9mm & 40 SW   | 4.00"       | 283        | 265         |             |             |
| <b>Glock</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 17, 17C, 31 (.357) <b>Gen3-5</b> , 22, 22C <b>Gen3-4</b>  | 4.50"       | 83         | 83          | 83          | 835         |
| 22 <b>Gen5</b>  | 4.50"       |            |             |             | 825         |
| 19, 19C, 25, 32, 45 <b>Gen3-5</b> , 23, 23C <b>Gen3-4</b> | 4.00"       | 283        | 283         | 283         | 2835        |
| 23 <b>Gen5</b>  | 4.00"       |            |             |             | 2825        |

DUTY GEAR WILL FIT CHARTS  
Part 9 Competition Holsters - Pistols

Revised: 6/9/2023

| <b>GunMnfctr./Model</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
|--|-------------|------------|-------------|-------------|-------------|
| 20, 20C, 21, 21C <b>Gen3-4</b>   | 4.60"       | 83         | 383         | 383         |             |
| 21SF <b>Gen1-4</b> w/ STD Glock Rails  | 4.60"       | 83         | 383         | 383         |             |
| 34, 35 <b>Gen1-4</b>   | 5.32"       | 683        | 683         | 683         |             |
| 37   | 4.50"       | 83         |             | 783         |             |
| 38   | 4.00"       | 283        |             | 783         |             |
| 41 <b>Gen4</b>   | 5.31"       | 683        |             |             |             |
| <b>Heckler &amp; Koch</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| P30 DAO  | 3.78"       | 283        | 295         | 295         |             |
| P10  | 3.80"       |            | 295         |             |             |
| P2000  | 3.50"       | 283        |             | 97          | 197         |
| P2000 European Version w/ light mount frame  | 3.50"       | 283        |             |             | 197         |
| P2000 European Version and US Version w/light mount frame  | 3.50"       | 283        |             |             | 197         |
| US Version P2000 DAO (bobbed hammer)   | 3.50"       | 283        |             | 97          | 197         |
| USP 9, 40  | 4.25"       | 283        |             | 91          |             |
| HK .45   | 4.25"       | 83         |             | 395         |             |
| VP9  | 4.10"       | 283        | 593         |             | 593         |
| <b>Kimber</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| KIP45CUS   | 5.00"       | 683        | 53          |             |             |
| 1911   | 5.00"       | 683        | 53          | 53          |             |
| Pro Carry 1911   | 4.00"       | 283        |             | 52          |             |
| Gold Combat RL II, Warrior ( w/light rail)   | 5.00"       | 683        |             | 56          |             |
| <b>Para Ordnance</b>   | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 14.45LDA   | 5.00"       |            | 53          |             |             |
| 18.9LDA  | 5.00"       |            | 53          |             |             |
| 7.45LDA  | 5.00"       |            | 53          |             |             |
| Companion.45ACP  | 3.50"       | 683        |             |             |             |
| P14.45   | 5.00"       |            | 53          |             |             |
| P16.40   | 5.00"       |            | 53          |             |             |
| P18.9  | 5.00"       |            | 53          |             |             |
| Todd Jarrett 1911  | 5.00"       |            |             | 53          |             |
| <b>SCCY</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| CPX-2  | 3.10"       |            | 367         |             |             |
| <b>Sig Sauer</b>   | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| P220 (without Light Rail) (before gun serial number (G158180),P226 before serial gun number (365426) | 4.41"       |            |             | 77          |             |
| P220R, P226R (with Light Rail)   | 4.41"       |            | 477         |             |             |

DUTY GEAR WILL FIT CHARTS  
Part 9 Competition Holsters - Pistols

Revised: 6/9/2023

| <b>GunMnfctr./Model</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
|--|-------------|------------|-------------|-------------|-------------|
| P226R / P220R / P226 / P227 / MK25 (with Light Rail)<br>9MM/.40CAL   | 4.41        |            |             |             | 477         |
| P226DAO, P220DAO (without Light Rail)  | 4.41"       | 450        |             |             |             |
| P220R DAK, P226R DAK (with Light Rail) bobbed hammer w/light rails   | 4.41"       | 450        |             | 477         |             |
| P220R DASA, P226R DASA (with Light Rail) Spurred hammer w/light rails  | 4.41"       | 450        |             | 477         |             |
| P226R MK25 (with Light Rail)   | 4.25"       | 450        |             | 477         |             |
| P226R Elite (with Light Rail)  | 4.41"       | 450        |             | 477         |             |
| P225 (without Light Rail)  | 3.90"       | 750        |             | 79          |             |
| P227 (without Light Rail) (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer) | 4.40"       |            | 477         | 477         |             |
| P228   | 3.90"       | 750        |             | 74          |             |
| SIG P229R / P227R3 compact / P229 (with Light Rail) .40CAL   | 3.90"       | 750        |             |             | 447         |
| SIG P229R DAK/ P229R E2 / P227R3 / P228 (with Light Rail)<br>9MM   | 3.90"       | 750        |             |             | 474         |
| P229 (without Light Rail)  | 3.90"       | 750        |             | 74          |             |
| P229 Elite (without Light Rail)  | 3.90"       | 750        |             |             |             |
| P229R DASA spurred hammer (with Light Rail)  | 3.90"       | 750        |             | 744         |             |
| P229R DAK bobbed hammer (with Light Rail)  | 3.90"       | 750        |             | 744         |             |
| P239 9mm   | 3.63"       |            |             | 75          |             |
| P239 .40   | 3.63"       |            |             | 754         |             |
| P250 Compact 9/40  | 3.88"       |            |             | 750         |             |
| P250 Full Size 9mm, .40, .45   | 4.70"       |            |             | 450         |             |
| P320, M17  | 4.70"       | 450        |             |             | 450         |
| P320 X-Full, P320 X-Vtac   | 4.70"       |            |             |             | 450         |
| P320 X-Five  | 5.00"       |            | 452         |             |             |
| P320 Carry, M18  | 3.90"       |            |             |             | 750         |
| P320 X-Carry   | 3.90"       |            |             |             | 750         |
| P365   | 3.10"       |            | 365         |             |             |
| <b>Smith &amp; Wesson</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 5906 lgtriggrd   | 4.00"       | 450        |             |             |             |
| 5906 shrtriggrd  | 4.00"       | 450        |             |             |             |
| 5946 lgtriggrd   | 4.00"       |            |             | 320         |             |
| 5946 shrtriggrd  | 4.00"       |            |             | 320         |             |

DUTY GEAR WILL FIT CHARTS  
Part 9 Competition Holsters - Pistols

Revised: 6/9/2023

| <b>GunMnfctr./Model</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
|--|-------------|------------|-------------|-------------|-------------|
| 5946 & 5943 DAO without Rails                                    | 4.00"       |            |             | 320         |             |
| SW99 9mm & .40   | 4.00"       |            |             | 84          |             |
| M&P <b>2.0 9</b> with or without thumb safety                    | 4.25"       | 283        | 219         | 222         | 222         |
| M&P <b>2.0 40</b> with or without thumb safety                   | 4.25"       | 283        | 219         | 219         | 219         |
| M&P <b>2.0 9L</b> with or without thumb safety                   | 5.00"       | 683        | 819         |             | 818         |
| M&P <b>2.0 40L</b> with or without thumb safety                  | 5.00"       | 683        | 819         |             | 819         |
| M&P <b>1.0 9 &amp; 40</b>  | 4.25"       | 283        | 219         | 319         | 219         |
| M&P <b>1.0 9 &amp; 40</b> with thumb safety                      | 4.25"       | 283        | 219         |             |             |
| M&P <b>1.0 9L, 40L, &amp; 9 Pro</b> with or without thumb safety | 5.00"       | 683        | 819         |             | 819         |
| M&P <b>1.0 45C</b> without thumb safety                          | 4.00"       | 283        |             | 919         |             |
| M&P <b>1.0 45C</b> with thumb safety                             | 4.00"       | 283        |             | 920         |             |
| M&P <b>1.0 45</b> without thumb safety                           | 4.50"       | 83         |             | 419         |             |
| M&P <b>1.0 45</b> with or without thumb safety                   | 4.50"       | 83         |             | 519         |             |
| 1911   | 5.00"       | 683        |             | 53          |             |
| 1911 w/Tactical Rails  | 5.00"       |            |             | 53          |             |
| <b>Sphinx</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| SDP-S WLI-AA with laser  | 4.50"       |            |             | 28115       |             |
| <b>Springfield Armory</b>  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| Model1911-A1   | 5.00"       | 683        | 53          | 53          |             |
| Operator1911-A1  | 5.00"       | 683        |             | 56          |             |
| XD 9mm, 40, and 45   | 4.00"       | 750        |             |             |             |
| XD 9mm, 40, 45 and .357  | 4.00"       | 750        | 48          | 148         |             |
| XD 9mm, 40, 45 and .357  | 5.00"       | 450        | 49          | 149         |             |
| XD(M) 9mm & .40  | 4.50"       | 450        | 49          | 149         |             |
| XD(M) .40  | 4.50"       | 450        | 49          | 146         |             |
| XD(M) 9mm  | 4.50"       | 450        | 49          | 145         |             |
| XD(M) 45   | 4.50"       | 450        | 49          |             |             |
| XD(M) 45   | 5.25"       | 450        | 147         |             |             |
| XD(M) 9mm & 40   | 5.25"       | 450        | 49          |             |             |
| XD(M) 9mm  | 5.25"       | 450        | 147         |             |             |
| <b>STI/SVI</b>   | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 1911 with rails  | 5.00"       | 683        |             | 56          |             |
| 1911 without rails   | 5.00"       | 683        | 53          | 53          |             |
| 2011 with Full Size Dust Cover                                   | 5.00"       |            | 850         |             |             |
| 2011 with Short Dust Cover                                       | 5.00"       |            | 851         |             |             |
| 2011 with Short Dust Cover                                       | 6.00"       |            | 852         |             |             |

DUTY GEAR WILL FIT CHARTS  
Part 9 Competition Holsters - Pistols

Revised: 6/9/2023

| <b>GunMnfctr./Model</b>           | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
|-----------------------------------|-------------|------------|-------------|-------------|-------------|
| DVS 3-GUN                         | 5.40"       | 683        |             |             |             |
| Staccato C & C2                   | 3.90"       | 283        |             |             | 51          |
| Staccato P and P Duo              | 4.10"       | 283        |             |             | 51          |
| Staccato P and P Duo              | 4.40"       | 83         |             |             | 53          |
| Staccato R                        | 5.00"       |            | 56          |             | 53          |
| Staccato XL                       | 5.40"       | 683        |             |             |             |
| Staccato CM                       | 5.40"       | 683        |             |             |             |
| <b>Tangfolio</b>                  | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| Defiant Stock 1                   | 4.45"       |            | 399         |             |             |
| Defiant Stock 2                   | 4.50"       |            | 499         |             |             |
| Defiant Stock 2                   | 4.50"       |            | 599         |             |             |
| <b>Taurus</b>                     | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 24/7 w/accy rails                 | 4.00"       | 283        |             |             |             |
| <b>Walther</b>                    | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| P99Q/PPQ M1 and M2 (2008 & newer) | 4.00"       | 283        | 384         |             | 384         |
| P99Q/PPQ M1 and M2                | 5.00"       | 683        | 385         |             | 385         |
| P99 M1 2008 Version               | 4.00"       | 283        |             | 384         | 384         |
| Q5 Match Polymer Frame            | 5.00"       |            | 385         |             |             |
| PDP Compact and Fullsize Frame    | 4.00"       | 750        |             |             |             |
| PDP Compact and Fullsize Frame    | 4.50"       | 450        |             |             |             |
| PDP Compact and Fullsize Frame    | 5.00"       | 450        |             |             |             |
| <b>Wilson</b>                     | <b>BBL.</b> | <b>578</b> | <b>5198</b> | <b>6378</b> | <b>7378</b> |
| 1911                              | 4.88"       |            | 53          |             |             |

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for or the consequences resulting from such errors and urges any user of this information to