Bennett

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Black Gingham

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	6"WIDE X 6"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	6"WIDE X 6"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Chelsea

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	24"WIDE X 24"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	24"WIDE X 24"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Flirt

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Golden Aix

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Lively Mint

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Mirthful Chevron

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Mirthful

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	6"WIDE X 6"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	6"WIDE X 6"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Starburst

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Parterre

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Sundrop

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	6"WIDE X 6"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	6"WIDE X 6"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Tip Top

Pre-paste							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Temporary Peel and Stick							
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order		
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks		
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A		

Pulse

Pre Paste					
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A

Temporary Peel and Stick						
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order	
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks	
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A	

Pearl

Pre-paste					
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A

Temporary Peel and Stick						
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order	
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks	
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A	

Vintage Bamboo

Pre-paste					
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A

Temporary Peel and Stick						
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order	
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks	
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A	

CocoCozy's Cane - Kelly Green

Pre-paste					
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks
Ground:	Standard Prepasted Wallpaper	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A

Temporary Peel and Stick						
Panel Width:	24"	Roll Length:	10 Feet	Stock:	Made to Order	
Repeat:	12"WIDE X 12"HIGH	Min Order:	Double Roll Increments	Approx. Lead Time:	2 Weeks	
Ground:	Temporary Wallcovering	Maintenance:	Wipe Gentle/Mild Soap Only	Fire Rating:	ASTM E84 Class A	