Farmall Patriotic Quilt



Quilt size: Approx. 62" x 70"

A free project using Farmall Patriotic® fabrics from Sykel Enterprises

www.sykelenterprises.com

Supplies Needed: *Yardage listed for each print *4 yards backing of choice *70" x 78" quilt batting



1 yd. FABRIC A: PATT#10524 - Farmall Patriotic panel Cut scant 1/4" past outside edges of panel, approx. 36-1/2" x 44-1/2"



3/4 yd. FABRIC B: PATT#10525 - Farmall Patriotic Barns Fussy cut (8) 6-3/4" squares with barns centered



1/3 yd. FABRIC C: PATT#10526 - Farm Signs Cut (1) 6-3/4" x WOF, subcut (6) 6-3/4" squares



1/2 yd. FABRIC D: PATT#10527 - Tractors on plaid Cut (1) 10-1/2" x WOF, subcut (2) 10-1/2" squares



1/2 yd. FABRIC E: PATT#10528 - Tossed Logos - Natural Cut (1) 10-1/2" x WOF, subcut (2) 10-1/2" squares



5/8 yd. FABRIC F: PATT#10528 - Tossed Logos - Red Cut (1) 10-1/2" x WOF, subcut (4) 10-1/2" squares Cut (2) 3-3/8" x WOF; subcut (16) 3-3/8" squares



1/2 yd. FABRIC G: PATT#10529 - Farmall Sunflowers Cut (2) 3-3/8" x WOF; subcut (16) 3-3/8" squares



1 yd. FABRIC H: PATT#5174 - Chocolate Batik Cut (7) 2-1/2" x WOF strips (binding) Cut (7) 1-1/2" x WOF strips



1 yd. FABRIC I: PATT#5174 - Navy Batik
Cut (1) 6-1/4" x WOF, subcut (4) 6-1/4" squares and
(2) 3" squares

Cut (6) 3" x WOF, subcut (14) 3" squares (from 1 strip) Cut (2) 2-7/8" x WOF, subcut (24) 2-7/8" squares



5/8 yd. FABRIC J: PATT#5174 - Olive Batik Cut (3) 5-1/2" x WOF, subcut (16) 5-1/2" squares



7/8 yd. FABRIC K: PATT#5174 - Red Batik Cut (3) 3-7/8" x WOF; subcut (28) 3-7/8" squares Cut (6) 2-1/2" x WOF, sewn together end to end and cut into (2) 2-1/2" x 60-1/2" borders, (2) 2-1/2" x 48-1/2" borders, and (4) 1-1/2" x 6-1/2" pieces



5/8 yd. FABRIC L: PATT#5174 - Turquoise Batik Cut (3) 5-1/2" x WOF, subcut (16) 5-1/2" squares

Piecing the Blocks:

- 1. Draw a diagonal line across the wrong side of all the **Fabric I** 2-7/8" squares, **Fabric J** 5-1/2" squares, and **Fabric L** 5-1/2" squares.
- 2. Arrange a marked **Fabric I** 2-7/8" square right sides together on corner of a **Fabric K** 3-7/8" square as shown. Stitch along the marked line. Trim seam allowance to 1/4". Press corner out. Make a total of 24. Cut each in half perpendicular to the seam allowance to create 24 each Units 1a and 1b (3-7/8" x 3-7/8" x 5-1/2" unfinished).











3. Cut 4 Fabric K 3-7/8" squares in half diagonally.



4. Mark the 3-3/8" center & point on all sides of a Fabric B 6-3/4" square as shown. Draw diagonal







lines from mark to mark. Trim corners from square. Repeat for a total of 8 trimmed **B** squares and 6 trimmed **C** squares (4-3/4" square unfinished).

5. Stitch 2 **Fabric K** 3-7/8" triangles, 1 Unit 1a, and 1 Unit 1b to edges of a Fabric B 4-3/4" square as shown. Add a Fabric K 1-1/2" x 6-1/2" piece to top. Make a total of 2 Block 1 (6-1/2" x 7-1/2" unfinished). In the same manner, make 2 Block 2 noting orientation of the pieces and units.





Block 1 - Make 2





6. Stitch 2 each Units 1a and 1b to edges of a **Fabric B** 4-3/4" square as shown. Make a total of 4 Block 3 (6-1/2" square unfinished). In the same manner, make 6 Block 4 with a **Fabric C** 4-3/4" square.









Block 3 - Make 4

7. Arrange 2 marked **Fabric L** 5-1/2" squares on opposite corners of a **Fabric F** 10-1/2" square as shown. Stitch along marked lines. Trim seam allowances to 1/4". Press corners out. Repeat on remaining corners. Make a total of 4 Block 5 (10-1/2" square unfinished). In the same manner, make 2 each Blocks 6 and 7





with fabrics indicated.









Block 5 - Make 4

Block 6 - Make 2 Block 7 - Make 2

- 8. Cut all **Fabrics F** and **G** 3-3/8" squares in half diagonally.
- 9. Cut all **Fabric I** 6-1/4" squares in half diagonally twice.



10. Sew 1 each **Fabrics F** and **G** 3-3/8" triangles together along their long edges. Make a total of 16 Unit 2 (3" square unfinished).



11. Arrange 4 Unit 2 in 2 rows as shown. Stitch into rows. Sew rows together. Make a total of 4 Unit 3 (5-1/2" square unfinished).





12. Stitch 1 each **Fabrics F** and **G** 3-3/8" triangles to short edges of a **Fabric I** 6-1/4" triangle as shown. Make a total of 16 Unit 4 (3" x 5-1/2" unfinished).

Unit 4 - Make 16

13. Arrange 4 **Fabric I** 3" squares, 1 Unit 3, and 4 Unit 4 in 3 rows as shown. Stitch into rows. Sew rows together. Make a total of 4 Block 8 (10-1/2" square unfinished).



Block 8 - Make 4

Assembling the Quilt Top:

14. Refer to Quilt Layout on Page 4 for arrangement and placement of panel, strips, blocks, and borders.

- 15. Stitch **Fabric I** 3" strips to right and left sides of **Fabric A** panel. Trim strip ends even. Sew 3 **Fabric I** 3" strips together end to end. Cut into 2 equal lengths and stitch to top and bottom of panel. *Trim an even amount from Fabric I strips so bordered panel is 40-1/2" x 48-1/2" (unfinished).*
- 16. Sew **Fabric K** 2-1/2" x 48-1/2 borders to top and bottom of bordered panel.
- 17. Arrange 1 Block 1, 1 Block 2, 2 Block 3, and 3 Block 4 in vertical rows on right and left sides of the bordered panel. Stitch blocks into side borders (6-1/2" x 44-1/2" unfinished). Sew side borders to sides of bordered panel.
- 18. Arrange 2 Block 5, 1 Block 6, 1 Block 7, and 2 Block 8 in horizontal rows above and below quilt. Stitch into top/bottom borders (10-1/2" x 60-1/2" unfinished). Sew to top and bottom of quilt.
- 19. Sew **Fabric K** 2-1/2" x 60-1/2" borders to top and bottom of quilt.
- 20 . Sew 7 **Fabric H** 1-1/2" x WOF strips together end to end and cut into (2) 1-1/2" x 68-1/2" and (2) 1-1/2" x 62-1/2" borders. Sew 68-1/2" borders to right and left sides of quilt. Add 62-1/2" borders to top and bottom of quilt.

Applique:

- 21. Trace (6) 3-1/2" squares on paper side of a light fusible web leaving about 1/4" between squares. Cut out each square with about 1/8" extra around each square.
- 22. Arrange the squares web side down on the wrong side of **Fabric G**. Lightly press to fabrics according to web manufacturer's directions.
- 23. Referring to quilt image, arrange squares on quilt top centered between Blocks 5, 6, and 7. When in place, press squares according to web manufacturer's directions.
- 24. Using a satin, or decorative stitch, hand or machine stitch around each square.

Finishing:

- 25. Cut backing into 2 equal lengths. Sew backing pieces together along their selvage edges.
- 26. Layer backing, right side down, batting, then quilt top, right side up. Baste layers together. Quilt as desired. Trim excess batting and backing even with quilt top.
- 27. Stitch **Fabric H** binding strips together with diagonal seams. Press binding strip in half lengthwise and apply to quilt.

Square Template

3-1/2" square

Farmall Patriotic Quilt Layout

Important: Be sure to trim bordered panel as directed in Step 15.

