
Painted Florals




Quilt size: Approx. 64" x 81"

A free project using Painted Floral® fabrics
from Sykel Enterprises
www.sykelenterprises.com



WOF = width of fabric; LOF = length of fabric

1 yd. FABRIC A: PATT#10506 - Pillow panels Refer to cutting diagram on Page 4



Cut (1) 9-1/4" x WOF, subcut (4) 6-3/4" x 9-1/4" tall pieces and (2) 7-1/8" squares

Cut (1) 3" x WOF, subcut (4) 3" tall x 6-3/4" pieces

1 yd. FABRIC C: PATT#10509 - Packed Floral Cut (1) 32-1/2" x WOF, subcut (1) 17-1/2" x 32-1/2" tall center piece

1-1/4 yds. FABRIC D: PATT#10510 - Abstract Floral Vases Refer to cutting diagram on Page 5

1-1/3 yds. FABRIC E: PATT#10511 - Floral Squares
Cut (1) 22" x WOF, fussy cut (4) 4-1/2" x 22" tall strips
with squares centered. Sew together end to end
matching design and cut into (2) 4-1/2" x 35-1/2"
borders.


Fussy cut (2) 4-1/2" x WOF strips with squares centered and trim to (2) 4-1/2" x 28-1/2" borders

1 yd. FABRIC F: PATT#10512 - Small Geo Floral
Cut (1) 5-1/2" x WOF, subcut (4) 1-7/8" x 5-1/2" tall
pieces and (1) 4-1/4" x 13" piece
Cut (1) 4-3/4" x WOF, subcut (8) 4-3/4" squares
Cut (2) 4-1/4" x WOF, subcut (3) 4-1/4" x 13" pieces
Cut (3) 3" x WOF, sewn together end to end and
cut into (2) 3" x 58-1/4" borders



Cutting continued on Page 2.





1-1/4 yds. FABRIC K: PATT#5174 - Purple Batik Cut (3) 4-5/8" x WOF, subcut (22) 4-5/8" squares Cut (1) 2-3/4" x WOF, subcut (6) 2-3/4" squares and (4) 2-1/4" squares Cut (1) 2-1/4" x WOF, subcut (18) 2-1/4" squares Cut (7) 1-3/4" x WOF, sewn together end to end and and cut into (2) 1-3/4" x 75-1/2" and (2) 1-3/4" x 60-3/4" borders

1/3 yd. FABRIC L: PATT#5174 - Turquoise Batik Cut (1) 2-3/4" x WOF, subcut (11) 2-3/4" squares Cut (2) 2-1/4" x WOF, subcut (26) 2-1/4" squares



1/4 yd. FABRIC M: PATT#5174 - Navy Batik Cut (3) 1-1/4" x WOF, subcut (2) 1-1/4" x 32-1/2" and (2) 1-1/4" x 19" strips

NOTE: Fabrics A-F fabrics are directional. Refer to diagrams and directions to have these fabrics all orientated to the top of the guilt.

Piecing the Quilt Center:

- 1. Refer to Quilt Center Layout on Page 3 for arrangement and placement of fabrics.
- 2. Stitch **Fabric M** 1-1/4" x 32-1/2 strips to right and left sides of **Fabric C** 17-1/2" x 32-1/2" center piece. Add **Fabric M** 1-1/4" x 19" strips to top and bottom.
- 3. Sew **Fabric I** 1-1/4" x 34" strips to right and left sides. Add **Fabric I** 1-1/4" x 20-1/2" strips to top and bottom.
- 4. Sew **Fabric E** 4-1/2" x 35-1/2" strips to right and left sides. Add **Fabric E** 4-1/2" x 28-1/2" strips to top and bottom.
- 5. Sew **Fabric H** 1-1/2" x 43-1/2" borders to right and left sides. Add **Fabric H** 1-1/2" x 30-1/2" borders to top and bottom. Quilt center measures 30-1/2" x 45-1/2" (unfinished).

Piecing the Corner Blocks:

1. Draw a diagonal line across the wrong side of all **Fabric H** 3" squares.



2. Arrange a marked **Fabric H** 3" square right sides together on a Fabric B 6-3/4" x 9-1/4" piece as shown. Stitch along marked line. Trim seam allowance to 1/4". Press corner out. Repeat to make 1 each Units 1a-1d, noting orientation of the **H** corner.







Unit 1b Make 1 Make 1








Unit 1d Make 1 Make 1



3. Cut all 2-3/4" **Fabrics H, J, K,** and **L** 2-3/4" squares in half diagonally. **NOTE:** Be aware that **Fabrics J-L** 2-3/4" triangles must match the triangles in the adjoining blocks.

4. Cut all **Fabric K** 4-5/8" squares in half.



6. Cut 1 Fabric B 7-1/8" square in half diagonally, cut the other square in the opposite direction.









7. Arrange 2 (Fabrics J-L) 2-3/4" triangles and 3 (Fabrics I-L) 2-1/4" squares in a row as shown. Stitch into a row, aligning top edges. Stitch between a Fabric B 7-1/8" triangle and Fabric K 4-5/8" triangle as shown. Make 1 each Units 2a-2d noting Fabric B orientation and color of squares and triangles in strip.











Make 1


Unit 2c Make 1

Unit 2d Make 1

8. Sew a **Fabric B** 3" x 6-3/4" piece to Unit 2a. Stitch these to right of a Unit 1a as shown. Add a **Fabric F** 4-1/4" x 13" piece as shown. Make 1 each Corner Blocks 1a-1d noting arrangement of units and pieces and orientation of directional prints.



Corner Block 1a - Make 1







Corner Block 1c - Make 1



Corner Block 1d - Make 1

Piecing the Edge Blocks:








1. Arrange 1 (Fabrics J-L) 2-3/4" triangle and 3 (Fabrics I-L) 2-1/4" squares in a row as shown. Stitch into a row, aligning bottom edges, to make a Unit 3a. Make a Unit 3b with 1 (Fabrics J-L) 2-3/4" triangles and 2 (Fabrics I-L) 2-1/4" squares.

NOTE: Be aware that **Fabrics J-L** 2-3/4" triangles must match the triangles in the adjoining blocks. Make 1 block at a time, matching triangles so triangles form a square when blocks are stitched together.

2. Arrange 1 Fabric H 2-3/4" triangle and a **Fabric H** 2-1/4" x 5-3/4" piece in a row as shown. Stitch into a row, aligning bottom edges. Make a total of 20 Unit 4a. Make 20 Unit 4b each with 1 **Fabric H** 2-3/4" triangle and a **Fabric H** 2-1/4" x 4" piece.



3. Sew 2 **Fabric K** 4-5/8" triangles to bottom edges of a **Fabric D** 5-7/8" square. To top right edge of **D** square add Unit 3b. Add Unit 3a to left top edge of unit. Sew Unit 4b to top right and Unit 4a to top left of unit. Stitch 2 Fabric **F** 4-3/4" triangles to top. Trim top and side edges so unit is 8" x 13" (unfinished). Make a total of 4 Top Edge Blocks noting arrangement of pieces and orientation of directional prints.



Make 4

4. In the same manner, make 6 each Left and Right Edge Blocks and 4 Bottom Edge Blocks, noting arrangement of pieces/units and orientation of directional prints. Note Right and Left Edge Blocks

use **Fabric B**

4-3/4" triangles instead of **F** triangles.



Make 6

Right Edge Block Make 6

Bottom Edge Block Make 4

Assembling Quilt Top:

- 1. Refer to Quilt Layout on Page 6 for arrangement and placement of Ouilt Center, blocks, and borders.
- 2. Arrange Left Edge Blocks in a vertical row on left side of quilt center and Right Edge Blocks in a vertical row on right side of guilt edge. Sew blocks into vertical rows (13" x 45-1/2" unfinished). Sew to sides of quilt.
- 3. Arrange 4 Top Edge Blocks in a row above quilt center. Stitch together. Add Corner Blocks 1a and 1b to ends of row (13" x 55-1/2" unfinished). Sew to top of quilt center/side borders.
- 4. Arrange 4 Bottom Edge Blocks in a row below guilt center. Stitch together. Add Corner Blocks 1c and 1d to ends of row (13" x 55-1/2" unfinished). Sew to bottom of guilt center/side borders.

- 5. Stitch **Fabric F** 1-7/8" x 5-1/2" pieces to short ends of both **Fabric B** 1-7/8" x 60-1/2" borders. Sew these to right and left sides of guilt. Sew **Fabric F** 3" x 58-1/4" borders to top and bottom of quilt.
- 6. Sew **Fabric K** 1-3/4" x 75-1/2" borders to right and left sides of guilt. Add **Fabric K** 1-3/4" x 60-3/4" borders to top and bottom of quilt.
- 7. Sew **Fabric G** 2-1/4" x 78" borders to right and left sides of quilt. Add **Fabric G** 2-1/4" x 64-1/4" borders to top and bottom of quilt.

Adding the Applique:

- 1. Stitch **Fabric H** 1-1/2" x 12-1/2" strips to opposite sides of a **Fabric D** 12-1/2" square. Add **Fabric H** 1-1/2" x 14-1/2" strips to top and bottom of **D** square. Make 1 Center Block.
- 2. Turn all edges of Center Block 1/4" to back. Referring to guilt image on pattern cover, arrange Center Block centered on guilt top. Hand or machine stitch block in place. If desired, the fabric behind the Center Block



Center Block - Make 1

can be carefully cut out, leaving at least a 1/2" seam allowance.

3. From Fabric **A**, cut (4) 9-1/2" on-point squares centered over each panel.




- 4. Stitch **Fabric I** 1-1/4" x 9-1/2" strips to opposite sides of a **Fabric A** 9-1/2" square. Add **Fabric I** 1-1/4" x 11" strips to top and bottom of **D** square. Make 4 Panel Blocks.
- 5. Turn all edges of Panel Blocks 1/4" to back. Referring to quilt image on pattern cover, arrange Panel Blocks on quilt top. Hand or machine stitch blocks in place. If desired, the fabric behind the Panel Blocks can be carefully cut out, leaving at least a 1/2" seam allowance.



Panel Block - Make 4

Assembling the Quilt Top:

- 1. Cut backing into 2 equal lengths. Sew backing pieces together along their selvage edges.
- 2. Layer backing, right side down, batting, then quilt top, right side up. Baste layers together. Quilt as desired. Trim excess batting and backing even with quilt top.
- 3. Stitch **Fabric G** binding strips together with diagonal seams. Press binding strip in half lengthwise and apply to quilt.



Fabric D Cutting Diagram



Fussy cut a 12-1/2" square on-point with a vase of flowers centered. Using Square Template, cut (20) 5-7/8" squares with squares set on-point.

Painted Florals Quilt Layout

