SAFETY DATA SHEET GRILLA KLEEN May 2022 Page 1 of 6

# **SAFETY DATA SHEET**

#### **SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

□ **Product (material) name:** Grilla Kleen

□ Other names: N/A

□ **Recommended use:** Oven and Grill Cleaner

□ Supplier: Sprint Cleaning Products 1/90 Heathcote Road NSW, 2170

□ **Tel**: 02 8712 2406

□ Emergency: Contact Poisons Info Centre 131 126 or Manufacturer

### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture:

Ingredients are hazardous according to the criteria of the GHS.

#### **Pictograms**



# Signal word: Warning Hazard statement(s):

H315: Causes skin irritation

H319: Causes serious eye irritation

#### **Precautionary statement(s):**

PREVENTION:

P102 Keep out of reach of children

P262 Do not get in eyes, on skin or on clothing

P281: Use personal protective equipment

**RESPONSE:** 

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do not induce vomiting P305 + P350 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 If eye irritation persists, immediately call a POISON CENTER or

doctor/ physician

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### MIXTURE:

WIIATORE.			
Chemical name	CAS No.	% product	
Butyl icinol	111-76-2	5-10	
Alkaline Salts	Confidential	5-19	
Non hazardous surfactants	various	5-10	
Other non hazardous	various	5-10	
ingredients			
Water	7732-18-5	To 100	

SAFETY DATA SHEET GRILLA KLEEN May 2022 Page 2 of 6

This is a commercial product and the exact ratio of ingredients may vary slightly and trace quantities of impurities are also possible.

#### **SECTION 4: FIRST AID MEASURES**

**General information** For advice, contact a Poisons Information Centre (e.g. phone

Australia 131 126; New Zealand 0800 764 766) or a doctor

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or

doctor/physician.

**Skin contact** Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower. If irritation persists, seek medical

attention.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If irritation

persists, seek medical attention.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Call a POISON

CENTER/doctor/physician if you feel unwell

#### **SECTION 5: FIRE FIGHTING MEASURES**

**Fire and Explosion Hazards**: There is no risk of an explosion from this product under

normal circumstances if it is involved in a fire. Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire.

This will only occur after heating to dryness.

Fire decomposition products from this product are likely to

be irritating if inhaled.

**Extinguishing Media:** Not Combustible. Use extinguishing media suited to burning

materials.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: Does not burn.
Upper Flammability Limit: Does not burn.
Lower Flammability Limit: Does not burn.

**Autoignition temperature:** Not applicable - does not burn.

Flammability Class: Does not burn.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Accidental release: Minor spills do not normally need any special clean up measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the clean up area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Can be slippery on floors, especially when wet. Recycle containers wherever

SAFETY DATA SHEET GRILLA KLEEN May 2022 Page 3 of 6

possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

#### **SECTION 7: HANDLING AND STORAGE**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** Make sure that containers of this product are kept tightly closed. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

SECTION 8. EXP	ACLIDE CONTR	OLG/DEDGONAL	

□ National	exposure standard	s:		
Chemical	_	TWA (mg/m <sup>3</sup> )	STEL (mg/m³)	
Butyl Icinol		96.9	242	
Alkaline sa	lts	1-5	-	
□ Biologica	l limit values			
□ Engineer	ng controls			
□ Personal	protective equipm	ent:		
□ Engineer	ng controls:			
Local exhau	ust ventilation usua	Illy required. If risk o	f overexposure exists, wear app	roved
respirator.				
□ Personal	protective equipm	ent		
Respiratory	equipment: AS/NZS	5 1715, Protective Glo	ves: <b>AS 2161</b> , Industrial Clothing:	
<b>AS2919</b> , Inc	lustrial Eye Protecti	on: AS1336 and AS/N	IZS 1337, Occupational Protective	
Footwear: A	S/NZS2210.		•	
Eve:	Safety dlasses	with unperforated side	shields may be used where	

Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure. Chemical goggles. Whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted. Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection. Alternatively, a gas mask may replace splash goggles and face shields.

SAFETY DATA SHEET GRILLA KLEEN May 2022 Page 4 of 6

**Hands/Feet:** Suitability and durability of glove type is dependent on usage. Important

factors in the selection of gloves include: such as: frequency and duration of

contact, chemical resistance of glove material, glove thickness and

dexterity. Elbow length PVC gloves.

When handling corrosive liquids, wear trousers or overalls outside of

boots, to avoid spills entering boots.

**Respirator** Usually, no respirator is necessary when using this product. However, if you

have any doubts consult the Australian Standard mentioned above.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Physical Description & Clear pink coloured liquid.

colour:

Odour: Mild odour

**Boiling Point:** Approximately 100°C at 100kPa.

Freezing/Melting Point: Approximately 0°C. Volatiles: Water component.

**Vapour Pressure:** 2.37 kPa at 20°C (water vapour pressure).

Vapour Density: No data. Specific Gravity: No data.

Water Solubility: Completely soluble in water.

**pH:** 8.0-8.5 (1% in water)

Volatility: No data.
Odour Threshold: No data.
Evaporation Rate: No data.
Coeff Oil/water No data

Distribution:

**Autoignition temp:** Not applicable - does not burn.

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: None known.

**Incompatibilities:** No particular Incompatibilities.

**Fire Decomposition:** Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. This will only occur after heating to dryness. Carbon dioxide, and if combustion is incomplete, carbon monoxide. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Water, sodium compounds. Carbon

SAFETY DATA SHEET GRILLA KLEEN May 2022 Page 5 of 6

monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Local effects:** The product is an eye and skin irritant

**Toxicity:** The product is not toxic via ingestion, inhalation or skin contact.

However, at large doses, the product may be harmful.

**Genotoxicity:** The product is not genotoxic.

# **Section 12 - Ecological Information**

Insufficient data to be sure of status. Expected to not be an environmental hazard. Biodegradation studies indicate that 2-butoxyethanol will be readily degraded by microorganisms present at sewage treatment plants. Ready biodegradability tests showed that it achieved a biodegradation rate of greater than 77% after 3 days and 100% after 7 days. A 20-day biochemical oxygen demand test and an OECD 28-day closed bottle test gave it degradation rates of 75% and 88% respectively. Literature data confirm these results.

#### **Section 13 - Disposal Considerations**

This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to separate the contamination in some way. Only if neither of these options is suitable, consider landfill.

#### **Section 14 - Transport Information**

**ADG Code:** This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

#### **Section 15 - Regulatory Information**

**AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.

• Butyl icinol, (an ethylene glycol monoalkyl ether) is mentioned in schedule 6 of the SUSMP.

Schedule 6 chemicals are substances with a moderate potential for causing harm, the extent of which can be reduced through the use of distinctive packaging with strong warnings and safety directions on the label.

Alkaline salts are listed in schedule 5 of the SUSMP

Schedule 5 chemicals are substances with a low potential for causing harm, the extent of which can be reduced through the use of appropriate packaging with simple warnings and safety directions on the label.

#### **SECTION 16 OTHER INFORMATION**

□ Date of preparation or last revision of the MSDS DECEMBER 2016

**Acronyms:** 

ADG Code Australian Code for the Transport of Dangerous Goods by Road and

Rail (7<sup>th</sup> edition)

AICS Australian Inventory of Chemical Substances

**ASCC** Office of the Australian Safety and Compensation Council

CAS number Chemical Abstracts Service Registry Number

SAFETY DATA SHEET	GRILLA KLEEN	May 2022	Page 6 of 6	
GHS	Globally Harmonised System of Classification and Labelling (GHS)			
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters			
IARC	International Agency for Research on Cancer			
NOS	Not otherwise specified			
NTP	National Toxicology Program (USA)			
STEL	Short term exposure limit			
SUSMP	Standard for the Uniform Sch	neduling of Medicines &	Poisons	
TWA	Time weighted average	G		
UN Number	United Nations Number			
Disclaimer:				

- This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. The information is meant to describe Safety Requirements of the product and should not be construed as guaranteeing specific properties. This SDS is analogous to the data for the principal components of the mixture/compound. No warranty, express or implied, is made as to its accuracy, reliability or completeness.
- Each user should read this SDS, all product labels, and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.
- We can not accept any liability for any damage or injury caused by the product as it is sold and its use, handling and storage are completely out of our control.