Sprint Cleaning Products Pty Ltd

SAFETY DATA SHEET

MAXICLEAN PLUS

ABN 39629997879

May 2022

Page 1 of 5

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product (material) name:	Maxiclean Plus
□ Other names:	N/A
Recommended use:	Commercial Grade Cleaner/Disinfectant/Deodorant
□ Supplier:	Sprint Cleaning Products, 1/90 Heathcote Rd Moorebank NSW 2170
□ Tel: 02 8712 2406	
Emergency:	Contact Poisons Info Centre 131 126 or Manufacturer
SECTION 2: HAZARDS IDENTIFICATION	

Classification of the substance or mixture:

Ingredients are hazardous according to the criteria of the GHS.

Pictograms



Signal word: Warning

Hazard statement(s): H315: Causes skin irritation H319: Causes serious eye irritation

Precautionary statement(s):

PREVENTION:	
P102	Keep out of reach of children
P262	Do not get in eyes, on skin or on clothing
P281:	Use personal protective equipment
RESPONSE:	
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do not induce vomiting
P305 + P350 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists, immediately call a POISON CENTER or doctor/ physician

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURE

Chemical name	CAS No.	% product	
Alkaline Salts	Confidential		
Alkyl Dimethyl Benzyl Ammonium	68424-85-1	5-19	
Chloride			
Other non hazardous ingredients	Various	1-10	
Water		To 100	

This is a commercial product and the exact ratio of ingredients may vary slightly and trace quantities of impurities are also possible.

sprint Cleaning Products Pty Ltd		ABN 370	ADN 3902999/8/9	
SAFETY DATA SHEET	MAXICLEAN PLUS	May 2022	Page 2 of 5	
SECTION 4: FIRST AID ME	ASURES			
General information	For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor			
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.			
Skin contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation persists, seek medical attention.			
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, seek medical attention.			
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor/physician if you feel unwell			
SECTION 5: FIRE FIGHTIN	G MEASURES			
Fire and Explosion Hazards:	There is no risk of an explosion from involved in a fire. Only small quantit this product at temperatures normally heating to dryness.	ies of decomposition products achieved in a fire. This will o	s are expected from only occur after	
	Fire decomposition products from th	1 0	e	
Extinguishing Media: Fire Fighting:	Not Combustible. Use extinguishing If a significant quantity of this produc	•		
rne righting.	in a significant quantity of this produc	a is involved in a file, call the	e me ongade.	

Flash point:Does not burn.Upper Flammability Limit:Does not burn.Lower Flammability Limit:Does not burn.Autoignition temperature:Not applicable - does not burn.Flammability Class:Does not burn.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Accidental release: Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the clean-up area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Can be slippery on floors, especially when wet. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

SECTION 7: HANDLING AND STORAGE

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10. **Storage:** Make sure that containers of this product are kept tightly closed. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Sprint Cleaning	Products	Pty Ltd
-----------------	----------	---------

Sprint Cleaning Products Pty Ltd		ABN 3	ABN 39629997879	
SAFETY DATA S	HEET MAXICLEAN P	PLUS May 2022	Page 3 of 5	
SECTION 8: EX	POSURE CONTROLS/PERSONAL PR	OTECTION		
National expos	sure standards:			
Chemical	TWA (mg/m ³)	STEL (mg/m ³))	
Butyl icinol	96.9	242		
Alkaline salts	1-5	-		
🗆 Biological limi	t values			
Engineering co				
	ctive equipment:			
Engineering co				
	ntilation usually required. If risk of overexpo	osure exists, wear approved respirator.		
	ctive equipment			
	ment: AS/NZS 1715, Protective Gloves: AS		Industrial Eye	
	36 and AS/NZS 1337, Occupational Protect			
Eye:	Safety glasses with unperforated side shi			
	desirable, as in laboratories; spectacles an			
	such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be			
	under pressure. Chemical goggles. Whenever there is a danger of the material coming in contact with			
	the eyes; goggles must be properly fitted. Full face shield (20 cm, 8 in minimum) may be required for			
	supplementary but never for primary protection of eyes; these afford face protection. Alternatively a			
	gas mask may replace splash goggles and	l face shields.		
Hands/Feet:	Suitability and durability of glove type is			
	gloves include: such as: frequency and duration of contact, chemical resistance of glove material,			
	glove thickness and dexterity. Elbow length PVC gloves.			
	When handling corrosive liquids, wear tr	ousers or overalls outside of		
	boots, to avoid spills entering boots.			
Respirator	Usually, no respirator is necessary when		ave any doubts consult	
	the Australian Standard mentioned above	<u>م</u>		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical Description & colour:	Clear thin yellow/brown coloured liquid.
Odour:	Mild citrus fragrance.
Boiling Point:	Approximately 100°C at 100kPa.
Freezing/Melting Point:	Approximately 0°C.
Volatiles:	Water component.
Vapour Pressure:	2.37 kPa at 20°C (water vapour pressure).
Vapour Density:	No data.
Specific Gravity:	No data.
Water Solubility:	Completely soluble in water.
pH:	8.0-8.5 (1% in water)
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water Distribution:	No data
Autoignition temp:	Not applicable - does not burn.

May 2022

Paae 4 of 5

ABN 39629997879

SECTION 10: STABILITY AND REACTIVITY

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

MAXICLEAN PLUS

Conditions to Avoid: None known.

SAFETY DATA SHEET

Incompatibilities: No particular Incompatibilities.

Fire Decomposition: Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. This will only occur after heating to dryness. Carbon dioxide, and if combustion is incomplete, carbon monoxide. Nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Water, sodium compounds. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

SECTION 11: TOXICOLOGICAL INFORMATION

Local effects:	The product is an eve and skin irritant
Toxicity:	The product is not toxic via ingestion, inhalation or skin contact. However, at large doses,
	the product may be harmful.
Genotoxicity:	The product is not genotoxic.

Section 12 - Ecological Information

Insufficient data to be sure of status. Expected to not be an environmental hazard.

Biodegradation studies indicate that 2-butoxyethanol will be readily degraded by micro-organisms present at sewage treatment plants. Ready biodegradability tests showed that it achieved a biodegradation rate of greater than 77% after 3 days and 100% after 7 days. A 20-day biochemical oxygen demand test and an OECD 28-day closed bottle test gave it degradation rates of 75% and 88% respectively. Literature data confirm these results.

Section 13 - Disposal Considerations

This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to separate the contamination in some way. Only if neither of these options is suitable, consider landfill.

Section 14 - Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

• Butyl icinol, (an ethylene glycol monoalkyl ether) is mentioned in schedule 6 of the SUSMP.

Schedule 6 chemicals are substances with a moderate potential for causing harm, the extent of which can be reduced through the use of distinctive packaging with strong warnings and safety directions on the label.

• Alkaline salts are listed in schedule 5 of the SUSMP

Schedule 5 chemicals are substances with a low potential for causing harm, the extent of which can be reduced through the use of appropriate packaging with simple warnings and safety directions on the label.

Sprint Cleaning Products Pty Ltd

SAFETY DATA SHEETMAXICLEAN PLUSMay 2022	Page 5 of 5
---	-------------

ABN 39629997879

□ Date of preparation or last revision of the SDS DECEMBER 2016		
Acronyms:		
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)	
AICS	Australian Inventory of Chemical Substances	
ASCC	Office of the Australian Safety and Compensation Council	
CAS number	Chemical Abstracts Service Registry Number	
GHS	Globally Harmonised System of Classification and Labelling (GHS)	
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency	
	services especially firefighters	
IARC	International Agency for Research on Cancer	
NOS	Not otherwise specified	
NTP	National Toxicology Program (USA)	
STEL	Short term exposure limit	
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons	
TWA	Time weighted average	
UN Number	United Nations Number	
Disclaimer:		

A) This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. The information is meant to describe Safety Requirements of the product and should not be construed as guaranteeing specific properties. This SDS is analogous to the data for the principal components of the mixture/compound. No warranty, express or implied, is made as to its accuracy, reliability or completeness.

B) Each user should read this SDS, all product labels, and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

C) We cannot accept any liability for any damage or injury caused by the product as it is sold and its use, handling and storage are completely out of our control.