




Kangaroo
Hoppers



12FTx8FT Square
Trampoline
Installation Guide

Video
Tutorial



12FTx8FT Square Trampoline with Enclosure Net

⚠ WARNING

- THE MAXIMUM WEIGHT OF THE USER SHALL NOT EXCEED 264 LBS (120 KG).
- NOT RECOMMENDED FOR CHILDREN UNDER 6 YEARS OF AGE.
- PROPERLY STORE THE PRODUCT AWAY DURING HEAVY WINDS.
- SAVE THIS MANUAL FOR FUTURE REFERENCE.

***NOTICE:** Read these materials prior to assembling and using this trampoline with trampoline enclosure, and make sure that you have mature knowledgeable supervision.

Prefaces:

Introduction	1
Kindly Reminder	1

Precautions :

User Instructions and Rules	2
Weather Conditions	3
Trampoline Location	4

Trampoline Assembly Instructions:

Part List for 12FT Trampoline	5
Step 1 - Trampoline Frame Assembly	7
Step 2 - Trampoline Mat Assembly	10
Step 3 - Trampoline Frame Pad Assembly	13
Step 4 - Trampoline Poles Assembly	13
Step 5 - Trampoline Enclosure&Mat Assembly	15
How to Inspect the Trampoline for Safe Use	22

PREFACES

▲WARNING READ THESE MATERIALS PRIOR TO ASSEMBLING AND USING THIS TRAMPOLINE. FAILURE TO DO SO CAN RESULT IN SERIOUS INJURY OR DEATH.

INTRODUCTION:

Thank you for purchasing a Kangaroo Hoppers product! Your Kangaroo Hoppers Trampoline is made of quality materials to provide you and your family with many years of enjoyment and exercise. Enjoy your Kangaroo Hoppers Trampoline! Our website: <https://www.kangaroothoppers.com/>.

It is very important that the owners and users of this trampoline have adequate knowledge of techniques and rules for safe use. Restrict access to any unauthorized users without your consent. Children must be supervised at all times by a knowledgeable and mature adult while using the trampoline. Take precautions to prevent access to the trampoline by children when there is no adult supervision.

Please also ensure proper placement of this product to avoid injuries. The best surface to place your product is over flat dirt or grass, with no obstructions beneath or around the product. The product must not be used in windy conditions as wind can cause unexpected movement of the product. The product must be properly stored away or disassembled completely during severe windy conditions.

If you have questions after reading this manual, please email us at support@kangaroothoppers.com for customer care. The trained customer service will provide immediate assistance within 24 hours.

KINDLY REMINDER:

The owner and supervisors of the trampoline are responsible to make all users aware of practices specified in the Use Instructions. The trampoline enclosure is only to be used as an enclosure for a trampoline of a size for which the enclosure is designed.

All trampolines require maintenance at some point. Springs may need to be replaced, rail pieces may become bent, stitching in the mat and frame pads may rot out. Proper care and maintenance help to prolong the life of the trampoline and reduce the possibility of injury.



DO NOT attempt or allow somersaults. This will increase your chances of landing on your head or neck and can cause serious injuries, such as paralysis or death.



NOT RECOMMEND children under 6 years of age.
DO NOT use if you are over 264 lbs (120kg).

Use trampoline and trampoline enclosure only with mature, knowledgeable supervision.



DO NOT attempt to jump over the barrier.



DO NOT intentionally rebound off the barrier.
DO NOT hang from, kick, cut or climb on the barrier.

PREFACES

NOTE: Read all instructions in this manual carefully before assembling or using this product. Keep this manual in a safe place for future reference.

- Do not attempt or allow somersaults. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- Do not use the trampoline as a springboard to other objects. Avoid bouncing when tired. Keep turns short.
- Do not attempt to jump over the barrier. Do not attempt to crawl under the barrier. Do not intentionally rebound off the barrier. Do not hang from, kick, cut, or climb on the barrier.
- Climb on and off the trampoline. It is a dangerous practice to jump from the trampoline to the floor or ground when dismounting or to jump onto the trampoline when mounting.
- Flex knees as feet come in contact with trampoline bed to stop bounce. Learn it before attempting others.
- Always start your jump at the center of trampoline mat.
- While keeping the head upright, focus your eyes around the trampoline to help control the bounce.
- Learn fundamental bounces and body positions thoroughly before trying more advanced skills. A variety of trampoline activities can be carried out by performing the basic fundamentals in various series and combinations, performing one fundamental after another, with or without feet bounces between them.
- Avoid bouncing too high. Stay low until bounce control and repeated landing in the center of the trampoline can be accomplished. Control is more important than height.
- Keep objects away which could interfere with the performer. Maintain a clear area around the trampoline.
- Wear clothing free of drawstrings, hooks, loops, or anything that could get caught in the barrier.
- Do not allow more than one person on the trampoline. Use by more than one person at the same time can result in serious injuries.
- Trampolines over 20 inches (51 cm) tall are not recommended for use by children under 6 years of age.
- Do not use the trampoline while under the influence of alcohol or drugs.
- If a trampoline ladder is used, the supervisor should remove it from the trampoline when leaving the area to prevent unsupervised access by children under 6 years of age.
- For additional information concerning the trampoline equipment, contact the manufacturer.
- For information concerning skill training, contact a certified trampoline instructor.

PRECAUTIONS:

A trampoline can become airborne when exposed to sustained wind or gusting wind conditions, which result in serious injury, paralysis, or death, and property damage. To reduce risks, disassemble trampoline and enclosure, store them until weather conditions improve. Anchoring a trampoline frame may prevent the trampoline from moving as a result of the wind, but even anchored trampolines can become airborne or damaged. Consult a qualified contractor to determine what type of anchor works best in your location.

WEATHER CONDITIONS:


1. Cold Weather Protection

The Kangaroo Hoppers Trampoline System is designed for year-round outdoor use. However, in climates of cold weather where snow and ice are common, we recommend the trampoline mat, springs, frame pad, and net be removed and stored in a dry area out of the sun. To remove these parts, simply complete the instructions for installing them in reverse order.




2. Ice and Snow

Left unattended in snow and ice, your trampoline mat will accumulate weight in the middle, causing damage to your springs. This type of damage is not covered by warranty. Use extreme care in removing any ice and snow that may have accumulated on the mat before removing the mat for storage. Do not use a sharp object - such as a shovel, hoe, or garden rake - to remove ice or snow as this may damage the mat. This type of damage is not covered by warranty. We suggest using a high-pressure water hose and spraying upward from underneath the trampoline, starting at the mats lowest point. Another option is to pour hot water on the ice and snow to melt it away.




3. Windy Conditions

It is possible for the trampoline to be blown about by a high wind. If you live in an area where there are winds strong enough to move the product, you may use a Kangaroo Hoppers Trampoline Anchor Kit to tie down your trampoline (The diagram shows the Kangaroo Hoppers Trampoline Anchor Kit). If you anticipate severe winds, the trampoline should be moved to a sheltered location or completely disassembled.



TRAMPOLINE LOCATION:

1. Place the trampoline on a flat surface. Make sure that the trampoline is stable so that the wind or jumps do not cause any displacement on the surface.
2. Maintain a clearance of at least 6 meters (20 feet) directly above the trampoline to prevent accidental collisions, e.g. with tree branches that can cause injury.
3. Maintain at least 3 meters (10 feet) of free space around the trampoline. There should be no objects in this area that could cause injury if someone falls off the trampoline. Place the trampoline away from walls, fences, and buildings.
4. Remove all objects under the trampoline before use.



NOTE: You can use a Kangaroo Hoppers Trampoline Anchor Kit to tie down your trampoline. The anchor kit can be found in our Accessories Section on Amazon or official website.

ASSEMBLY AND ADJUSTMENT

TWO PEOPLE ARE NEEDED TO ASSEMBLE THE TRAMPOLINE AND ENCLOSURE. ALWAYS WEAR GOGGLES AND GLOVES.



















BEFORE YOU BEGIN:

Review all steps before beginning assembly and read all precautions before using it. Before you begin assembling your Kangaroo Hoppers Trampoline, make sure the trampoline and trampoline enclosure is in a proper location. If you are missing any parts, please email us at support@kangarohoppers.com.

















KINDLY REMINDER:

By the way, you can **take a picture of this part list (page 5 and page 6)** before assembling the trampoline, thus you can easily find the corresponding parts for each step!

PARTS LIST

NO.	Part	Q'ty	Diagram	NO.	Part	Q'ty	Diagram
1	Main Frame Tube B	2 pcs		2	Main Frame Tube A	2 pcs	
3	L-Shaped Main Frame Tube A	2 pcs		4	L-Shaped Main Frame Tube B	2 pcs	
5	Vertical Leg Extensions	8 pcs		6	Leg Base	4 pcs	
7	Long Upper Enclosure Tube With Foam	2 pcs		8	Short Upper Enclosure Tube With Foam	4 pcs	
9	Lower Enclosure Tube With Foam	6 pcs		10	Top Single Beam Short Arc Tube With Foam	2 pcs	
11	Top Double Beam Short Arc Tube With Foam	2 pcs		12	Top Single Beam Long Arc Tube With Foam	4 pcs	
13	Enclosure Ring Connector	4 pcs		14	T-pass Connector	2 pcs	
15	Spring	64 pcs		16	M6*35 Semicircle Hexagon Socket Bolt	8 pcs	
17	Φ6 Spring Lock Washer	14 pcs		18	M6 Plastic Locknut	8 pcs	

PARTS LIST


NO.	Part	Q'ty	Diagram	NO.	Part	Q'ty	Diagram
19	M6*15 Semicircle Hexagon Socket Bolt	6 pcs		20	Phillips Pan Head Tapping Screws	34 pcs	
21	Tie Rope	7 pcs		22	Trampoline Mat	1 pc	
23	Enclosure Netting	1 pc		24	Long Frame Mat	2 pcs	
25	Short Frame Mat	2 pcs		26	Φ8 Spring Lock Washer	8 pcs	
27	M8 Plastic Locknut	8 pcs		28	M8*60 Square neck bolt	8 pcs	
29	13# Opening Iron Wrench	1 pc		30	10# Opening Iron Wrench	1 pc	
31	Cross Head Hexagon Wrench	1 pc		32	Spring Loading Tool	1 pc	
33	Short sleeve	4 pcs		34	Long sleeve	2 pcs	

STEP 1 TRAMPOLINE FRAME ASSEMBLY (Two People Are Required)

NO.	Part	Q'ty
1	Main Frame Tube B	2 pcs
3	L-Shaped Main Frame tube A	2 pcs
5	Vertical Leg Extensions	8 pcs
20	Phillips Pan Head Tapping Screws	16 pcs
27	M8 Plastic Locknut	8 pcs
29	13# Opening Iron Wrench	1 pc


NO.	Part	Q'ty
2	Main Frame Tube A	2 pcs
4	L-Shaped Main Frame tube B	2 pcs
6	Leg base	4 pcs
26	Φ8 Spring Lock Washer	8 pcs
28	M8*60 Square neck bolt	8 pcs
31	Cross Head Hexagon Wrench	1 pc

STEP 1a




NOTE: This hole must face outward.

STEP 1b




WARNING

DO NOT PLACE HANDS NEAR THE OPENING WHEN CONNECTING THE TUBES. WEAR PROTECTIVE GLOVES TO PROTECT FROM INJURIES DURING ASSEMBLY.




STEP 1c



⚠ WARNING

DO NOT PLACE HANDS NEAR THE OPENING WHEN CONNECTING THE TUBES. WEAR PROTECTIVE GLOVES TO PROTECT FROM INJURIES DURING ASSEMBLY.




STEP 2 TRAMPOLINE MAT ASSEMBLY (Two People Are Required)

NO.	Part	Q'ty
15	Spring	64 pcs
32	Spring Loading Tool	1 pc

NO.	Part	Q'ty
22	Trampoline Mat	1 pc


STEP 2a



Note A:
Please install the trampoline in numerical order: 1, then 2, followed by 3 and 4 as shown above until you finish 7 and 8.


Note B:
For even distribution of tension and ease of assembly, the springs must be placed on opposite sides of the mat in an alternating manner.

STEP 2b



Note A:
Please install the trampoline in numerical order: 9, then 10, followed by 11 and 12 as shown above until you finish 15 and 16.

STEP 2c




Note A:

Please install the trampoline in numerical order: 17, then 18, followed by 19 and 20 as shown above until you finish 27 and 28. And, congratulations! you have assembled all the springs.

STEP 3 TRAMPOLINE FRAME PAD ASSEMBLY (Two People Are Required)


NO.	Part	Q'ty	NO.	Part	Q'ty
24	Long Frame Mat	2 pcs	25	Short Frame Pad	2 pcs




STEP 4 TRAMPOLINE POLES ASSEMBLY (Two People Are Required)

NO.	Part	Q'ty	NO.	Part	Q'ty
7	Long Upper Enclosure Tube With Foam	2 pcs	8	Short Upper Enclosure Tube With Foam	4 pcs
9	Lower Enclosure Tube With Foam	6 pcs	17	Φ6 Spring Lock Washer	6 pcs
18	M6 Plastic Locknut	6 pcs	19	M6*15 Semicircle Hexagon Socket Bolt	6 pcs
20	Phillips Pan Head Tapping Screws	6 pcs	31	Cross Head Hexagon Wrench	1 pc
33	Short Sleeve	4 pcs	34	Long Sleeve	2 pcs


STEP 4a



STEP 4b



STEP 4c




STEP 5 TRAMPOLINE ENCLOSURE&MAT ASSEMBLY (Two People Are Required)


NO.	Part	Q'ty
10	Top Single Beam Short Arc Tube With Foam	2 pcs
12	Top Single Beam Long Arc Tube With Foam	4 pcs
14	T-pass Connector	2 pcs
17	Φ6 Spring Lock Washer	8 pcs
20	Phillips Pan Head Tapping Screws	12 pcs
23	Enclosure Netting	1 pc
31	Cross Head Hexagon Wrench	1 pc

NO.	Part	Q'ty
11	Top Double Beam Short Arc Tube With Foam	2 pcs
13	Enclosure Ring Connector	4 pcs
16	M6*35 Semi circle Hexagon Socket Bolt	8 pcs
18	M6 Plastic Locknut	8 pcs
21	Tie Rope	7 pcs
30	10# Opening Iron Wrench	1 pc


STEP 5a



STEP 5b



STEP 5c



ASSEMBLY AND ADJUSTMENT

Note: The curved tube is upward and slightly inclined outward.



Figure 1. Correct







Figure 2. Wrong


STEP 5d



STEP 5e




Note A: Secure the trampoline netting to the trampoline frame using the Tie Rope (#21). Lift up the frame pad and tie one end of the cord to any one of the triangle-rings on the trampoline mat as shown below.



Note B: Wrap and tie the inner elastic straps on the frame pad around the triangle-rings and the outer straps around the trampoline frame as shown below.

Congratulations!

You have made your own trampoline! Remember to read the next page carefully, then you can have fun with your families!



HOW TO INSPECT THE TRAMPOLINE FOR SAFE USE

1. Inspection on Trampoline

Inspect the trampoline before each use and replace any worn, defective, or missing parts. The following conditions could represent potential hazards:

- Missing, improperly positioned, or insecurely attached frame padding.
- Puncture, frays, tears, or holes worn in the bed or frame padding.
- Deterioration in the stitching or fabric of the bed or frame padding.
- Ruptured springs.
- A bent or broken frame.
- A sagging bed.
- Sharp protrusions on the frame or suspension system.

2. Inspection on Safety Enclosure

Inspect the trampoline enclosure before each use and replace any worn, defective, or missing parts. The following conditions could represent potential hazards:

- Missing, improperly positioned, or insecurely attached barrier or enclosure support system (frame) padding and pole caps.
- Puncture, frays, tears, or holes worn in the barrier or support system (frame) padding.
- Deterioration in the stitching or fabric of the barrier or support system (frame) padding.
- Bent or broken support system (frame).
- A sagging barrier.
- Sharp protrusions on the support system (frame) or suspension system.

3. Inspection on Trampoline Mat

Periodically inspect the trampoline for worn out or rotten stitching around the trampoline mat (bed). Stitching may fail due to excessive use or exposure to extreme weather. In most cases, evidence of deterioration will make itself known in the form of:

- Broken stitching around the edge of the mat.
- Rotten or frayed fabric at the v-ring straps.

NOTE: The “bed” mentioned above and elsewhere in this manual, refers to the jumping surface (generally referred to as the “mat”). The “frame” mentioned refers to the rail assembly pieces of the trampoline.

CAUTION: If any deterioration is found, all bouncing must cease and the trampoline must be disassembled or otherwise protected against use until the condition is remedied. The mat should be replaced with the appropriate Kangaroo Hoppers part. Remember, the only thing between the jumper and the ground is the mat. If a deteriorated mat is not inspected properly, further jumping could cause the mat to pull away from the straps in a large area and the jumper may land on the ground, which could cause serious injury.



Kangaroo Hoppers



Kangaroo Hoppers



kangarohoppers.official



Kangaroo hoppers



www.kangarohoppers.com